

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standardlösung "ICPB (AB)"

UFI: 5D9T-32QX-E007-XDSX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------------|------------------------------|
| Company name: | AnalytiChem GmbH | |
| | ACD | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

nickel dinitrate

Signal word: Warning

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 2 of 12

Hazard statements

| | |
|------|--------------------------------------|
| H290 | May be corrosive to metals. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |

Precautionary statements

| | |
|-----------|---|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P333 | If skin irritation or rash occurs: |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

| CAS No | Chemical name | Quantity |
|------------|--|-----------|
| | EC No Index No REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | |
| 7697-37-2 | nitric acid | 1 - < 5 % |
| | 231-714-2 007-030-00-3 01-2119487297-23 | |
| | Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071 | |
| 13138-45-9 | nickel dinitrate | < 0.1 % |
| | 236-068-5 028-012-00-1 01-2119492333-38 | |
| | Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|---|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 7697-37-2 | 231-714-2 | nitric acid | 1 - < 5 % |
| | | inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20 | |
| 13138-45-9 | 236-068-5 | nickel dinitrate | < 0.1 % |
| | | inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1 | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 3 of 12

4.1. Description of first aid measures

After inhalation

Provide fresh air.
Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water
Take off immediately all contaminated clothing and wash it before reuse.
Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
Remove contact lenses, if present and easy to do. Continue rinsing.
Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.
Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant
Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids
Hazardous combustion products
In case of fire may be liberated:
Nitrogen oxides (NO_x)
Hydrogen fluoride

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
In case of fire and/or explosion do not breathe fumes.
Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 4 of 12

Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.
Prevent spread over a wide area (e.g. by containment or oil barriers).
Collect in closed and suitable containers for disposal.
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Use personal protection equipment.
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary.
Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.
Unsuitable container/equipment material: Metal
The product develops hydrogen in an aqueous solution in contact with metals.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 5 of 12

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|-----------|-------------|-----|-------------------|---------------------|---------------|--------|
| 7697-37-2 | Nitric acid | 1 | 2.6 | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|------------------|----------------|----------|-----------------------|
| 13138-45-9 | nickel dinitrate | | | |
| Consumer DNEL, acute | | oral | systemic | 0,012 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 0,02 mg/kg bw/day |
| Worker DNEL, acute | | inhalation | systemic | 104 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 1,6 mg/m ³ |
| Consumer DNEL, acute | | inhalation | systemic | 8,8 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 0,1 mg/m ³ |

PNEC values

| CAS No | Substance | Value |
|--|------------------|-------------|
| 13138-45-9 | nickel dinitrate | |
| Environmental compartment | | |
| Freshwater | | 0,0071 mg/l |
| Freshwater (intermittent releases) | | 0 mg/l |
| Marine water | | 0,0086 mg/l |
| Freshwater sediment | | 109 mg/kg |
| Marine sediment | | 109 mg/kg |
| Secondary poisoning | | 0,12 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,33 mg/l |
| Soil | | 29,9 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 6 of 12

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.
Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.
The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|-------------------|-------------------|
| Physical state: | Liquid | |
| Colour: | colourless | |
| Odour: | like: Nitric acid | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | <1 |
| Viscosity / kinematic: | | No data available |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multiement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 7 of 12

| | |
|--|-------------------------|
| Water solubility: | completely miscible |
| Solubility in other solvents | |
| No data available | |
| Partition coefficient n-octanol/water: | No data available |
| Vapour pressure: | No data available |
| Vapour pressure: | No data available |
| Density: | 1,009 g/cm ³ |
| Bulk density: | No data available |
| Relative vapour density: | No data available |

9.2. Other information

Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Explosive properties | |
| No data available | |
| Sustaining combustion: | No data available |
| Self-ignition temperature | |
| Solid: | No data available |
| Gas: | No data available |
| Oxidizing properties | |
| Oxidizing | |

Other safety characteristics

| | |
|--------------------------|-------------------|
| Evaporation rate: | No data available |
| Solvent separation test: | No data available |
| Solvent content: | 0 |
| Solid content: | 0 |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| No data available: | |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide

Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 8 of 12

10.6. Hazardous decomposition products

In case of fire may be liberated:
SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|------------|----------------------|------------------|---------|--|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | |
| | inhalation vapour | ATE 2,65 mg/l | | | |
| 13138-45-9 | nickel dinitrate | | | | |
| | oral | LD50 361,9 mg/kg | Rat | Regul Toxicol and Pharmacol (doi.org/10. | OECD Guideline 425 |
| | inhalation vapour | ATE 11 mg/l | | | |
| | inhalation dust/mist | ATE 1,5 mg/l | | | |

Irritation and corrosivity

Causes skin irritation.
Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (nickel dinitrate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 9 of 12

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|------------|--------------------------|--------------|-----------------|---------|--|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | | |
| | Acute fish toxicity | LC50 mg/l | 1559 | 96 h | Topeka shiner | Environmental Toxicology and Chemistry, other: ASTM E729-26 |
| | Fish toxicity | NOEC | 268 mg/l | 30 d | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009) Growth tests estimated the test chemical |
| | Algae toxicity | NOEC | > 419 mg/l | 10 d | several benthic diatoms; see results | Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso |
| | Acute bacteria toxicity | EC50 | > 1000 mg/l () | 3 h | Activated sludge | Study report (2008) OECD Guideline 209 |
| 13138-45-9 | nickel dinitrate | | | | | |
| | Acute fish toxicity | LC50 | 15,3 mg/l | 96 h | Oncorhynchus mykiss | Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported |
| | Acute algae toxicity | ErC50 | 0,237 mg/l | 72 h | Ankistrodesmus falcatus | Publication (2009) OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 | 0,2663 mg/l | 48 h | Ceriodaphnia dubia | Study report (2004) other: American society of testing and m |
| | Fish toxicity | NOEC | 0,057 mg/l | 32 d | Pimephales promelas | Water Resources Research Institute. Kent other: ASTM 1980, E-729 |
| | Algae toxicity | NOEC | 0,6 mg/l | 14 d | Anabaena cylindrica | Environ. Pollut. (Series A). 25(4):241-2 other: not reported |
| | Crustacea toxicity | NOEC | 0,04 mg/l | 42 d | Daphnia magna | Wat. Res. 24(7):845-852 (1990) Chronic exposure to sublethal concentrat |
| | Acute bacteria toxicity | EC50 | 33 mg/l () | 0,5 h | Activated sludge | Journal of Hazardous Materials. B139:332 ISO 8192 |

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|------------------|-----|---------------------|----------------------|
| 13138-45-9 | nickel dinitrate | 23 | Spirodela polyrhiza | Ecotoxicology and en |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 10 of 12

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains.
Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.
Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|---|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 274 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Inland waterways transport (ADN)

| | |
|--|---|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 274 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |

Marine transport (IMDG)

| | |
|--|---|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Special Provisions: | 223, 274 |
| Limited quantity: | 5 L |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 11 of 12

Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8
Special Provisions: A3 A803
Limited quantity Passenger: 1 L
Passenger LQ: Y841
Excepted quantity: E1
IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
Entry 3, Entry 27, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,12.

Abbreviations and acronyms

Ox. Liq: Oxidising liquid
Ox. Sol: Oxidising solid
Met. Corr: Substance or mixture corrosive to metals
Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Resp. Sens: Respiratory sensitisation
Skin Sens: Skin sensitisation
Muta: Germ cell mutagenicity
Carc: Carcinogenicity
Repr: Reproductive toxicity
STOT RE: Specific target organ toxicity - repeated exposure
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "ICPB (AB)"

Revision date: 09.04.2024

Product code: 31523

Page 12 of 12

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|---------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|--------|--|
| H272 | May intensify fire; oxidiser. |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H350i | May cause cancer by inhalation. |
| H360D | May damage the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)