

according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 1 of 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

# Uses advised against

Do not use for private purposes (household).

# 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

## **Further Information**

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

## Regulation (EC) No 1272/2008

#### Hazard components for labelling

ammonium thiocyanate

Signal word: Danger

Pictograms:





# **Hazard statements**

H225 Highly flammable liquid and vapour.



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 2 of 13

H318 Causes serious eye damage.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P403+P235 Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulati	on (EC) No 1272/2008)	•		
64-17-5	ethanol				
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2; H225 H319				
1762-95-4	ammonium thiocyanate	•		1 - < 5 %	
	217-175-6	615-004-00-3	01-2119543696-28		
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 3; H332 H312 H302 H318 H412 EUH032				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

	<u> </u>		
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol	95 - < 100 %
	inhalation: LC5 100	50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg	
1762-95-4	217-175-6	ammonium thiocyanate	1 - < 5 %
		E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = oral: LD50 = 508 mg/kg	

## **Further Information**

No data available

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Print date: 23.04.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 3 of 13

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Never give anything by mouth to an unconscious person or a person with cramps.

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Dizziness

The product causes narcotic-like effects.

Inebriation

Vomitina

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products In case of fire may be liberated:

Carbon dioxide (CO2) Carbon monoxide

Nitrogen oxides (NOx)

Hydrogen cyanide (hydrocyanic acid)

Beware of reignition.

# 5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Use water spray jet to protect personnel and to cool endangered containers.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

#### For non-emergency personnel

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 4 of 13

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

## Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 5 of 13

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

# Further information on storage conditions

Vapours may form explosive mixtures with air.

Protect against: Light

## 7.3. Specific end use(s)

Laboratory use Laboratory chemical

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	

#### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
64-17-5	ethanol				
Worker DNEL	., long-term	inhalation	systemic	950 mg/m³	
Worker DNEL	., long-term	dermal	systemic	343 mg/kg bw/day	
Consumer DN	NEL, long-term	inhalation	systemic	114 mg/m³	
Consumer DN	NEL, long-term	dermal	systemic	206 mg/kg bw/day	
Consumer DN	NEL, long-term	oral	systemic	87 mg/kg bw/day	
1762-95-4	-4 ammonium thiocyanate				
Worker DNEL	Worker DNEL, long-term		systemic	2,8 mg/m³	
Worker DNEL	Worker DNEL, long-term		systemic	4 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	0,7 mg/m³	
Consumer DNEL, long-term		dermal	systemic	2 mg/kg bw/day	
Consumer DN	Consumer DNEL, long-term		systemic	0,2 mg/kg bw/day	



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 6 of 13

#### **PNEC values**

CAS No	Substance	
Environment	al compartment	Value
64-17-5	ethanol	
Freshwater		0,96 mg/l
Freshwater (	intermittent releases)	2,75 mg/l
Marine water	r	0,79 mg/l
Freshwater s	sediment	3,6 mg/kg
Marine sedin	nent	2,9 mg/kg
Secondary p	oisoning	380 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
1762-95-4	ammonium thiocyanate	
Freshwater		0,095 mg/l
Freshwater (intermittent releases)		0,027 mg/l
Marine water		0,009 mg/l
Freshwater sediment		0,543 mg/kg
Marine sediment		0,054 mg/kg
Secondary poisoning		1,667 mg/kg
Micro-organisms in sewage treatment plants (STP)		30 mg/l
Soil		6,336 mg/kg

# 8.2. Exposure controls

# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

# Eye/face protection

Suitable eye protection: goggles.

# Hand protection

Tested protective gloves must be worn

# Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Environmental exposure controls**

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmuna

Revision date: 23.04.2024 Product code: 31553 Page 7 of 13

not determined

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear

Melting point/freezing point: No data available Boiling point or initial boiling point and 78 °C

boiling range:

Flammability: not applicable not applicable

3,1 vol. % Lower explosion limits: Upper explosion limits: 27.7 vol. % Flash point: 12 °C Auto-ignition temperature: 425 °C

pH-Value: No data available No data available

Viscosity / kinematic:

Solubility in other solvents

Decomposition temperature:

not determined

Partition coefficient n-octanol/water: No data available

Vapour pressure: 59 hPa

(at 50 °C)

Vapour pressure: No data available Density: ca. 0,82 g/cm3 Bulk density: No data available Relative vapour density: not determined

# 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

Vapours can form explosive mixtures with air.

Self-ignition temperature

Solid: not applicable Gas: not applicable

Oxidizing properties Not oxidising.

## Other safety characteristics

Evaporation rate: not determined Solvent separation test: No data available Solid content: not determined Sublimation point: No data available Softening point: No data available No data available Pour point:

No data available:

No data available Viscosity / dynamic:

(at 20 °C)

Flow time: No data available

# **Further Information**

No data available

# **SECTION 10: Stability and reactivity**

Print date: 23.04.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 8 of 13

### 10.1. Reactivity

Highly flammable.

Vapours can form explosive mixtures with air.

## 10.2. Chemical stability

Protect against: Light

### 10.3. Possibility of hazardous reactions

Oxidising agent

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

Light

# 10.6. Hazardous decomposition products

Hazardous combustion products In case of fire may be liberated:

Carbon dioxide (CO2) Carbon monoxide

Nitrogen oxides (NOx)

Hydrogen cyanide (hydrocyanic acid)

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol					
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403
1762-95-4	ammonium thiocyanate					
	oral	LD50 mg/kg	508	Japanese quail	Study report (1999)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

# Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Print date: 23.04.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 9 of 13

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

### Other information

Irritant

Dizziness

The product causes narcotic-like effects.

Inebriation

Vomiting

#### **Further information**

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

# **SECTION 12: Ecological information**

## 12.1. Toxicity

No data available



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 10 of 13

CAS No	Chemical name	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
64-17-5	ethanol							
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975	
	Acute algae toxicity	ErC50 22000 mg/l	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11	
	Algae toxicity	NOEC mg/l	5400	5 d	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a	
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th	
1762-95-4	ammonium thiocyanate							
	Acute fish toxicity	LC50	65 mg/l	96 h	Oncorhynchus mykiss	Study report (1999)	EU Method C.1	
	Acute algae toxicity	ErC50	116 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1999)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	3,56	48 h	Daphnia magna	Study report (1999)	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	1,84	124 d	Pimephales promelas	Study report (1994)	Test was based on exposing juvenile fath	
	Crustacea toxicity	NOEC mg/l	1,25	21 d	Daphnia magna	Study report (2005)	OECD Guideline 211	

# 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
1762-95-4	ammonium thiocyanate	-2,29

### **BCF**

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

# 12.6. Endocrine disrupting properties



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 11 of 13

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains.

Dispose of waste according to applicable legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3 Classification code: F1 Special Provisions: 144 601 Limited quantity: 1 I Excepted quantity: F2 Transport category: 2 Hazard No: 33 Tunnel restriction code: D/F

Other applicable information (land transport)

E2

# Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Classification code:F1Special Provisions:144 601Limited quantity:1 LExcepted quantity:E2

# Other applicable information (inland waterways transport)

E2

# Marine transport (IMDG)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es):



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 12 of 13

14.4. Packing group:IIHazard label:3Special Provisions:144Limited quantity:1 LExcepted quantity:E2EmS:F-E. S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHYL ALCOHOL

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3

Special Provisions: A3 A58 A180

Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

## National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

# Ammoniumthiocyanat-Lösung 40g/l zur Analyse in Ethanol 96% mit MEK vergällt zur Fe-Bestimmung

Revision date: 23.04.2024 Product code: 31553 Page 13 of 13

### Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Eye Dam: Eye damage Eye Irrit: Eye irritation

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects. EUH032 Contact with acids liberates very toxic gas.

# **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)