

Multielement-St Revision date: 23.04.2024	tandardlösung " Spuren 7" 17 Elem Product code: 31598	ente in Salpetersäure 2 mol/l/l	Page 1 of 16		
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
<u>1.1. Product identifier</u> Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/l/l					
1.2. Relevant identified uses of the	e substance or mixture and uses advised a	gainst			
<b>Use of the substance/mixture</b> Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)					
Uses advised against					
Do not use for private purpos	Do not use for private purposes (household).				
1.3. Details of the supplier of the safety data sheet					
Company name: AnalytiChem GmbH ACD					
Street: Place:	Stempelstraße 6 D-47167 Duisburg				
Telephone: E-mail:					
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone:0203/5194-107/117			
1.4. Emergency telephone number:For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)			1:		
Further Information					

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

Hazard components for labelling
nitric acid

Signal word: **Pictograms:** 



Danger

# Hazard statements

H290 H314

May be corrosive to metals. Causes severe skin burns and eye damage.



# according to Regulation (EC) No 1907/2006 Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/I/I

Revision date: 23.04.2024

Product code: 31598

Page 2 of 16

## **Precautionary statements**

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

#### Special labelling of certain mixtures

EUH071

Corrosive to the respiratory tract.

#### 2.3. Other hazards

No data available

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	No Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulati	on (EC) No 1272/2008)		
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1	, Acute Tox. 3, Skin Corr. 1A; H272 H2	290 H331 H314 EUH071	
7631-99-4	sodium nitrate			5 - < 10 %
	231-554-3		01-2119488221-41	
	Ox. Sol. 3, Eye Irrit. 2;	H272 H319		
7664-39-3	hydrofluoric acid %			< 0.01 %
	231-634-8	009-003-00-1		
	Acute Tox. 1, Acute To	x. 2, Acute Tox. 2, Skin Corr. 1A; H310	) H330 H300 H314	
7647-01-0	Hydrochloric acid			< 0.01 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT S	E 3; H314 H335	•	
1336-21-6	Ammonia			< 0.01 %
	215-647-6	007-001-01-2	01-2119488876-14	
	Skin Corr. 1B, Aquatic			
7664-38-2	phosphoric acid			< 0.001 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318			

Full text of H and EUH statements: see section 16.



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024

Product code: 31598

Page 3 of 16

Specific Co	nc. Limits, M-fac	ctors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
7631-99-4	231-554-3	sodium nitrate	5 - < 10 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = ca. 3430 mg/kg	
7664-39-3	231-634-8	hydrofluoric acid %	< 0.01 %
	LC50 = 2240 p	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: pm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: kin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	
7647-01-0	231-595-7	Hydrochloric acid	< 0.01 %
	· · · ·	H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100	
1336-21-6	215-647-6	Ammonia	< 0.01 %
	inhalation: LC	50 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg  STOT SE 3; H335: >= 5 - 100 1; H400: M=10	
7664-38-2	231-633-2	phosphoric acid	< 0.001 %
	oral: ATE = 50 Irrit. 2; H319: >	0 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye = 10 - < 25	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

#### After inhalation

Provide fresh air. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/I/I

Revision date: 23.04.2024

Product code: 31598

Page 4 of 16

#### Risk of serious damage to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/I/I

Revision date: 23.04.2024

Product code: 31598

Page 5 of 16

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed.

### 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/I/I

Revision date: 23.04.2024

Product code: 31598

Page 6 of 16

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm <sup>3</sup>	Category	Origin
7429-90-5	Aluminium metal (Respirable Fraction)	-	1		TWA (8 h)	
7664-41-7	Ammonia, anhydrous	20	14		TWA (8 h)	
		50	36		STEL (15 min)	
10043-35-3	Borate compounds inorganic: boric acid	-	2		TWA (8 h)	
7440-50-8	Copper, dusts and mists	-	1		TWA (8 h)	
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	
1309-48-4	Magnesium oxide, fume	-	5		TWA (8 h)	
		-	10		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	
7440-31-5	Tin (Metal)	-	2		TWA (8 h)	
		1				1

#### **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	2 mg/L	Urine	Prior to shift



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024

Product code: 31598

Page 7 of 16

#### **DNEL/DMEL** values

CAS No	Substance		- i	i
DNEL type		Exposure route	Effect	Value
7664-39-3	hydrofluoric acid %			
Worker DNEL	, long-term	inhalation	systemic	1,5 mg/m³
Worker DNEL	, acute	inhalation	systemic	2,5 mg/m³
Worker DNEL	, long-term	inhalation	local	1,5 mg/m³
Worker DNEL	, acute	inhalation	local	2,5 mg/m³
Consumer DN	IEL, long-term	inhalation	systemic	0,03 mg/m³
Consumer DN	IEL, acute	inhalation	systemic	0,03 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	inhalation	local	0,2 mg/m³
Consumer DN	IEL, acute	inhalation	local	1,25 mg/m³
Consumer DN	IEL, long-term	oral	systemic	0,01 mg/kg bw/day
Consumer DN	IEL, acute	oral	systemic	0,01 mg/kg bw/day
7647-01-0	Hydrochloric acid			
Worker DNEL	, long-term	inhalation	local	8 mg/m³
Worker DNEL	, acute	inhalation	local	15 mg/m³
Consumer DN	IEL, long-term	inhalation	local	8 mg/m³
Consumer DN	IEL, acute	inhalation	local	15 mg/m³
10043-35-3	boric acid			
Worker DNEL	, long-term	inhalation	systemic	8,3 mg/m³
Worker DNEL	, long-term	dermal	systemic	392 mg/kg bw/da
Consumer DN	IEL, long-term	inhalation	systemic	4,15 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	dermal	systemic	196 mg/kg bw/da
Consumer DN	IEL, long-term	oral	systemic	0,98 mg/kg bw/day
Consumer DN	IEL, acute	oral	systemic	0,98 mg/kg bw/day
1336-21-6	Ammonia			
Worker DNEL	, long-term	inhalation	systemic	47,6 mg/m <sup>3</sup>
Worker DNEL	, acute	inhalation	systemic	47,6 mg/m <sup>3</sup>
Worker DNEL	, long-term	inhalation	local	14 mg/m <sup>3</sup>
Worker DNEL	, acute	inhalation	local	36 mg/m <sup>3</sup>
Worker DNEL	, long-term	dermal	systemic	6,8 mg/kg bw/da
Worker DNEL	, acute	dermal	systemic	6,8 mg/kg bw/da
Consumer DN	IEL, long-term	inhalation	systemic	23,8 mg/m <sup>3</sup>
Consumer DN	IEL, acute	inhalation	systemic	23,8 mg/m <sup>3</sup>
Consumer DN	IEL, long-term	inhalation	local	2,8 mg/m <sup>3</sup>
Consumer DN	IEL, acute	inhalation	local	7,2 mg/m <sup>3</sup>
	IEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DN	IEL, acute	dermal	systemic	68 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	6,8 mg/kg bw/da
Consumer DN	-	oral	systemic	6,8 mg/kg bw/da



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024

Product code: 31598

Page 8 of 16

Consumer DNEL, long-term     inhalation     systemic     17 mg/m³	7440-31-5 tin			
Consumer DNEL, long-term       inhalation       systemic       17 mg/m³         Consumer DNEL, long-term       dermal       systemic       80 mg/kg bw/day         Consumer DNEL, long-term       oral       systemic       5 mg/kg bw/day         Consumer DNEL, long-term       oral       systemic       2 mg/m³         Worker DNEL, acute       inhalation       local       2 mg/m³         Worker DNEL, long-term       inhalation       local       2,92 mg/m³         Consumer DNEL, long-term       inhalation       local       2,92 mg/m³	Worker DNEL, long-term	inhalation	systemic	71 mg/m³
Consumer DNEL, long-term       dermal       systemic       80 mg/kg bw/day         Consumer DNEL, long-term       oral       systemic       5 mg/kg bw/day         7664-38-2       phosphoric acid         Worker DNEL, acute       inhalation       local       2 mg/m³         Worker DNEL, long-term       inhalation       local       2,92 mg/m³         Consumer DNEL, long-term       inhalation       systemic       4,57 mg/m³	Worker DNEL, long-term	dermal	systemic	10 mg/kg bw/day
Consumer DNEL, long-term       oral       systemic       5 mg/kg bw/day         7664-38-2       phosphoric acid         5 mg/kg bw/day         Worker DNEL, acute       inhalation       local       2 mg/m³         Worker DNEL, long-term       inhalation       local       2,92 mg/m³         Consumer DNEL, long-term       inhalation       systemic       4,57 mg/m³	Consumer DNEL, long-term	inhalation	systemic	17 mg/m³
7664-38-2       phosphoric acid         Worker DNEL, acute       inhalation       local       2 mg/m³         Worker DNEL, long-term       inhalation       local       2,92 mg/m³         Consumer DNEL, long-term       inhalation       systemic       4,57 mg/m³	Consumer DNEL, long-term	dermal	systemic	80 mg/kg bw/day
Worker DNEL, acuteinhalationlocal2 mg/m³Worker DNEL, long-terminhalationlocal2,92 mg/m³Consumer DNEL, long-terminhalationsystemic4,57 mg/m³	Consumer DNEL, long-term	oral	systemic	5 mg/kg bw/day
Worker DNEL, long-term     inhalation     local     2,92 mg/m <sup>3</sup> Consumer DNEL, long-term     inhalation     systemic     4,57 mg/m <sup>3</sup>	7664-38-2 phosphoric acid			
Consumer DNEL, long-term     inhalation     systemic     4,57 mg/m³	Worker DNEL, acute	inhalation	local	2 mg/m³
	Worker DNEL, long-term	inhalation	local	2,92 mg/m³
Consumer DNEL, long-term inhalation local 0,36 mg/m <sup>3</sup>	Consumer DNEL, long-term	inhalation	systemic	4,57 mg/m³
	Consumer DNEL, long-term	inhalation	local	0,36 mg/m <sup>3</sup>
Consumer DNEL, long-term oral systemic 0,1 mg/kg bw/da	Consumer DNEL, long-term	oral	systemic	0,1 mg/kg bw/day
Worker DNEL, long-term         inhalation         systemic         10,7 mg/m³	Worker DNEL, long-term	inhalation	systemic	10,7 mg/m <sup>3</sup>

**PNEC** values

CAS No	o Substance				
Environmental compartment		Value			
7631-99-4	7631-99-4 sodium nitrate				
Micro-organisr	Micro-organisms in sewage treatment plants (STP) 18 mg/l				
7664-39-3	hydrofluoric acid %				
Freshwater		0,89 mg/l			
Marine water		0,089 mg/l			
Freshwater se	diment	3,38 mg/kg			
Marine sedime	ent	0,338 mg/kg			
Micro-organisms in sewage treatment plants (STP)		51 mg/l			
Soil 10,6 mg/kg					
10043-35-3	boric acid				
Freshwater		2,9 mg/l			
Freshwater (intermittent releases) 13,7 r		13,7 mg/l			
Marine water 2,9 mg/l					
Micro-organisms in sewage treatment plants (STP) 10 mg/l					
Soil		5,7 mg/kg			
1336-21-6 Ammonia					
Freshwater 0,001 mg/l					
Freshwater (in	Freshwater (intermittent releases) 0,007 mg/l				
Marine water	Marine water 0,001 mg/l				

# 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Wear eye/face protection.



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/I/I

Revision date: 23.04.2024

Product code: 31598

Page 9 of 16

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contactTrade name/designation:KCL 741 Dermatril® LRecommended material:NBR (Nitrile rubber) 0,11 mmWearing time with permanent contact:> 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

•	i. Information on pasic physical and thei	lincal properties	
	Physical state:	Liquid	
	Colour:	clear	
	Odour:	like: Nitric acid	
	Melting point/freezing point:		No data available
	Boiling point or initial boiling point and		No data available
	boiling range:		
	Flammability:		No data available
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Flash point:		No data available
	Auto-ignition temperature:		No data available
	Decomposition temperature:		No data available



Multielement-Standardlösung "	Spuren 7" 17 Elemente in Salpetersäure 2 mo	51/1/1
Revision date: 23.04.2024	Product code: 31598	Page 10 of 16
pH-Value:	acidic	
Viscosity / kinematic:	No data available	
Water solubility:	completely miscible	
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard classes	3	
Explosive properties		
No data available	N. I.I. 711	
Sustaining combustion:	No data available	
Self-ignition temperature Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals.		

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals. Oxidising agent

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Alkali (lye) The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

### 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Cellulose



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/I/I

Revision date: 23.04.2024

Product code: 31598

Page 11 of 16

#### Metal

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### Further information

No data available

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No									
	Exposure route	Dose		Species	Source	Method			
7697-37-2	nitric acid								
	inhalation vapour	ATE 2,65 mg	g/I						
7631-99-4	sodium nitrate								
	oral	LD50 c mg/kg	ca. 3430	Rat	Study report (1980)	OECD Guideline 401			
	dermal	LD50 > mg/kg	> 5000	Rat	Study report (2000)	OECD Guideline 402			
7664-39-3	hydrofluoric acid %								
	oral	ATE 5	5 mg/kg						
	dermal	ATE 5	5 mg/kg						
	inhalation vapour	ATE (	0,5 mg/l						
	inhalation dust/mist	ATE (	0,05 mg/l						
	inhalation (1 h) gas	LC50 2 ppm	2240	Rat	Study report (1990)	OECD Guideline 403			
1336-21-6	Ammonia								
	oral	LD50 3 mg/kg	350	Rat	Journal of Industrial Hygiene and Toxico	OECD Guideline 401			
	inhalation (1 h) vapour	LC50 4	4230 mg/l	Mouse	Bull. Environm. Contam. Toxicol, 1982, 2	Assessment of acute inhalation toxicity			
7664-38-2	phosphoric acid								
	oral	ATE 5 mg/kg	500						

#### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage. Corrosive to the respiratory tract. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema see also Section 4



## Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/I/I

Revision date: 23.04.2024

Product code: 31598

Page 12 of 16

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024

Product code: 31598

Page 13 of 16

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7631-99-4	sodium nitrate						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	Study report (2000)	OECD Guideline 203
	Acute crustacea toxicity	EC50 mg/l	3581	48 h	Daphnia magna	J. Water Pollut. Control Fed. 37(9):1308	no data
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
7664-39-3	hydrofluoric acid %						
	Acute fish toxicity	LC50	299 mg/l	96 h	Salmo trutta	REACh Registration Dossier	other: U.S Environmental Protection Agen
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	REACh Registration Dossier	Methods not detailed in the review.
	Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	REACh Registration Dossier	The publication is a review article of v
	Acute bacteria toxicity	EC50 mg/l()	2930	3 h	Activated sludge	REACh Registration Dossier	ISO 8192
7647-01-0	Hydrochloric acid					-	•
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
1336-21-6	Ammonia						
	Acute fish toxicity	LC50 3,4 mg/l	0,75 -	96 h	Pimephales promelas	Trans Amer Fish Soc; 112 (5). 1983. 705-	Assessment of acute toxicity in the fath
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5: 443-447 (1986	other: ASTM E729-80
	Fish toxicity	NOEC	1,2 mg/l	61 d	Oncorhynchus gorbuscha	Fish. Bull. 78(3): 641-648 (1980)	OECD Guideline 210
7664-38-2	phosphoric acid						
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202



# Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024	Pr	oduct code: 31598		Page 14 of 16
Acute bacteria toxicity	EC50 > 1000 mg/l()	3 h activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1336-21-6	Ammonia	-1,38
BCF		

CAS No	Chemical name	BCF	Species	Source
7664-39-3	hydrofluoric acid %	53 - 58	not specified	REACh Registration D

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.

#### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80



Multielement-Standard	• •	<b>" 17 Elemente in Salpetersäure 2 mol/l/l</b> ode: 31598	Page 15 of 16
Tunnel restriction code:	E		5
	E		
Inland waterways transport (ADN)	UN 2031		
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	U U		
Hazard label:	8		
Classification code:	C1		
Limited quantity:	1 L		
Excepted quantity:	E2		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	11		
Hazard label:	8		
Special Provisions:	-		
Limited quantity:	1 L		
Excepted quantity:	E2		
EmS:	F-A, S-B		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Special Provisions:	A212		
Limited quantity Passenger:	Forbidden		
Passenger LQ:	Forbidden		
Excepted quantity:	E0	E sels id da s	
IATA-packing instructions - Passenger:		Forbidden Forbidden	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:		Forbladen 855	
IATA-packing instituctions - Cargo:		30 L	
SECTION 15: Regulatory information			

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

 Restrictions on use (REACH, annex XVII):

 Entry 3, Entry 30, Entry 75

 Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

 Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

 National regulatory information

 Employment restrictions:
 Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

 Water hazard class (D):
 1 - slightly hazardous to water

# **SECTION 16: Other information**



## Multielement-Standardlösung " Spuren 7" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024

Product code: 31598

Page 16 of 16

#### Abbreviations and acronyms

Pyr. Sol: Pyrophoric solid Water-react: Substance and mixture which, in contact with water, emits flammable gas Ox. Liq: Oxidising liquid Ox. Sol: Oxidising solid Met. Corr: Substance or mixture corrosive to metals Flam. Sol: Flammable solid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Eye Irrit: Eye irritation Repr: Reproductive toxicity STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)