

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standardlösung "Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

nitric acid

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 2 of 16

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

P310

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

Chemical name					
EC No	Index No	REACH No			
Classification (Regulation					
nitric acid			5 - < 10 %		
231-714-2	007-030-00-3	01-2119487297-23			
Ox. Liq. 3, Met. Corr. 1, A					
sodium nitrate			5 - < 10 %		
231-554-3		01-2119488221-41			
Ox. Sol. 3, Eye Irrit. 2; H2	72 H319	•			
Ammonia			< 0.01 %		
215-647-6	007-001-01-2	01-2119488876-14			
Skin Corr. 1B, Aquatic Ac	ute 1, Aquatic Chronic 2; H314 H4	00 H411			
hydrofluoric acid %			< 0.01 %		
231-634-8	009-003-00-1				
Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314					
Hydrochloric acid			< 0.01 %		
231-595-7	017-002-01-X	01-2119484862-27			
Skin Corr. 1B, STOT SE 3; H314 H335					
4-38-2 phosphoric acid					
231-633-2	015-011-00-6	01-2119485924-24			
Met. Corr. 1, Acute Tox. 4	, Skin Corr. 1B, Eye Dam. 1; H290	H302 H314 H318			
	EC No Classification (Regulation nitric acid 231-714-2 Ox. Liq. 3, Met. Corr. 1, A sodium nitrate 231-554-3 Ox. Sol. 3, Eye Irrit. 2; H2 Ammonia 215-647-6 Skin Corr. 1B, Aquatic Ac hydrofluoric acid % 231-634-8 Acute Tox. 1, Acute Tox. Hydrochloric acid 231-595-7 Skin Corr. 1B, STOT SE 3 phosphoric acid 231-633-2	EC No Classification (Regulation (EC) No 1272/2008) nitric acid 231-714-2 O07-030-00-3 Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H sodium nitrate 231-554-3 Ox. Sol. 3, Eye Irrit. 2; H272 H319 Ammonia 215-647-6 Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 2; H314 H44 hydrofluoric acid % 231-634-8 O09-003-00-1 Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H31 Hydrochloric acid 231-595-7 O17-002-01-X Skin Corr. 1B, STOT SE 3; H314 H335 phosphoric acid 231-633-2 O15-011-00-6	EC No Index No REACH No Classification (Regulation (EC) No 1272/2008) nitric acid 231-714-2 007-030-00-3 01-2119487297-23 Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071 sodium nitrate 231-554-3 01-2119488221-41 Ox. Sol. 3, Eye Irrit. 2; H272 H319 Ammonia 215-647-6 007-001-01-2 01-2119488876-14 Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 2; H314 H400 H411 hydrofluoric acid % 231-634-8 009-003-00-1 Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314 Hydrochloric acid 231-595-7 017-002-01-X 01-2119484862-27 Skin Corr. 1B, STOT SE 3; H314 H335 phosphoric acid		

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 3 of 16

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
	I	E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
7631-99-4	231-554-3	sodium nitrate	5 - < 10 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = ca. 3430 mg/kg	
1336-21-6	215-647-6	Ammonia	< 0.01 %
	I	50 = 4230 mg/l (vapours); oral: LD50 = 350 mg/kg STOT SE 3; H335: >= 5 - 100 1; H400: M=10	
7664-39-3	231-634-8	hydrofluoric acid %	< 0.01 %
	LC50 = 2240 p	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: opm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg	
7647-01-0	231-595-7	Hydrochloric acid	< 0.01 %
		H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100	
7664-38-2	231-633-2	phosphoric acid	< 0.001 %
	oral: ATE = 50 Irrit. 2; H319: >	.00 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye ⇒= 10 - < 25	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

Irritant

Cough

Dyspnoea

Vomiting

Methaemoglobinaemia



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 4 of 16

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 5 of 16

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 6 of 16

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7429-90-5	Aluminium metal (Respirable Fraction)	-	1		TWA (8 h)	
7664-41-7	Ammonia, anhydrous	20	14		TWA (8 h)	
		50	36		STEL (15 min)	
10043-35-3	Borate compounds inorganic: boric acid	-	2		TWA (8 h)	
7440-50-8	Copper, dusts and mists	-	1		TWA (8 h)	
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	
1309-48-4	Magnesium oxide, fume	-	5		TWA (8 h)	
		-	10		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	
7440-31-5	Tin (Metal)	-	2		TWA (8 h)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	2 mg/L	Urine	Prior to shift



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 7 of 16

DNEL/DMEL values

Consumer DNEL, long-term inhalation systemic 4,15 mg/m³ Consumer DNEL, long-term dermal systemic 196 mg/kg bw/day Consumer DNEL, acute oral systemic 0,98 mg/kg bw/day Consumer DNEL, acute oral systemic 0,98 mg/kg bw/day 1336-21-6 Ammonia Worker DNEL, long-term inhalation systemic 47,6 mg/m³ Worker DNEL, acute inhalation local 14 mg/m³ Worker DNEL, long-term inhalation local 36 mg/m³ Worker DNEL, acute inhalation local 36 mg/m³ Worker DNEL, acute inhalation local 36 mg/m³ Worker DNEL, acute inhalation local 36 mg/m³ Consumer DNEL, long-term dermal systemic 6,8 mg/kg bw/day Worker DNEL, long-term inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 2,8 mg/m³ Consumer DNEL, long-term inhalation local 7,2 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, acute inhalation local 3,8 mg/kg bw/day Consumer DNEL, acute inhalation local 3,8 mg/kg bw/day Consumer DNEL, acute inhalation local 3,8 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day	CAS No Substance			
Worker DNEL, long-term	DNEL type	Exposure route	Effect	Value
Worker DNEL, long-term	10043-35-3 boric acid			
Consumer DNEL, long-term inhalation systemic 4,15 mg/m² Consumer DNEL, long-term dermal systemic 196 mg/kg bw/day Consumer DNEL, long-term oral systemic 0,98 mg/kg bw/day Consumer DNEL, acute oral systemic 0,98 mg/kg bw/day Worker DNEL, long-term inhalation systemic 47,6 mg/m³ Worker DNEL, long-term inhalation systemic 47,6 mg/m³ Worker DNEL, long-term inhalation local 14 mg/m³ Worker DNEL, long-term inhalation local 36 mg/m³ Worker DNEL, long-term dermal systemic 6,8 mg/kg bw/day Worker DNEL, long-term inhalation local 36 mg/m² Worker DNEL, long-term inhalation systemic 6,8 mg/kg bw/day Consumer DNEL, acute inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation local 2,8 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term oral </td <td>Worker DNEL, long-term</td> <td>inhalation</td> <td>systemic</td> <td>8,3 mg/m³</td>	Worker DNEL, long-term	inhalation	systemic	8,3 mg/m³
Consumer DNEL, long-term	Worker DNEL, long-term	dermal	systemic	392 mg/kg bw/day
Consumer DNEL, long-term oral systemic 0,98 mg/kg bw/day Consumer DNEL, acute oral systemic 0,98 mg/kg bw/day 1336-21-6 Ammonia Worker DNEL, long-term inhalation systemic 47,6 mg/m³ Worker DNEL, acute inhalation local 14 mg/m³ Worker DNEL, long-term inhalation local 38 mg/m³ Worker DNEL, long-term dermal systemic 6,8 mg/kg bw/day Worker DNEL, long-term dermal systemic 6,8 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 23,8 mg/m³ Consumer DNEL, acute inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation local 7,2 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute oral systemic 68 mg/kg bw/day Worker DNEL, long-term inhalation systemic 2,5 mg/m³	Consumer DNEL, long-term	inhalation	systemic	4,15 mg/m³
Swiday Consumer DNEL, acute oral systemic 0,98 mg/kg bw/day 1336-21-6 Ammonia	Consumer DNEL, long-term	dermal	systemic	196 mg/kg bw/day
Swiday S	Consumer DNEL, long-term	oral	systemic	
Worker DNEL, long-term	Consumer DNEL, acute	oral	systemic	
Worker DNEL, acute inhalation systemic 47,6 mg/m³ Worker DNEL, long-term inhalation local 14 mg/m³ Worker DNEL, acute inhalation local 36 mg/m³ Worker DNEL, long-term dermal systemic 6,8 mg/kg bw/day Worker DNEL, acute dermal systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation systemic 23,8 mg/m³ Consumer DNEL, acute inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day Consumer DNEL, acute oral systemic 1,5 mg/m³ Worker DNEL, long-term inhalation systemic 2,5 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m	1336-21-6 Ammonia			
Worker DNEL, long-term Inhalation local 14 mg/m³ Worker DNEL, acute Inhalation local 36 mg/m³ Worker DNEL, long-term dermal systemic 6,8 mg/kg bw/day Worker DNEL, acute dermal systemic 6,8 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day Consumer DNEL, acute oral systemic 1,5 mg/m³ Worker DNEL, long-term inhalation systemic 2,5 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m³ Worker DNEL, long-term inhalation local	Worker DNEL, long-term	inhalation	systemic	47,6 mg/m³
Worker DNEL, acute inhalation local 36 mg/m² Worker DNEL, long-term dermal systemic 6.8 mg/kg bw/day Worker DNEL, acute dermal systemic 6.8 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 23.8 mg/m³ Consumer DNEL, acute inhalation local 2,8 mg/m³ Consumer DNEL, long-term inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term oral systemic 6.8 mg/kg bw/day Consumer DNEL, acute oral systemic 6.8 mg/kg bw/day Worker DNEL, long-term inhalation systemic 1.5 mg/m³ Worker DNEL, acute inhalation systemic 2.5 mg/m³ Worker DNEL, long-term inhalation local 1.5 mg/m³ Consumer DNEL, long-term inhalation <t< td=""><td>Worker DNEL, acute</td><td>inhalation</td><td>systemic</td><td>47,6 mg/m³</td></t<>	Worker DNEL, acute	inhalation	systemic	47,6 mg/m³
Worker DNEL, long-term dermal systemic 6,8 mg/kg bw/day Worker DNEL, acute dermal systemic 6,8 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term oral systemic 6.8 mg/kg bw/day Consumer DNEL, long-term oral systemic 6.8 mg/kg bw/day Consumer DNEL, acute oral systemic 6.8 mg/kg bw/day Worker DNEL, long-term inhalation systemic 1.5 mg/m³ Worker DNEL, acute inhalation local 1.5 mg/m³ Worker DNEL, long-term inhalation local 1.5 mg/m³ Consumer DNEL, acute inhalation local 1.25 mg/m³ Consumer DNEL, long-term inhalation	Worker DNEL, long-term	inhalation	local	14 mg/m³
Worker DNEL, acute dermal systemic 6,8 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 23,8 mg/m³ Consumer DNEL, acute inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term oral systemic 6,8 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day 7664-39-3 hydrofluoric acid% worker DNEL, long-term inhalation systemic 1,5 mg/m² Worker DNEL, long-term inhalation systemic 2,5 mg/m² Worker DNEL, acute inhalation local 2,5 mg/m² Consumer DNEL, acute inhalation systemic 0,03 mg/m² Consumer DNEL, long-term inhalation local 1,25 mg/m² Con	Worker DNEL, acute	inhalation	local	36 mg/m³
Consumer DNEL, long-term inhalation systemic 23,8 mg/m³ Consumer DNEL, acute inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term oral systemic 6,8 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 6,8 mg/kg bw/day Worker DNEL, long-term inhalation systemic 1,5 mg/m³ Worker DNEL, acute inhalation systemic 2,5 mg/m³ Worker DNEL, long-term inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, acute inhalation	Worker DNEL, long-term	dermal	systemic	6,8 mg/kg bw/day
Consumer DNEL, acute inhalation systemic 23,8 mg/m³ Consumer DNEL, long-term inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day Consumer DNEL, long-term oral systemic 6,8 mg/kg bw/day Consumer DNEL, long-term inhalation systemic 1,5 mg/m³ Worker DNEL, long-term inhalation systemic 2,5 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m³ Worker DNEL, long-term inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term inhalation local 1,25 mg/m³ Consumer DNEL, acute inhalation local <td>Worker DNEL, acute</td> <td>dermal</td> <td>systemic</td> <td>6,8 mg/kg bw/day</td>	Worker DNEL, acute	dermal	systemic	6,8 mg/kg bw/day
Consumer DNEL, long-term inhalation local 2,8 mg/m³ Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term oral systemic 6,8 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day Worker DNEL, long-term inhalation systemic 1,5 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m³ Worker DNEL, long-term inhalation local 1,5 mg/m³ Worker DNEL, long-term inhalation local 2,5 mg/m³ Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 1,25 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic	Consumer DNEL, long-term	inhalation	systemic	23,8 mg/m³
Consumer DNEL, acute inhalation local 7,2 mg/m³ Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term oral systemic 6,8 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day Worker DNEL, long-term inhalation systemic 1,5 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m³ Worker DNEL, long-term inhalation local 2,5 mg/m³ Worker DNEL, acute inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation local 0,2 mg/m³ Consumer DNEL, long-term inhalation local 1,25 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg Consumer DNEL, acute oral systemic 0,	Consumer DNEL, acute	inhalation	systemic	23,8 mg/m³
Consumer DNEL, long-term dermal systemic 68 mg/kg bw/day Consumer DNEL, acute dermal systemic 68 mg/kg bw/day Consumer DNEL, long-term oral systemic 6,8 mg/kg bw/day 7664-39-3 hydrofluoric acid % worker DNEL, long-term inhalation systemic 1,5 mg/m³ Worker DNEL, long-term inhalation systemic 2,5 mg/m³ Worker DNEL, long-term inhalation local 1,5 mg/m³ Worker DNEL, long-term inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation local 0,2 mg/m³ Consumer DNEL, long-term inhalation local 1,25 mg/m³ Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Worker DNEL, long-term inhalation local 8 mg/m³ W	Consumer DNEL, long-term	inhalation	local	2,8 mg/m³
Consumer DNEL, acute dermal systemic 68 mg/kg bw/day	Consumer DNEL, acute	inhalation	local	7,2 mg/m³
Consumer DNEL, long-term oral systemic 6,8 mg/kg bw/day Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day 7664-39-3 hydrofluoric acid % Worker DNEL, long-term inhalation systemic 1,5 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m³ Worker DNEL, long-term inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 1,25 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, long-term inhalation local 15 mg/m³	Consumer DNEL, long-term	dermal	systemic	68 mg/kg bw/day
Consumer DNEL, acute oral systemic 6,8 mg/kg bw/day 7664-39-3 hydrofluoric acid % Worker DNEL, long-term inhalation systemic 2,5 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m³ Worker DNEL, acute inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute inhalation local 8 mg/m³ Worker DNEL, long-term inhalation local 1,25 mg/m³ Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m³	Consumer DNEL, acute	dermal	systemic	68 mg/kg bw/day
Nydrofluoric acid % Worker DNEL, long-term Inhalation Systemic 1,5 mg/m³	Consumer DNEL, long-term	oral	systemic	6,8 mg/kg bw/day
Worker DNEL, long-term inhalation systemic 2,5 mg/m³ Worker DNEL, long-term inhalation local 1,5 mg/m³ Worker DNEL, acute inhalation local 1,5 mg/m³ Worker DNEL, acute inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day T647-01-0 Hydrochloric acid Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Consumer DNEL, acute	oral	systemic	6,8 mg/kg bw/day
Worker DNEL, acute inhalation systemic 2,5 mg/m³ Worker DNEL, long-term inhalation local 1,5 mg/m³ Worker DNEL, acute inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute inhalation local systemic 0,01 mg/kg bw/day Consumer DNEL, acute inhalation local systemic 0,01 mg/kg bw/day Total systemic 0,01 mg/kg bw/day	7664-39-3 hydrofluoric acid %			
Worker DNEL, long-term inhalation local 1,5 mg/m³ Worker DNEL, acute inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute inhalation local systemic 0,01 mg/kg bw/day Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Worker DNEL, long-term	inhalation	systemic	1,5 mg/m³
Worker DNEL, acute inhalation local 2,5 mg/m³ Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute inhalation local systemic 0,01 mg/kg bw/day Total local 8 mg/m³ Worker DNEL, long-term inhalation local 15 mg/m³	Worker DNEL, acute	inhalation	systemic	2,5 mg/m³
Consumer DNEL, long-term inhalation systemic 0,03 mg/m³ Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute inhalation local 8 mg/m³ Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Worker DNEL, long-term	inhalation	local	1,5 mg/m³
Consumer DNEL, acute inhalation systemic 0,03 mg/m³ Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute inhalation local 8 mg/m³ Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Worker DNEL, acute	inhalation	local	2,5 mg/m³
Consumer DNEL, long-term inhalation local 0,2 mg/m³ Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day 7647-01-0 Hydrochloric acid Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Consumer DNEL, long-term	inhalation	systemic	0,03 mg/m³
Consumer DNEL, acute inhalation local 1,25 mg/m³ Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day 7647-01-0 Hydrochloric acid Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Consumer DNEL, acute	inhalation	systemic	0,03 mg/m³
Consumer DNEL, long-term oral systemic 0,01 mg/kg bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day 7647-01-0 Hydrochloric acid Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Consumer DNEL, long-term	inhalation	local	0,2 mg/m³
bw/day Consumer DNEL, acute oral systemic 0,01 mg/kg bw/day 7647-01-0 Hydrochloric acid Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Consumer DNEL, acute	inhalation	local	1,25 mg/m³
bw/day	Consumer DNEL, long-term	oral	systemic	
Worker DNEL, long-term inhalation local 8 mg/m³ Worker DNEL, acute inhalation local 15 mg/m³	Consumer DNEL, acute	oral	systemic	0,01 mg/kg
Worker DNEL, acute inhalation local 15 mg/m³	7647-01-0 Hydrochloric acid			
	Worker DNEL, long-term	inhalation	local	8 mg/m³
Consumer DNEL, long-term inhalation local 8 mg/m³	Worker DNEL, acute	inhalation	local	15 mg/m³
	Consumer DNEL, long-term	inhalation	local	8 mg/m³
Consumer DNEL, acute inhalation local 15 mg/m³	Consumer DNEL, acute	inhalation	local	15 mg/m³



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 8 of 16

7440-31-5	tin			
Worker DNEL,	long-term	inhalation	systemic	71 mg/m³
Worker DNEL,	long-term	dermal	systemic	10 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	17 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	80 mg/kg bw/day
Consumer DNI	EL, long-term	oral	systemic	5 mg/kg bw/day
7664-38-2	phosphoric acid			
Worker DNEL,	acute	inhalation	local	2 mg/m³
Worker DNEL,	long-term	inhalation	local	2,92 mg/m³
Consumer DNI	EL, long-term	inhalation	systemic	4,57 mg/m³
Consumer DNEL, long-term		inhalation	local	0,36 mg/m³
Consumer DNEL, long-term		oral	systemic	0,1 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	10,7 mg/m³

PNEC values

CAS No	Substance	
Environmenta	compartment	Value
7631-99-4	sodium nitrate	
Micro-organis	ms in sewage treatment plants (STP)	18 mg/l
10043-35-3	boric acid	
Freshwater		2,9 mg/l
Freshwater (in	termittent releases)	13,7 mg/l
Marine water		2,9 mg/l
Micro-organis	ms in sewage treatment plants (STP)	10 mg/l
Soil		5,7 mg/kg
1336-21-6	Ammonia	
Freshwater		0,001 mg/l
Freshwater (in	termittent releases)	0,007 mg/l
Marine water		0,001 mg/l
7664-39-3	hydrofluoric acid %	
Freshwater		0,89 mg/l
Marine water		0,089 mg/l
Freshwater se	3,38 mg/kg	
Marine sedime	0,338 mg/kg	
Micro-organis	ns in sewage treatment plants (STP)	51 mg/l
Soil		10,6 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 9 of 16

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear

Odour: like: Nitric acid

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available

Upper explosion limits:

No data available

Flash point:

No data available

Auto-ignition temperature:

No data available

Decomposition temperature:

No data available



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 10 of 16

pH-Value: acidic

Viscosity / kinematic:

Water solubility:

No data available completely miscible

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Bulk density:

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

Oxidizing

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available

Solvent content:

Solid content:

Sublimation point:

No data available

No data available

No data available

No data available

No data available:

Pour point:

Viscosity / dynamic:

No data available

No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide

Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose

No data available



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 11 of 16

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7697-37-2	nitric acid							
	inhalation vapour	ATE 2,65	5 mg/l					
7631-99-4	sodium nitrate							
	oral	LD50 mg/kg	ca. 3430	Rat	Study report (1980)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 5000	Rat	Study report (2000)	OECD Guideline 402		
1336-21-6	Ammonia							
	oral	LD50 mg/kg	350	Rat	Journal of Industrial Hygiene and Toxico	OECD Guideline 401		
	inhalation (1 h) vapour	LC50	4230 mg/l	Mouse	Bull. Environm. Contam. Toxicol, 1982, 2	Assessment of acute inhalation toxicity		
7664-39-3	hydrofluoric acid %							
	oral	ATE	5 mg/kg					
	dermal	ATE	5 mg/kg					
	inhalation vapour	ATE	0,5 mg/l					
	inhalation dust/mist	ATE	0,05 mg/l					
	inhalation (1 h) gas	LC50 ppm	2240	Rat	Study report (1990)	OECD Guideline 403		
7664-38-2	phosphoric acid							
	oral	ATE mg/kg	500					

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Corrosive to the respiratory tract.

Following ingestion Gastric perforation

Irritating to respiratory system.

Pulmonary oedema

see also Section 4



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 12 of 16

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 13 of 16

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l ()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7631-99-4	sodium nitrate						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	Study report (2000)	OECD Guideline 203
	Acute crustacea toxicity	EC50 mg/l	3581	48 h	Daphnia magna	J. Water Pollut. Control Fed. 37(9):1308	no data
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
1336-21-6	Ammonia						
	Acute fish toxicity	LC50 3,4 mg/l	0,75 -	96 h	Pimephales promelas	Trans Amer Fish Soc; 112 (5). 1983. 705-	Assessment of acute toxicity in the fath
	Acute crustacea toxicity	EC50	101 mg/l	48 h	Daphnia magna	Environ. Toxicol. Chem. 5: 443-447 (1986	other: ASTM E729-80
	Fish toxicity	NOEC	1,2 mg/l	61 d	Oncorhynchus gorbuscha	Fish. Bull. 78(3): 641-648 (1980)	OECD Guideline 210
7664-39-3	hydrofluoric acid %						
	Acute fish toxicity	LC50	299 mg/l	96 h	Salmo trutta	REACh Registration Dossier	other: U.S Environmental Protection Agen
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	REACh Registration Dossier	Methods not detailed in the review.
	Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	REACh Registration Dossier	The publication is a review article of v
	Acute bacteria toxicity	EC50 mg/l ()	2930	3 h	Activated sludge	REACh Registration Dossier	ISO 8192
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
7664-38-2	phosphoric acid						
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l								
Revision date: 23.04.2024		Pr	oduct code: 31599		Page 14 o	f 16		
Acute bacteria toxicity	EC50 mg/l ()	> 1000	3 h activated sludge of a predominantly	Study report (2010)	OECD Guideline 209			

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1336-21-6	Ammonia	-1,38

BCF

CAS No	Chemical name	BCF	Species	Source
7664-39-3	hydrofluoric acid %	53 - 58	not specified	REACh Registration D

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID

8 14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8 Classification code: C₁ Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 80



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 15 of 16

Tunnel restriction code:

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2031
14.2. UN proper shipping name: NITRIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C1Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2031
14.2. UN proper shipping name: NITRIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A. S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2031
14.2. UN proper shipping name: NITRIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:A212Limited quantity Passenger:ForbiddenPassenger LQ:ForbiddenExcepted quantity:E0

IATA-packing instructions - Passenger: Forbidden
IATA-max. quantity - Passenger: Forbidden
IATA-packing instructions - Cargo: 855
IATA-max. quantity - Cargo: 30 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung " Spuren 6" 17 Elemente in Salpetersäure 2 mol/l/l

Revision date: 23.04.2024 Product code: 31599 Page 16 of 16

Abbreviations and acronyms

Pyr. Sol: Pyrophoric solid

Water-react: Substance and mixture which, in contact with water, emits flammable gas

Ox. Liq: Oxidising liquid Ox. Sol: Oxidising solid

Met. Corr: Substance or mixture corrosive to metals

Flam. Sol: Flammable solid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Eye Irrit: Eye irritation Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure	
Met. Corr. 1; H290	On basis of test data	
Skin Corr. 1B; H314	Calculation method	
Eye Dam. 1; H318	Calculation method	

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)