



an analyti**chem** brand

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wasserstoffperoxidlösung 1 mol/I Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024

Product code: 31611

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH ACD	
Street: Place:	Stempelstraße 6 D-47167 Duisburg	
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax: 0203/5194-290
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTF	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

Safety data sheet available on request.

EUH210 2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024

Product code: 31611

Page 2 of 10

Relevant ingredients

CAS No	Chemical name	Quantity			
	EC No Index No REACH No				
	Classification (Regulation (EC) No 1272/2008)				
7722-84-1	hydrogen peroxide solution %	hydrogen peroxide solution %			
	231-765-0 008-003-00-9 01-2119485845-22				
	Ox. Liq. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A; H271 H332 H302 H314				

Full text of H and EUH statements: see section 16.

CAS No	EC No	Quantity			
	Specific Conc	Limits, M-factors and ATE			
7722-84-1	231-765-0 hydrogen peroxide solution %				
	> 2000 mg/kg - < 70 Skin (rE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = ; oral: LD50 = 1026 mg/kg Ox. Liq. 1; H271: >= 70 - 100 Ox. Liq. 2; H272: >= 50 Corr. 1A; H314: >= 70 - 100 Skin Corr. 1B; H314: >= 50 - < 70 Skin Irrit. 2; H315: Eye Dam. 1; H318: >= 8 - < 50 Eye Irrit. 2; H319: >= 5 - < 8 STOT SE 3; H335:			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

In case of skin irritation, consult a physician.

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction



Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024

Product code: 31611

Page 3 of 10

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Oxidising liquids

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024

Product code: 31611

Page 4 of 10

The type of personal protection equipment has to be chosen based on the concentration and amount of the dangerous substance at the workplace.

Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Close containers in such a way to enable internal pressure to escape (e.g. excess pressure valve). Keep away from heat. Protect against: Light

Hints on joint storage

No data available

Further information on storage conditions

Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7722-84-1	Hydrogen peroxide	1	1.5		TWA (8 h)	
		2	3		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
7722-84-1 hydrogen peroxide solution %					
Worker DNEL,	long-term	inhalation	local	1,4 mg/m³	
Worker DNEL, acute		inhalation	local	3 mg/m³	
Consumer DNEL, long-term		inhalation	local	0,21 mg/m³	
Consumer DNEL, acute		inhalation	local	1,93 mg/m³	

PNEC values

CAS No	Substance			
Environmen	tal compartment	Value		
7722-84-1	1 hydrogen peroxide solution %			
Freshwater		0,013 mg/l		
Freshwater (intermittent releases)		0,014 mg/l		
Marine water		0,013 mg/l		
Freshwater sediment		0,047 mg/kg		
Marine sediment		0,047 mg/kg		
Micro-organisms in sewage treatment plants (STP)		4,66 mg/l		
Soil		0,002 mg/kg		

8.2. Exposure controls



Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024

Product code: 31611

Page 5 of 10

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and	1	No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available



Wasserstoffperoxidlösur	ng 1 mol/l Titer vor Gebrauch zu bestimmen	
Revision date: 23.04.2024	Product code: 31611	Page 6 of 10
Viscosity / kinematic:	No data available	
Water solubility:	No data available	
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure: Density:	No data available No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard classe	S	
Explosive properties No data available		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:	N I 177 - 1771	
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		
SECTION 10: Stability and reactivity		

10.1. Reactivity

No data available

10.2. Chemical stability

Protect against: Heat Light

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Light Heat

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products No data available



Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024

Product code: 31611

Page 7 of 10

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7722-84-1	hydrogen peroxide solution %					
	oral	LD50 mg/kg	1026	Rat	Study report (1996)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1983)	other: US EPA Toxic Substance Health Eff
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity



Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024

Product code: 31611

Page 8 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7722-84-1	hydrogen peroxide solution	on %					
	Acute fish toxicity	LC50 mg/l	16,4	96 h	Pimephales promelas	Study report (1989)	other:
	Acute algae toxicity	ErC50 mg/l	1,38	72 h	Skeletonema costatum	Study report (1997)	other: Paris Commission guidelines
	Acute crustacea toxicity	EC50	2,4 mg/l	48 h	Daphnia pulex	Study report (1989)	other:
	Crustacea toxicity	NOEC mg/l	0,63	21 d	Daphnia magna	Publication (2008)	other:
	Acute bacteria toxicity	EC50 ()	466 mg/l	· ·	activated sludge of a predominantly domestic sewag	Study report (1999)	OECD Guideline 209

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7722-84-1	hydrogen peroxide solution %	-1,57

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.



Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024	Product code: 31611	Page 9 of 10
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this tra	ansport regulation.	
14.7. Maritime transport in bulk according t	to IMO instruments	
No dangerous good in sense of this transport regulation.		
SECTION 15: Regulatory information		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Marketing and use of explosives precursors (Regulation (EU) 2019/1148): This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Additional information

No data available

SECTION 16: Other information

Abbreviations and acronyms

Ox. Liq: Oxidising liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion

Relevant H and EUH statements (number and full text)

H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
EUH210	Safety data sheet available on request.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Wasserstoffperoxidlösung 1 mol/l Titer vor Gebrauch zu bestimmen

Revision date: 23.04.2024

Product code: 31611

Page 10 of 10

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)