

ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and 0	Canada: +1 703-741-5970 (collect calls
	accepted)	

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H290	
H315	
H319	

May be corrosive to metals. Causes skin irritation. Causes serious eye irritation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024	Product code: 31636	Page 2 of 13
Precautionary statemen	ts	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P390	Absorb spillage to prevent material damage.	
2.3. Other hazards		

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			1 - < 5 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
7647-01-0	Hydrochloric acid			< 0.01 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3			
7664-39-3	hydrofluoric acid %			< 0.01 %
	231-634-8	009-003-00-1		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
7647-01-0	231-595-7	Hydrochloric acid	< 0.01 %
	,	H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100	
7664-39-3	231-634-8	hydrofluoric acid %	< 0.01 %
	LC50 = 2240 p	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: opm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: kin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures



ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 3 of 13

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures



according to Regulation (EC) No 1907/2006 ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 4 of 13

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals



ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 5 of 13

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7429-90-5	Aluminium metal (Respirable Fraction)	-	1		TWA (8 h)	
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7440-31-5	Tin (Metal)	-	2		TWA (8 h)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	2 mg/L	Urine	Prior to shift

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0	Hydrochloric acid			
Worker DNEL	, long-term	inhalation	local	8 mg/m³
Worker DNEL	., acute	inhalation	local	15 mg/m³
Consumer DN	NEL, long-term	inhalation	local	8 mg/m³
Consumer DN	NEL, acute	inhalation	local	15 mg/m³
7664-39-3	hydrofluoric acid %			
Worker DNEL	, long-term	inhalation	systemic	1,5 mg/m³
Worker DNEL	., acute	inhalation	systemic	2,5 mg/m³
Worker DNEL	., long-term	inhalation	local	1,5 mg/m³
Worker DNEL	., acute	inhalation	local	2,5 mg/m³
Consumer DN	NEL, long-term	inhalation	systemic	0,03 mg/m³
Consumer DN	NEL, acute	inhalation	systemic	0,03 mg/m³
Consumer DN	NEL, long-term	inhalation	local	0,2 mg/m ³
Consumer DN	NEL, acute	inhalation	local	1,25 mg/m³
Consumer D	IEL, long-term	oral	systemic	0,01 mg/kg bw/day
Consumer D	IEL, acute	oral	systemic	0,01 mg/kg bw/day
7440-31-5	tin			
Worker DNEL	., long-term	inhalation	systemic	71 mg/m³
Worker DNEL	., long-term	dermal	systemic	10 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	17 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	80 mg/kg bw/day
Consumer DN	NEL, long-term	oral	systemic	5 mg/kg bw/day



ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 6 of 13

PNEC values

CAS No	Substance	
Environmental compartment Value		Value
7664-39-3	hydrofluoric acid %	
Freshwater		0,89 mg/l
Marine water		0,089 mg/l
Freshwater sediment 3,38 mg/kg		3,38 mg/kg
Marine sediment		0,338 mg/kg
Micro-organisms in sewage treatment plants (STP)		51 mg/l
Soil		10,6 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.



according to Regulation (EC) No 1907/2006 ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 7 of 13

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and		
Physical state:	Liquid	
Colour: Odour:	clear like: Nitric acid	
	like: Nitric acid	No data available
Melting point/freezing point:	d	No data available No data available
Boiling point or initial boiling point and	ŭ	
boiling range: Flammability:		No data available
Lower explosion limits:		No data available
		No data available
Upper explosion limits:		
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,9 g/cm ³
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical	hazard classes	
Explosive properties		
No data available		
No data available Sustaining combustion:		No data available
No data available Sustaining combustion: Self-ignition temperature		
No data available Sustaining combustion: Self-ignition temperature Solid:		No data available
No data available Sustaining combustion: Self-ignition temperature Solid: Gas:		
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties		No data available
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing		No data available
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics		No data available No data available
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate:		No data available
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test:		No data available No data available No data available No data available
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent content:		No data available No data available No data available No data available 0
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent content: Solid content:		No data available No data available No data available No data available 0 0
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point:		No data available No data available No data available No data available 0 0 No data available
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point:		No data available No data available No data available No data available 0 0 No data available No data available
No data available Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point:		No data available No data available No data available No data available 0 0 No data available



Revision date: 23.04.2024	Product code: 31636	Page 8 of 13
Viscosity / dynamic:	No data available	
Flow time:	No data available	

Flow time:

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No. Chomical name

CAS NO						
	Exposure route	Dose		Species	Source	Method
7697-37-2	nitric acid					
	inhalation vapour	ATE 2,65	mg/l			
7664-39-3	hydrofluoric acid %					
	oral	ATE	5 mg/kg			
	dermal	ATE	5 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			
	inhalation (1 h) gas	LC50 ppm	2240	Rat	Study report (1990)	OECD Guideline 403

Irritation and corrosivity



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 9 of 13

Skin corrosion/irritation: Causes skin irritation. Serious eye damage/eye irritation: Causes serious eye irritation.

Following ingestion Gastric perforation

Irritating to respiratory system.

Pulmonary oedema see also Section 4

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity



ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 10 of 13

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7697-37-2	nitric acid							
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26	
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso	
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209	
7647-01-0	Hydrochloric acid							
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus			
7664-39-3	hydrofluoric acid %							
	Acute fish toxicity	LC50	299 mg/l	96 h	Salmo trutta	REACh Registration Dossier	other: U.S Environmental Protection Agen	
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	REACh Registration Dossier	Methods not detailed in the review.	
	Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	REACh Registration Dossier	The publication is a review article of v	
	Acute bacteria toxicity	EC50 mg/l()	2930	3 h	Activated sludge	REACh Registration Dossier	ISO 8192	

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7664-39-3	hydrofluoric acid %	53 - 58	not specified	REACh Registration D

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 11 of 13

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1L
Passenger LQ:	Y841
-	



an anargeren em brana				
ICF Revision date: 23.04.2	Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 % 024 Product code: 31636 Page 12 of 13			
	j			
Excepted quantity: IATA-packing instru IATA-max. quantity IATA-packing instru IATA-max. quantity	ctions - Cargo: 856			
14.5. Environmental h	azards			
ENVIRONMENTAL	LY HAZARDOUS: No			
SECTION 15: Regul	atory information			
<u>15.1. Safety, health ar</u>	d environmental regulations/legislation specific for the substance or mixture			
Entry 3, Entry 7 Marketing and use This product is	(REACH, annex XVII):			
National regulator	information			
Employment restric	tions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).			
Water hazard class (D): 1 - slightly hazardous to water				
SECTION 16: Other	information			
Ox. Liq: Oxidisi Met. Corr: Subs Flam. Sol: Flam Acute Tox: Acu Skin Corr: Skin Skin Irrit: Skin i Eye Irrit: Eye in STOT SE: Spea Aquatic Acute:	noric solid bstance and mixture which, in contact with water, emits flammable gas ng liquid tance or mixture corrosive to metals mable solid e toxicity corrosion ritation			
Classification	Classification procedure			
Met. Corr. 1; H290	On basis of test data			
Skin Irrit. 2; H315	Calculation method			
Eye Irrit. 2; H319	Calculation method			
Relevant H and EL H272 H290 H300 H310 H314	H statements (number and full text) May intensify fire; oxidiser. May be corrosive to metals. Fatal if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage.			
H315 Causes skin irritation.				

- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
 - H335 May cause respiratory irritation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP Multielement-Standardlösung 6 Elemente je 10 mg/l in Salpetersäure 2 %

Revision date: 23.04.2024

Product code: 31636

Page 13 of 13

EUH071

Corrosive to the respiratory tract.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)