

Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

Revision date: 08.08.2023

Product code: 31684

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

UFI:

77RT-K2UU-Q00W-ECMA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	rous Goods] Incidents Spill, Leak, Fire,
number:	•	REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

Further Information

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling Barium chloride dihydrate

Signal word: Warning

Pictograms:



Hazard statements

H302 H319 Harmful if swallowed. Causes serious eye irritation.



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

Revision date: 08.08.2023	Product code: 31684	Page 2 of 10
Precautionary statemer	nts	
P270	Do not eat, drink or smoke when using this product.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	

If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

Rinse mouth.

3.2. Mixtures

P330

P337+P313

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name	Chemical name			
	EC No Index No REACH No				
	Classification (GB CLP Regulation)				
10326-27-9	Barium chloride dihydrate				
	233-788-1	056-002-00-7	01-2119502547-42		
	Acute Tox. 3, Acute Tox. 4, Eye Irrit. 2; H301 H332 H319				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name				
	Specific Conc. Limits, M-factors and ATE				
10326-27-9	233-788-1 Barium chloride dihydrate				
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 619 mg/kg				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

<u>4.2. Most important symptoms and effects, both acute and delayed</u> No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

Revision date: 08.08.2023

Product code: 31684

Page 3 of 10

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrochloric gas

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Avoid contact with skin, eyes and clothes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

Revision date: 08.08.2023

Product code: 31684

Page 4 of 10

Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
10326-27-9	Barium chloride dihydrate						
Worker DNEL,	long-term	inhalation	systemic	8,8 mg/m³			
Worker DNEL,	long-term	dermal	systemic	43,2 mg/kg bw/day			
Consumer DN	EL, long-term	inhalation	systemic	2,6 mg/m³			
Consumer DN	EL, long-term	dermal	systemic	25,9 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	3,7 mg/kg bw/day			



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur., Chapter 2.4.13

Revision date: 08.08.2023

Product code: 31684

Page 5 of 10

PNEC values

CAS No	Substance			
Environmenta	Environmental compartment Value			
10326-27-9 Barium chloride dihydrate				
Freshwater 0,174 mg/l				
Freshwater sediment 908 mg/kg				
Micro-organisms in sewage treatment plants (STP) 94,3 mg				
Soil		314,9 mg/kg		

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	odourless
Melting point/freezing point:	

No data available



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

	Ilmit test for sulphate Reag. Ph. Eur,, Chapte	
Revision date: 08.08.2023	Product code: 31684	Page 6 of 10
Boiling point or initial boiling point and boiling range:	No data available	
Flammability:	No data available	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Flash point:	No data available	
Auto-ignition temperature:	No data available	
Decomposition temperature:	No data available	
Viscosity / kinematic:	No data available	
Water solubility:	No data available	
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density (at 20 °C):	1,18073 g/cm³ No data available	
Bulk density: Relative vapour density:	No data available	
	No data avaliable	
9.2. Other information		
Information with regard to physical hazard classes	S	
Explosive properties		
No data available		
Sustaining combustion:	No data available	
Self-ignition temperature Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

Revision date: 08.08.2023

Product code: 31684

Page 7 of 10

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 471,7 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 51,89 mg/l; ATE (inhalation dust/mist) 7,075 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
10326-27-9	Barium chloride dihydrate							
		LD50 mg/kg	619	Rat	Study report (1983)	OECD Guideline 401		
	inhalation vapour	ATE	11 mg/l					
	inhalation dust/mist	ATE	1,5 mg/l					

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience No data available

11.2. Information on other hazards



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

Revision date: 08.08.2023

Product code: 31684

Page 8 of 10

Endocrine disrupting properties

No data available

Other information

No data available

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
10326-27-9	Barium chloride dihydrate	1					
	Acute fish toxicity	LC50 mg/l	> 3,5	96 h	Danio rerio	Study report (2010)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1,15	72 h	Pseudokirchneriella subcapitata	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	14,5	48 h	Daphnia magna	Publication (1972)	Not a guideline study but meets generall
	Fish toxicity	NOEC mg/l	>= 100	33 d	Danio rerio	Study report (2014)	OECD Guideline 210
	Crustacea toxicity	NOEC	10 mg/l	7 d	other aquatic arthropod: Cancer anthonyi	Publication (1988)	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

BCF

CAS No	Chemical name	BCF	Species	Source
10326-27-9	Barium chloride dihydrate	68,4	Lepomis macrochirus	Arch.Environ.Contam.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

Revision date: 08.08.2023

Product code: 31684

Page 9 of 10

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Inland waterways transport (ADN) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

SECTION 16: Other information

Changes



Barium chloride solution R for the limit test for sulphate Reag. Ph. Eur,, Chapter 2.4.13

Revision date: 08.08.2023

Product code: 31684

Page 10 of 10

This data sheet contains changes from the previous version in section(s): 2,3,7,9,11,12.

Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Irrit: Eye irritation

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	lassification procedure	
Acute Tox. 4; H302	Calculation method	
Eye Irrit. 2; H319	Calculation method	

Relevant H and EUH statements (number and full text)

	· · · · · · · · · · · · · · · · · · ·
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)