

Multielement-Star Revision date: 25.04.2024	ndardlösung "Tht 625 - Hoch" 1 Product code: 317	6 Elemente in HNO3/HCI/HF-Matrix	Page 1 of 18			
SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1. Product identifier						
Multielement-Standardlösung	g "Tht 625 - Hoch" 16 Elemente in HNO	3/HCI/HF-Matrix				
1.2. Relevant identified uses of the	substance or mixture and uses advise	ed against				
	tances as such or in preparations at indu main (administration, education, entertai					
Uses advised against	X · · · ·					
Do not use for private purpos	ses (household).					
1.3. Details of the supplier of the s						
Company name:	AnalytiChem GmbH ACD					
Street:	Stempelstraße 6					
Place:	D-47167 Duisburg					
Telephone:	0203/5194-0	Telefax: 0203/5194-290				
E-mail:	info@analytichem.de					
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117				
E-mail:	produktsicherheit@analytichem.de					
Internet:	www.analytichem.de					
Responsible Department:	Abteilung Produktsicherheit					
1.4. Emergency telephone number:	Exposure, or Accident Call CHEMT	rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada Canada: +1 703-741-5970 (collect calls	:			

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290 Acute Tox. 2; H330 Acute Tox. 3; H301 Acute Tox. 3; H311 Skin Corr. 1A; H314 Eye Dam. 1; H318

> Carc. 1A; H350i Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

## Regulation (EC) No 1272/2008

#### Hazard components for labelling

hydrogen chloride Hydrofluoric acid ... % nickel monoxide chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix					
Revision date: 25.04.2024	Product code: 31700 Page 2 of	18			
Signal word:	Danger				
Pictograms:	$ \land \land \land $				
Hazard statements					
H290	May be corrosive to metals.				
H330	Fatal if inhaled.				
H301+H311	Toxic if swallowed or in contact with skin.				
H314	Causes severe skin burns and eye damage.				
H350i	May cause cancer by inhalation.				
H412	Harmful to aquatic life with long lasting effects.				
Precautionary statemer	nts				
P260	Do not breathe dust/fume/gas/mist/vapours/spray.				
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P310	Immediately call a POISON CENTER/doctor.				
Special labelling of cert	tain mixtures				
EUH071	Corrosive to the respiratory tract.				
EUH208	Contains nickel monoxide, chromium (VI) compounds, with the exception of barium				
	chromate and of compounds specified elsewhere in this Annex. May produce an allergic				
	reaction.				
	Restricted to professional users.				
2.3. Other hazards					
No data available					
<b>SECTION 3: Compositio</b>	n/information on ingredients				

# 3.2. Mixtures

## Chemical characterization

Mixtures in aqueous solution



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 3 of 18

## **Relevant ingredients**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation	(EC) No 1272/2008)		
7647-01-0	Hydrochloric acid			5 - < 10 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3	; H314 H335		
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Ad	cute Tox. 3, Skin Corr. 1A; H272 H2	290 H331 H314 EUH071	
7664-39-3	Hydrofluoric acid %			1 - < 5 %
	231-634-8	009-003-00-1	01-2119458860-33	
	Acute Tox. 1, Acute Tox. 2			
-	chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex			< 1 %
	-	024-017-00-8		
	Carc. 1B, Skin Sens. 1, Ac			
7664-39-3	hydrofluoric acid %			< 1 %
	231-634-8	009-003-00-1		
	Acute Tox. 1, Acute Tox. 2			
16919-19-0	ammonium hexafluorosilic	ate		< 1 %
	240-968-3	009-012-00-0		
	Acute Tox. 3, Acute Tox. 3			
7664-38-2	phosphoric acid			< 0.01 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4			

Full text of H and EUH statements: see section 16.



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 4 of 18

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7647-01-0	231-595-7	Hydrochloric acid	5 - < 10 %
		H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 3; H335: >= 10 - 100	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
7664-39-3	231-634-8	Hydrofluoric acid %	1 - < 5 %
	LC50 = 2240 p	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: pm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: sin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	
7664-39-3	231-634-8	hydrofluoric acid %	< 1 %
	LC50 = 2240 p	E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: pm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: sin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	
16919-19-0	240-968-3	ammonium hexafluorosilicate	< 1 %
		E = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = l: ATE = 100 mg/kg	
7664-38-2	231-633-2	phosphoric acid	< 0.01 %
	oral: ATE = 50 Irrit. 2; H319: >	0 mg/kg   Skin Corr. 1B; H314: >= 25 - 100   Skin Irrit. 2; H315: >= 10 - < 25   Eye = 10 - < 25	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

## After inhalation

Provide fresh air. Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns.
Irritant
Cough
Dyspnoea



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 5 of 18

Allergic reactions Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Hydrogen fluoride Metal oxide smoke, toxic Hydrochloric gas

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.





according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 6 of 18

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal Glass The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed.

#### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 7 of 18

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm <sup>3</sup>	Category	Origin
7429-90-5	Aluminium metal (Respirable Fraction)	-	1		TWA (8 h)	
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	
7440-33-7	Tungsten metal	-	5		TWA (8 h)	
		-	10		STEL (15 min)	
						1

## **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	3 mg/L	Urine	End of shift
		Fluoride	2 mg/L	Urine	Prior to shift



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 8 of 18

## **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0	Hydrochloric acid			
Worker DNEL, long-term		inhalation	local	8 mg/m³
Worker DNE	L, acute	inhalation	local	15 mg/m³
Consumer D	NEL, long-term	inhalation	local	8 mg/m³
Consumer D	NEL, acute	inhalation	local	15 mg/m³
7664-39-3	Hydrofluoric acid %			
Worker DNE	L, long-term	inhalation	systemic	1,5 mg/m³
Worker DNE	L, acute	inhalation	systemic	2,5 mg/m³
Worker DNE	L, long-term	inhalation	local	1,5 mg/m³
Worker DNE	L, acute	inhalation	local	2,5 mg/m³
Consumer D	NEL, long-term	inhalation	systemic	0,03 mg/m³
Consumer D	NEL, acute	inhalation	systemic	0,03 mg/m³
Consumer D	NEL, long-term	inhalation	local	0,2 mg/m <sup>3</sup>
Consumer D	NEL, acute	inhalation	local	1,25 mg/m <sup>3</sup>
Consumer DI	NEL, long-term	oral	systemic	0,01 mg/kg bw/day
Consumer DI	NEL, acute	oral	systemic	0,01 mg/kg bw/day
7664-39-3	hydrofluoric acid %			
Worker DNE	_, long-term	inhalation	systemic	1,5 mg/m³
Worker DNE	L, acute	inhalation	systemic	2,5 mg/m³
Worker DNE	L, long-term	inhalation	local	1,5 mg/m³
Worker DNE	L, acute	inhalation	local	2,5 mg/m <sup>3</sup>
Consumer DI	NEL, long-term	inhalation	systemic	0,03 mg/m³
Consumer D	NEL, acute	inhalation	systemic	0,03 mg/m³
Consumer D	NEL, long-term	inhalation	local	0,2 mg/m <sup>3</sup>
Consumer DI	NEL, acute	inhalation	local	1,25 mg/m <sup>3</sup>
Consumer DI	NEL, long-term	oral	systemic	0,01 mg/kg bw/day
Consumer D	NEL, acute	oral	systemic	0,01 mg/kg bw/day
7664-38-2	phosphoric acid			
Worker DNE	L, acute	inhalation	local	2 mg/m³
Worker DNE	L, long-term	inhalation	local	2,92 mg/m <sup>3</sup>
Consumer D	NEL, long-term	inhalation	systemic	4,57 mg/m³
Consumer D	NEL, long-term	inhalation	local	0,36 mg/m³
Consumer DNEL, long-term		oral	ovetomio	0,1 mg/kg bw/day
Consumer D	NEL, long-lerm	Ulai	systemic	0, T mg/kg bw/uay



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 9 of 18

**PNEC** values

CAS No	Substance				
Environment	Environmental compartment Va				
7664-39-3	Hydrofluoric acid %				
Freshwater		0,89 mg/l			
Marine water		0,089 mg/l			
Freshwater s	ediment	3,38 mg/kg			
Marine sedin	Marine sediment				
Micro-organisms in sewage treatment plants (STP) 51 mg/l					
Soil		10,6 mg/kg			
7664-39-3	hydrofluoric acid %				
Freshwater		0,89 mg/l			
Marine water		0,089 mg/l			
Freshwater s	ediment	3,38 mg/kg			
Marine sedin	Marine sediment				
Micro-organi	Micro-organisms in sewage treatment plants (STP)				
Soil		10,6 mg/kg			

#### 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 10 of 18

sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

	nysical state: blour:	Liquid	
		clear like: Nitric acid	
	dour:	like: Mitric acid	Nie dete enellele
	elting point/freezing point:		No data available
	biling point or initial boiling point and		No data available
	iling range: ammability:		No data available
	-		No data available
	wer explosion limits:		
	oper explosion limits:		No data available
	ash point:		No data available
	ito-ignition temperature:		No data available
	ecomposition temperature:		No data available
p⊢	I-Value:		acidic
Vis	scosity / kinematic:		No data available
Wa	ater solubility:		completely miscible
So	olubility in other solvents		
	No data available		
Pa	artition coefficient n-octanol/water:		No data available
Va	apour pressure:		No data available
Va	apour pressure:		No data available
De	ensity:		1,03 g/cm³
Bu	Ilk density:		No data available
Re	elative vapour density:		No data available
<u>9.2. O</u>	ther information		
Inf	formation with regard to physical haza	ard classes	
Ex	plosive properties		
	No data available		
Su	istaining combustion:		No data available
Se	elf-ignition temperature		
	Solid:		No data available
	Gas:		No data available
Ox	kidizing properties		
	Oxidizing		

## Other safety characteristics



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024	Product code: 31700	Page 11 of 18	
Evaporation rate:	No data available		
Solvent separation test:	No data available		
Solvent content:	0		
Solid content:	0		
Sublimation point:	No data available		
Softening point:	No data available		
Pour point:	No data available		
No data available:			
Viscosity / dynamic:	No data available		
Flow time:	No data available		
Further Information			

#### Further Information

Corrosive to metals.

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals. Oxidising agent

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

#### Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

## 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Glass Cellulose Metal The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### Further information

No data available

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Fatal if inhaled. Toxic if swallowed. Toxic in contact with skin.

#### **ATEmix calculated**

ATE (oral) 249,2 mg/kg; ATE (dermal) 249,7 mg/kg; ATE (inhalation vapour) 16,55 mg/l; ATE (inhalation dust/mist) 1,914 mg/l



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 12 of 18

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7697-37-2	nitric acid						
	inhalation vapour	ATE 2,6	5 mg/l				
7664-39-3	Hydrofluoric acid %						
	oral	ATE	5 mg/kg				
	dermal	ATE	5 mg/kg				
	inhalation vapour	ATE	0,5 mg/l				
	inhalation dust/mist	ATE	0,05 mg/l				
	inhalation (1 h) gas	LC50	2240	Rat	Study report (1990)	OECD Guideline 403	
		ppm					
7664-39-3	hydrofluoric acid %	-					
	oral	ATE	5 mg/kg				
	dermal	ATE	5 mg/kg				
	inhalation vapour	ATE	0,5 mg/l				
	inhalation dust/mist	ATE	0,05 mg/l				
	inhalation (1 h) gas	LC50 ppm	2240	Rat	Study report (1990)	OECD Guideline 403	
16919-19-0	ammonium hexafluoros	ilicate					
	oral	ATE mg/kg	100				
	dermal	ATE mg/kg	300				
	inhalation vapour	ATE	3 mg/l				
	inhalation dust/mist	ATE	0,5 mg/l				
7664-38-2	phosphoric acid						
	oral	ATE mg/kg	500				

#### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Corrosive to the respiratory tract.

Following ingestion Gastric perforation

Irritating to respiratory system.

Pulmonary oedema

see also Section 4

## Sensitising effects

Based on available data, the classification criteria are not met. Contains nickel monoxide, chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer by inhalation. (chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.



### Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024	Product code: 31700	Page 13 of 18

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

#### **SECTION 12: Ecological information**

12.1. Toxicity



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 14 of 18

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7647-01-0	) Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
7697-37-2	nitric acid					•	-
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7664-39-3	Hydrofluoric acid %						
	Acute fish toxicity	LC50	299 mg/l	96 h	Salmo trutta	REACh Registration Dossier	other: U.S Environmental Protection Agen
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	REACh Registration Dossier	Methods not detailed in the review.
	Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	REACh Registration Dossier	The publication is a review article of v
	Acute bacteria toxicity	EC50 mg/l()	2930	3 h	Activated sludge	REACh Registration Dossier	ISO 8192
7664-39-3	hydrofluoric acid %						
	Acute fish toxicity	LC50	299 mg/l	96 h	Salmo trutta	REACh Registration Dossier	other: U.S Environmental Protection Agen
	Acute algae toxicity	ErC50	43 mg/l	96 h	various algae species	REACh Registration Dossier	Methods not detailed in the review.
	Crustacea toxicity	NOEC	3,7 mg/l	21 d	Daphnia magna	REACh Registration Dossier	The publication is a review article of v
	Acute bacteria toxicity	EC50 mg/l()	2930	3 h	Activated sludge	REACh Registration Dossier	ISO 8192
7664-38-2	phosphoric acid						
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209
	Acute bacteria toxicity		> 1000	3 h	predominantly		

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 15 of 18

#### There are no data available on the mixture itself.

### BCF

CAS No	Chemical name	BCF	Species	Source
7664-39-3	Hydrofluoric acid %	53 - 58	not specified	REACh Registration D
7664-39-3	hydrofluoric acid %	53 - 58	not specified	REACh Registration D

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric
	acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	I
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	86
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2922
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric
	acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8+6.1



	sung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix	16 - 6 44
Revision date: 25.04.2024	Product code: 31700 Page	16 of 18
Classification code:	CT1	
Special Provisions:	274 802	
Limited quantity:	1 L	
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 2922	
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric acid)	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	ll	
Hazard label:	8+6.1	
Special Provisions:	274	
Limited quantity:	1L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 2922	
14.2. UN proper shipping name:	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric acid)	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	ll	
Hazard label:	8+6.1	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-max. quantity - Passenger:	1 L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental requ	ulations/legislation specific for the substance or mixture	
EU regulatory information		
	xception of barium chromate and of compounds specified elsewhere in	
this Annex		
Restrictions on use (REACH, annex XVII)	c .	
Entry 3, Entry 65, Entry 75		

(EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

## National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile
	work protection guideline' (94/33/EC).
Water hazard class (D):	2 - obviously hazardous to water

## **SECTION 16: Other information**



## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 17 of 18

#### Abbreviations and acronyms

Pyr. Sol: Pyrophoric solid Water-react: Substance and mixture which, in contact with water, emits flammable gas Ox. Liq: Oxidising liquid Met. Corr: Substance or mixture corrosive to metals Flam. Sol: Flammable solid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Skin Sens: Skin sensitisation Carc: Carcinogenicity STOT SE: Specific target organ toxicity - single exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 2; H330	
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H311	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Carc. 1A; H350i	Calculation method
Aquatic Chronic 3; H412	Calculation method

## Relevant H and EUH statements (number and full text)

e	levalit n allu EUN stat	
	H272	May intensify fire; oxidiser.
	H290	May be corrosive to metals.
	H300	Fatal if swallowed.
	H301	Toxic if swallowed.
	H301+H311	Toxic if swallowed or in contact with skin.
	H302	Harmful if swallowed.
	H310	Fatal in contact with skin.
	H311	Toxic in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H330	Fatal if inhaled.
	H331	Toxic if inhaled.
	H335	May cause respiratory irritation.
	H350i	May cause cancer by inhalation.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	H412	Harmful to aquatic life with long lasting effects.
	EUH071	Corrosive to the respiratory tract.
	EUH208	Contains nickel monoxide, chromium (VI) compounds, with the exception of barium
		chromate and of compounds specified elsewhere in this Annex. May produce an allergic
		reaction.

#### **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Tht 625 - Hoch" 16 Elemente in HNO3/HCI/HF-Matrix

Revision date: 25.04.2024

Product code: 31700

Page 18 of 18

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)