

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 1 of 13

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
Acute Tox. 2; H330  
Acute Tox. 3; H301  
Acute Tox. 3; H311  
Skin Corr. 1A; H314  
Eye Dam. 1; H318  
Carc. 1A; H350i  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements**

**Regulation (EC) No 1272/2008**

**Hazard components for labelling**

hydrogen chloride

Hydrofluoric acid ... %

nickel monoxide

chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex

**Signal word:** Danger

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 2 of 13

**Pictograms:**



**Hazard statements**

H290	May be corrosive to metals.
H330	Fatal if inhaled.
H301+H311	Toxic if swallowed or in contact with skin.
H314	Causes severe skin burns and eye damage.
H350i	May cause cancer by inhalation.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

**Special labelling of certain mixtures**

EUH071	Corrosive to the respiratory tract.
EUH208	Contains nickel monoxide, chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex. May produce an allergic reaction.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO3/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 3 of 13

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7647-01-0	hydrogen chloride			5 - < 10 %
	231-595-7	017-002-00-2		
	Acute Tox. 3, Skin Corr. 1A; H331 H314			
7697-37-2	nitric acid			1 - < 5 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
7664-39-3	Hydrofluoric acid ... %			1 - < 5 %
	231-634-8	009-003-00-1	01-2119458860-33	
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314			
-	chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex			< 1 %
	-	024-017-00-8		
	Carc. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H317 H400 H410			
7664-39-3	hydrofluoric acid ... %			< 1 %
	231-634-8	009-003-00-1		
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, Skin Corr. 1A; H310 H330 H300 H314			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7647-01-0	231-595-7	hydrogen chloride	5 - < 10 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists)	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		inhalation: ATE 2,65 mg/kg (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
7664-39-3	231-634-8	Hydrofluoric acid ... %	1 - < 5 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 1610 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	
7664-39-3	231-634-8	hydrofluoric acid ... %	< 1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); inhalation: LC50 = 1610 ppm (gases); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg Skin Corr. 1A; H314: >= 7 - 100 Skin Corr. 1B; H314: >= 1 - < 7 Eye Irrit. 2; H319: >= 0,1 - < 1	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.

Call a physician immediately.

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 4 of 13

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water.  
Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.  
Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes burns.  
Irritant  
Cough  
Dyspnoea  
Allergic reactions  
Vomiting  
Methaemoglobinaemia  
Risk of serious damage to eyes.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Nitrogen oxides (NO<sub>x</sub>)  
Hydrogen fluoride  
Metal oxide smoke, toxic  
Hydrochloric gas

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 5 of 13

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Use personal protection equipment.  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
Do not breathe vapour/aerosol.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

**Further information on handling**

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 6 of 13

**Requirements for storage rooms and vessels**

- Corrosive to metals.
- Unsuitable container/equipment material: Metal Glass
- The product develops hydrogen in an aqueous solution in contact with metals.

**Further information on storage conditions**

- Keep container tightly closed.

**7.3. Specific end use(s)**

- Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
7664-39-3	Hydrogen fluoride (as F)	1.8	1.5		TWA (8 h)	
		3	2.5		STEL (15 min)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

**Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
7664-39-3	Hydrogen fluoride	Fluoride	3 mg/L	Urine	End of shift
		Fluoride	2 mg/L	Urine	Prior to shift

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7647-01-0	hydrogen chloride			
Worker DNEL, long-term		inhalation	local	8 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	15 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	8 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	15 mg/m <sup>3</sup>

**8.2. Exposure controls**

**Appropriate engineering controls**

- Technical measures and the application of suitable work processes have priority over personal protection equipment.
- If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

- goggles
- Wear eye/face protection.

**Hand protection**

- When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO3/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 7 of 13

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.  
Wash hands before breaks and after work.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: Liquid  
Colour: clear  
Odour: like: Nitric acid

**Changes in the physical state**

Melting point/freezing point: No data available  
Boiling point or initial boiling point and boiling range: No data available  
Sublimation point: No data available  
Softening point: No data available  
Pour point: No data available  
No data available:  
Flash point: No data available

**Flammability**

Solid/liquid: No data available  
Gas: No data available

**Explosive properties**

No data available  
Lower explosion limits: No data available

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 8 of 13

Upper explosion limits:	No data available
Auto-ignition temperature:	No data available
<b>Self-ignition temperature</b>	
Solid:	No data available
Gas:	No data available
Decomposition temperature:	No data available
pH-Value:	acidic
Viscosity / dynamic:	No data available
Viscosity / kinematic:	No data available
Flow time:	No data available
Water solubility:	completely miscible
<b>Solubility in other solvents</b>	
No data available	
Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,03 g/cm <sup>3</sup>
Bulk density:	No data available
Relative vapour density:	No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

Sustaining combustion:	No data available
Oxidizing properties	
Oxidizing	

**Other safety characteristics**

Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Evaporation rate:	No data available

**Further Information**

Corrosive to metals.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Corrosive to metals.  
Oxidising agent

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Alkali (lye)  
The product develops hydrogen in an aqueous solution in contact with metals.  
Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide  
Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

**10.4. Conditions to avoid**

No data available



**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO3/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 9 of 13

**10.5. Incompatible materials**

Glass

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Fatal if inhaled.

Toxic if swallowed.

Toxic in contact with skin.

**ATEmix calculated**

ATE (oral) 250,0 mg/kg; ATE (dermal) 250,0 mg/kg; ATE (inhalation vapour) 16,67 mg/l; ATE (inhalation dust/mist) 1,923 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7647-01-0	hydrogen chloride				
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/kg			
7664-39-3	Hydrofluoric acid ... %				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
	inhalation (1 h) gas	LC50 1610 ppm	Rat		
7664-39-3	hydrofluoric acid ... %				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			
	inhalation (1 h) gas	LC50 1610 ppm	Rat		

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

Causes serious eye damage.

Following ingestion Gastric perforation

Irritating to respiratory system.

Pulmonary oedema

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 10 of 13

**Sensitising effects**

Contains nickel monoxide, chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer by inhalation. (chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

There are no data available on the preparation/mixture itself.

**Additional information on tests**

There are no data available on the preparation/mixture itself.

**Practical experience**

There are no data available on the preparation/mixture itself.

**11.2. Information on other hazards**

**Other information**

There are no data available on the preparation/mixture itself.

**Further information**

There are no data available on the preparation/mixture itself.

**SECTION 12: Ecological information**

**12.1. Toxicity**

CAS No	Chemical name		Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 11 of 13

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Further information**

Do not allow to enter into surface water or drains.  
Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.  
Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 2922
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	86
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 2922
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8+6.1
Classification code:	CT1
Special Provisions:	274 802
Limited quantity:	1 L
Excepted quantity:	E2

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 2922
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric acid)
<b>14.3. Transport hazard class(es):</b>	8

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO<sub>3</sub>/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 12 of 13

**14.4. Packing group:** II  
 Hazard label: 8+6.1  
 Special Provisions: 274  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 2922  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrochloric acid, Hydrofluoric acid)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8+6.1  
 Special Provisions: A3 A803  
 Limited quantity Passenger: 0.5 L  
 Passenger LQ: Y840  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 851  
 IATA-max. quantity - Passenger: 1 L  
 IATA-packing instructions - Cargo: 855  
 IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Authorisations (REACH, annex XIV):  
 Substances of very high concern, SVHC (REACH, article 59):  
 chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex

Restrictions on use (REACH, annex XVII):  
 Entry 3, Entry 75

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).  
 Water hazard class (D): 2 - obviously hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1.

**Multielement-Standardlösung "Tht 625 - 2H4T" 14 Elemente in HNO3/HCl/HF-Matrix**

Revision date: 16.05.2022

Product code: 31701

Page 13 of 13

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 2; H330	
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H311	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Carc. 1A; H350i	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H301+H311	Toxic if swallowed or in contact with skin.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H350i	May cause cancer by inhalation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains nickel monoxide, chromium (VI) compounds, with the exception of barium chromate and of compounds specified elsewhere in this Annex. May produce an allergic reaction.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*