

Multielement-Stan	Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/I)						
Revision date: 22.06.2020	Product code: 31711	Page 1 of 1					
SECTION 1: Identification of the	ne substance/mixture and of the comp	any/undertaking					
<u>1.1. Product identifier</u> Multielement-Standardlösur	ng "Konzentrat 2" 12 Elemente in Salpeterså	aure (50 ml 70%/l)					
1.2. Relevant identified uses of the	e substance or mixture and uses advised	against					
	stances as such or in preparations at industomain (administration, education, entertainn						
Uses advised against							
Do not use for private purpo	oses (household).						
1.3. Details of the supplier of the	<u>safety data sheet</u>						
Company name: Street: Place:	Fa. Bernd Kraft GmbH Stempelstraße 6 D-47167 Duisburg						
Telephone: e-mail:	0203/5194-0 info@berndkraft.de	Telefax: 0203/5194-290					
Contact person: e-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@berndkraft.de www.berndkraft.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117					
<u>1.4. Emergency telephone</u> number:							
Further Information							

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling nitric acid nickel dinitrate Signal word: Danger

Pictograms:



# Hazard statements

H290

May be corrosive to metals.



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020	Product code: 31711	Page 2 of 13
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
Precautionary statemer	nts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
Special labelling of cert	tain mixtures	
EUH071	Corrosive to the respiratory tract.	

## 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) N	o 1272/2008)				
7697-37-2	nitric acid		1 - < 5 %			
	231-714-2	007-030-00-3	01-2119487297-23			
	Ox. Liq. 3, Met. Corr. 1, Acute To	H314 EUH071				
7697-37-2	nitric acid %					
	231-714-2	007-004-00-1				
	Ox. Liq. 2, Acute Tox. 1, Skin Co	r. 1A; H272 H330 H314 EUH071				
13138-45-9	nickel dinitrate			< 0.1 %		
	236-068-5	028-012-00-1				
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410					

Full text of H and EUH statements: see section 16.



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020

Product code: 31711

Page 3 of 13

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		2,65 mg/kg (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= Corr. 1B; H314: >= 5 - < 20	
7697-37-2	231-714-2	nitric acid %	< 1 %
		E = 0,05 mg/l (vapours); inhalation: ATE = 0,005 mg/l (dusts or mists) Ox. Liq. 2; 00 Ox. Liq. 3; H272: >= 70 - < 99	
13138-45-9	236-068-5	nickel dinitrate	< 0.1 %
inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 M acute; H400: M=1 M chron.; H410: M=1			

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH). Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!

# After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020

Product code: 31711

Page 4 of 13

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Metal oxide smoke, toxic

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

# For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

# Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020

Product code: 31711

Page 5 of 13

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

## Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed.

# 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020

Product code: 31711

Page 6 of 13

## **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
13138-45-9	nickel dinitrate					
Consumer DNEL, acute		oral	systemic	0,012 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,02 mg/kg bw/day		
Worker DNEL, acute		inhalation	systemic	104 mg/m <sup>3</sup>		
Worker DNEL, acute		inhalation	local	1,6 mg/m³		
Consumer DNEL, acute		inhalation	systemic	8,8 mg/m³		
Consumer DN	EL, acute	inhalation	local	0,1 mg/m³		

**PNEC** values

CAS No	Substance				
Environment	al compartment	Value			
13138-45-9	38-45-9 nickel dinitrate				
Freshwater		0,0071 mg/l			
Freshwater (intermittent releases) 0 m					
Marine water 0,00					
Freshwater sediment 109 mg/kg					
Marine sedin	109 mg/kg				
Secondary poisoning 0,12 mg/					
Micro-organisms in sewage treatment plants (STP) 0,33 mg/l					
Soil 29,9 mg/kg					

## 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020

Product code: 31711

Page 7 of 13

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

## **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid clear	
Odour:	like: Nitric acid	
Changes in the physical state		
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Sublimation point:		No data available
Softening point:		No data available
Pour point: No data available:		No data available
Flash point:		No data available
Flammability Solid/liquid: Gas:		No data available No data available
Explosive properties No data available		
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Auto-ignition temperature:		No data available
Self-ignition temperature Solid: Gas:		No data available No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / dynamic:		No data available
Viscosity / kinematic:		No data available



Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)							
Revision date: 22.06.2020	Product code: 31711	Page 8 of 13					
Flow time:	No data available						
Water solubility:	completely miscible						
Solubility in other solvents No data available							
Partition coefficient n-octanol/water:	No data available						
Vapour pressure:	No data available						
Vapour pressure:	No data available						
Density:	1,025 g/cm³						
Bulk density:	No data available						
Relative vapour density:	No data available						
9.2. Other information							
Information with regard to physical hazard classes Sustaining combustion: Oxidizing properties Oxidizing	s No data available						
Other safety characteristics							
Solvent separation test:	No data available						
Solvent content:	0						
Solid content:	0						
Evaporation rate:	No data available						
Further Information							
Corrosive to metals.							

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals. Oxidising agent

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

#### Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

## 10.4. Conditions to avoid

No data available

#### 10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

# 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

## **SECTION 11: Toxicological information**



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020

Product code: 31711

Page 9 of 13

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7697-37-2	nitric acid	-					
	inhalation vapour	ATE 2,6	5 mg/kg				
7697-37-2	nitric acid %	_					
	inhalation vapour	ATE	0,05 mg/l				
	inhalation dust/mist	ATE mg/l	0,005				
13138-45-9	nickel dinitrate						
	oral	LD50 mg/kg	361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425	
	inhalation vapour	ATE	11 mg/l				
	inhalation dust/mist	ATE	1,5 mg/l				

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema

#### Sensitising effects

May cause an allergic skin reaction. (nickel dinitrate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

# **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

## Further information

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020

Product code: 31711

Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7697-37-2	nitric acid %						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
13138-45-9	nickel dinitrate			-			
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	(EC50	33 mg/l)	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192

# 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020

Product code: 31711

Page 11 of 13

#### Partition coefficient n-octanol/water

CAS No Chemical name					Log Pow	
7697-37-2	7697-37-2 nitric acid %					
BCF						
CAS No	Chemical name	BCF	Species	Source		
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicolo	gy and en	

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### **Further information**

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1



Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)					
Revision date: 22.06.2020	Product	code: 31711	Page 12 of 13		
Limited quantity:	1 L				
Excepted quantity:	E2				
Marine transport (IMDG)					
14.1. UN number or ID number:	UN 2031				
14.2. UN proper shipping name:	NITRIC ACID				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	II				
Hazard label:	8				
Special Provisions:	-				
Limited quantity:	1 L				
Excepted quantity:	E2				
EmS:	F-A, S-B				
Air transport (ICAO-TI/IATA-DGR)					
<u>14.1. UN number or ID number:</u>	UN 2031				
14.2. UN proper shipping name:	NITRIC ACID				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	II				
Hazard label:	8				
Special Provisions:	A212				
Limited quantity Passenger:	Forbidden				
Passenger LQ:	Forbidden				
Excepted quantity:	E0				
IATA-packing instructions - Passenger:		Forbidden			
IATA-max. quantity - Passenger:		Forbidden			
IATA-packing instructions - Cargo:		855			
IATA-max. quantity - Cargo:		30 L			
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture					
EU regulatory information					
Restrictions on use (REACH, annex XVII)					

Restrictions on use (REACH, annex XVII): Entry 3, Entry 28, Entry 75

# National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,5,9,15.

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method

# Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.

H290 May be corrosive to metals.

H302 Harmful if swallowed.



# Multielement-Standardlösung "Konzentrat 2" 12 Elemente in Salpetersäure (50 ml 70%/l)

Revision date: 22.06.2020	Product code: 31711	Page 13 of 13
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350i	May cause cancer by inhalation.	
H360D	May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
Example on the former of the se		

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)