

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Reduktions-Lösung (Lösung Nr. 2)

Revision date: 16.05.2022

Product code: 31763

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Reduktions-Lösung (Lösung Nr. 2)

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

##### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

##### Further Information

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard components for labelling

disodium disulphite

Signal word: Danger

###### Pictograms:



###### Hazard statements

H290

May be corrosive to metals.

H318

Causes serious eye damage.

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 2 of 12

**Precautionary statements**

- P234 Keep only in original packaging.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P390 Absorb spillage to prevent material damage.  
 P406 Store in a corrosion-resistant container with a resistant inner liner.

**Special labelling of certain mixtures**

- EUH031 Contact with acids liberates toxic gas.  
 EUH208 Contains 1,4-dihydrxybenzene. May produce an allergic reaction.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7681-57-4	disodium disulphite			5 - < 10 %
	231-673-0	016-063-00-2	01-2119531326-45	
	Acute Tox. 4, Eye Dam. 1; H302 H318 EUH031			
123-31-9	1,4-dihydrxybenzene			< 1 %
	204-617-8	604-005-00-4	01-2119486399-18	
	Carc. 2, Muta. 2, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H351 H341 H302 H318 H317 H400			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7681-57-4	231-673-0	disodium disulphite	5 - < 10 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1420 mg/kg		
123-31-9	204-617-8	1,4-dihydrxybenzene	< 1 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 375 mg/kg M acute; H400: M=10		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**After inhalation**

- Provide fresh air.  
 Call a doctor if you feel unwell.

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 3 of 12

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water.  
Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Sulphur oxides

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 4 of 12

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Use personal protection equipment.
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.
- Do not breathe vapour/aerosol.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

- Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.
- Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

**Further information on handling**

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

- Corrosive to metals.
- Unsuitable container/equipment material: Metal
- The product develops hydrogen in an aqueous solution in contact with metals.

**Further information on storage conditions**

Keep container tightly closed.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 5 of 12

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
123-31-9	Hydroquinone	-	0.5		TWA (8 h)	
7681-57-4	Sodium metabisulphite	-	5		TWA (8 h)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7681-57-4	disodium disulphite			
	Worker DNEL, long-term	inhalation	systemic	225 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	systemic	66 mg/m <sup>3</sup>
	Consumer DNEL, long-term	oral	systemic	8,6 mg/kg bw/day
123-31-9	1,4-dihydrxybenzene			
	Worker DNEL, long-term	inhalation	systemic	2,1 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	3,33 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	1,05 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	1,66 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	0,6 mg/kg bw/day

**PNEC values**

CAS No	Substance	Environmental compartment	Value
7681-57-4	disodium disulphite		
	Freshwater		1 mg/l
	Marine water		0,1 mg/l
	Micro-organisms in sewage treatment plants (STP)		75,4 mg/l
123-31-9	1,4-dihydrxybenzene		
	Freshwater		0,00057 mg/l
	Freshwater (intermittent releases)		0,00134 mg/l
	Marine water		0,000057 mg/l
	Freshwater sediment		0,0049 mg/kg
	Marine sediment		0,00049 mg/kg
	Micro-organisms in sewage treatment plants (STP)		0,71 mg/l
	Soil		0,00064 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles

Wear eye/face protection.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 6 of 12

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L  
Recommended material: NBR (Nitrile rubber) 0,11 mm  
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.  
Wash hands before breaks and after work.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: Liquid  
Colour: clear  
Odour: characteristic

**Changes in the physical state**

Melting point/freezing point: No data available  
Boiling point or initial boiling point and boiling range: No data available  
Sublimation point: No data available  
Softening point: No data available  
Pour point: No data available  
No data available:  
Flash point: No data available

**Flammability**

Solid/liquid: No data available  
Gas: No data available

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 7 of 12

**Explosive properties**

No data available

Lower explosion limits:

No data available

Upper explosion limits:

No data available

Auto-ignition temperature:

No data available

**Self-ignition temperature**

Solid:

No data available

Gas:

No data available

Decomposition temperature:

No data available

pH-Value:

acidic

Viscosity / dynamic:

No data available

Viscosity / kinematic:

No data available

Flow time:

No data available

Water solubility:

completely miscible

**Solubility in other solvents**

No data available

Partition coefficient n-octanol/water:

No data available

Vapour pressure:

No data available

Vapour pressure:

No data available

Density (at 20 °C):

1,0555 g/cm<sup>3</sup>

Bulk density:

No data available

Relative vapour density:

No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

Sustaining combustion:

No data available

Oxidizing properties

Oxidizing

**Other safety characteristics**

Solvent separation test:

No data available

Solvent content:

0

Solid content:

0

Evaporation rate:

No data available

**Further Information**

Corrosive to metals.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Corrosive to metals.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Alkali (lye)

**10.4. Conditions to avoid**

No data available

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 8 of 12

**10.5. Incompatible materials**

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7681-57-4	disodium disulphite				
	oral	LD50 1420 mg/kg	Rat	Study report (1987)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2009)	OECD Guideline 402
123-31-9	1,4-dihydrxybenzene				
	oral	LD50 > 375 mg/kg	Rat	Food Chem Toxicol 45, 70 - 78 (2007)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	Food Chem Toxicol 45, 70 - 78 (2007)	OECD Guideline 402

**Irritation and corrosivity**

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Contains 1,4-dihydrxybenzene. May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

There are no data available on the preparation/mixture itself.

**Additional information on tests**

There are no data available on the preparation/mixture itself.

**Practical experience**

There are no data available on the preparation/mixture itself.

**11.2. Information on other hazards**

**Other information**

There are no data available on the preparation/mixture itself.



**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 9 of 12

**Further information**

There are no data available on the preparation/mixture itself.

**SECTION 12: Ecological information**

**12.1. Toxicity**

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7681-57-4	disodium disulphite					
	Acute fish toxicity	LC50 > 215 - < 464 mg/l	96 h	Leuciscus idus	Study report (1989)	other: German industrial standard test g
	Acute algae toxicity	ErC50 43,8 mg/l	72 h	Desmodesmus subspicatus	Study report (1989)	OECD Guideline 201
	Acute crustacea toxicity	EC50 89 mg/l	48 h	Daphnia magna	Study report (1990)	other: 79/831/EEC, appendix V, part C
	Fish toxicity	NOEC >= 316 mg/l	34 d	Danio rerio	Study report (2010)	OECD Guideline 210
	Crustacea toxicity	NOEC > 10 mg/l	21 d	Daphnia magna	Study report (1993)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 > 1000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)	OECD Guideline 209
123-31-9	1,4-dihydrxybenzene					
	Acute fish toxicity	LC50 0,638 mg/l	96 h	Oncorhynchus mykiss	Environ Toxicol Chem 3: 243-254 (1984)	OECD Guideline 203
	Acute algae toxicity	ErC50 0,33 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2008)	OECD Guideline 201
	Acute crustacea toxicity	EC50 0,134 mg/l	48 h	Daphnia magna	Study report (2008)	OECD Guideline 202
	Fish toxicity	NOEC >= 0,1 mg/l	32 d	Pimephales promelas	Study report (2016)	OECD Guideline 210
	Crustacea toxicity	NOEC 0,006 mg/l	21 d	Daphnia magna	Study report (2008)	OECD Guideline 211

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
123-31-9	1,4-dihydrxybenzene	0,59

**BCF**

CAS No	Chemical name	BCF	Species	Source
123-31-9	1,4-dihydrxybenzene	3,162		Study report (2010)

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 10 of 12

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.  
There are no data available on the mixture itself.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

There are no data available on the mixture itself.

**Further information**

Do not allow to enter into surface water or drains.  
Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.  
Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1760
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, N.O.S. (sulphuric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C9
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1760
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, N.O.S. (sulphuric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C9
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1760
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, N.O.S. (sulphuric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Reduktions-Lösung (Lösung Nr. 2)**

Revision date: 16.05.2022

Product code: 31763

Page 11 of 12

Hazard label: 8  
 Special Provisions: 223, 274  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 1760  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (sulphuric acid)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
 Hazard label: 8  
 Special Provisions: A3 A803  
 Limited quantity Passenger: 1 L  
 Passenger LQ: Y841  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 852  
 IATA-max. quantity - Passenger: 5 L  
 IATA-packing instructions - Cargo: 856  
 IATA-max. quantity - Cargo: 60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):  
 Entry 3, Entry 75

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).  
 Water hazard class (D): 3 - highly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 1.

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H341 Suspected of causing genetic defects.  
 H351 Suspected of causing cancer.  
 H400 Very toxic to aquatic life.  
 EUH031 Contact with acids liberates toxic gas.  
 EUH208 Contains 1,4-dihydroxybenzene. May produce an allergic reaction.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Reduktions-Lösung (Lösung Nr. 2)

Revision date: 16.05.2022

Product code: 31763

Page 12 of 12

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.  
The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*