

## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

Danger

## 2.2. Label elements

## Regulation (EC) No 1272/2008

Hazard components for labelling	
nitric acid	

Signal word:





# Hazard statements

H290

May be corrosive to metals.



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022	Product code: 31765	Page 2 of 12					
H315	Causes skin irritation.						
H318	Causes serious eye damage.						
Precautionary statemer	nts						
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protect	ion.					
P302+P352	IF ON SKIN: Wash with plenty of water.						
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.						
P310	Immediately call a POISON CENTER/doctor.						
P390	Absorb spillage to prevent material damage.						
Special labelling of cert	ain mixtures						
EUH208	EUH208 Contains nickel dinitrate. May produce an allergic reaction.						
<u>2.3. Other hazards</u> No data available							

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)				
7697-37-2	nitric acid			1 - < 5 %		
	231-714-2	01-2119487297-23				
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071					
13138-45-9	nickel dinitrate					
	236-068-5	028-012-00-1				
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410					

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7697-37-2	231-714-2	nitric acid	1 - < 5 %		
		2,65 mg/kg (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= Corr. 1B; H314: >= 5 - < 20			
13138-45-9	236-068-5	nickel dinitrate	< 0.1 %		
	361,9 mg/kg S				

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 3 of 12

## 4.1. Description of first aid measures

### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

# For non-emergency personnel

Provide adequate ventilation.



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 4 of 12

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use.

When using do not eat, drink, smoke, sniff.

Handle and open container with care.

Use personal protection equipment.

- Provide adequate ventilation.
- Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 5 of 12

#### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

## **DNEL/DMEL** values

Substance							
DNEL type Exposure route Effect							
nickel dinitrate							
L, acute	oral	systemic	0,012 mg/kg bw/day				
E, long-term	oral	systemic	0,02 mg/kg bw/day				
acute	inhalation	systemic	104 mg/m <sup>3</sup>				
Worker DNEL, acute		local	1,6 mg/m³				
Consumer DNEL, acute		systemic	8,8 mg/m³				
L, acute	inhalation	local	0,1 mg/m³				
	nickel dinitrate L, acute L, long-term acute acute L, acute	Exposure route    nickel dinitrate    L, acute  oral    L, long-term  oral    acute  inhalation    acute  inhalation    L, acute  inhalation	Exposure route  Effect    nickel dinitrate				

## **PNEC** values

CAS No	Substance					
Environmenta	Environmental compartment Value					
13138-45-9	nickel dinitrate					
Freshwater		0,0071 mg/l				
Freshwater (intermittent releases) 0 mg/l						
Marine water 0,						
Freshwater sediment 109 mg						
Marine sedime	109 mg/kg					
Secondary poisoning 0						
Micro-organisms in sewage treatment plants (STP) 0,33 mg/l						
Soil	29,9 mg/kg					

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 6 of 12

### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles Wear eye/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Liquid	
clear	
odourless	
	No data available
	No data available
	No data available
	No data available
	No data available
	Liquid clear



evision date: 07.06.2022	Product code: 31765	Page 7 of
No data available:		
Flash point:	Х	
Flammability		
Solid/liquid:	No data available	
Gas:	No data available	
Explosive properties No data available		
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Auto-ignition temperature:	No data available	
Self-ignition temperature		
Solid:	No data available No data available	
Gas:	No data available	
Decomposition temperature:		
pH-Value:		
Viscosity / dynamic:	No data available	
Viscosity / kinematic:	No data available	
Flow time:	No data available	
Water solubility:	completely miscible	
Solubility in other solvents No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	1,015 g/cm <sup>3</sup>	
Bulk density:	No data available	
Relative vapour density:	No data available	
.2. Other information		
Information with regard to physical hazard classe Sustaining combustion:	s No data available	
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Evaporation rate:	No data available	
Further Information		
Corrosive to metals.		

## 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 8 of 12

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Alkali (lye)

#### 10.4. Conditions to avoid No data available

## 10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

## Further information

No data available

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name										
	Exposure route	Dose		Species	Source	Method					
7697-37-2	nitric acid	nitric acid									
	inhalation vapour	ATE 2,6	5 mg/kg								
13138-45-9	nickel dinitrate										
	oral	LD50 mg/kg	361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425					
	inhalation vapour	ATE	11 mg/l								
	inhalation dust/mist	ATE	1,5 mg/l								

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

#### Sensitising effects

Contains nickel dinitrate. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 9 of 12

## **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
7697-37-2	nitric acid								
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26		
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical		
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso		
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209		
13138-45-9	nickel dinitrate	nickel dinitrate							
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported		
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m		
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729		
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported		
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat		
	Acute bacteria toxicity	(EC50	33 mg/l)	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192		

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 10 of 12

#### There are no data available on the mixture itself.

CAS No	Chemical name	BCF	Species	Source
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en

### 12.4. Mobility in soil

BCF

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274



evision date: 07.06.2022	Product code: 31765 Page	e 11 of
Limited quantity:	5 L	
Excepted quantity:	E1	
/arine transport (IMDG)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	223, 274	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-A, S-B	
ir transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3264	
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	852	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
4.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
SECTION 15: Regulatory information		
	lations/legislation specific for the substance or mixture	
EU regulatory information	· · · · · · · · · · ·	
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 28, Entry 75		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile	
	work protection guideline' (94/33/EC).	
Water hazard class (D):	1 - slightly hazardous to water	
ECTION 16: Other information		

This data sheet contains changes from the previous version in section(s): 1,2,4,9,10,11,14,15.

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method



## Multielement-Standardlösung 21 Elemente je 10 mg/l in Salpetersäure 0,5 mol/l

Revision date: 07.06.2022

Product code: 31765

Page 12 of 12

### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains nickel dinitrate. May produce an allergic reaction.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)