

# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

Revision date: 16.05.2022

Product code: 31824

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTR	EC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	anada: +1 703-741-5970 (collect calls

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# Regulation (EC) No 1272/2008

Hazard components for labelling nitric acid

Signal word:

Danger





# Hazard statements

H290 H314 May be corrosive to metals. Causes severe skin burns and eye damage.



# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

Revision date: 16.05.2022

P260

Product code: 31824

Page 2 of 10

# **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapours/spray.	

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

## Special labelling of certain mixtures

EUH071

Corrosive to the respiratory tract.

#### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

## Hazardous components

CAS No	Chemical name						
	EC No	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)						
7697-37-2	nitric acid	nitric acid					
	231-714-2 007-030-00-3 01-2119487297-23						
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071						

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		2,65 mg/kg (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= Corr. 1B; H314: >= 5 - < 20	

# **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

### **General information**

First aider: Pay attention to self-protection!

# After inhalation

Provide fresh air. Call a physician immediately.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.



# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

Revision date: 16.05.2022

Product code: 31824

Page 3 of 10

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

# After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6:** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

# For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.



an analyti**chem** company

according to Regulation (EC) No 1907/2006

# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

Revision date: 16.05.2022

Product code: 31824

Page 4 of 10

# For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

For containment

#### Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

# Further information on storage conditions

Keep container tightly closed.

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**



# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

Revision date: 16.05.2022

Product code: 31824

Page 5 of 10

# 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

# **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.



# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

Revision date: 16.05.2022

Product code: 31824

Page 6 of 10

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties Physical state: Liquid

Physical state: Colour:	Liquid	
Odour:	clear like: Nitric acid	
Changes in the physical state		
Melting point/freezing point:		No data available
Boiling point or initial boiling point an boiling range:	d	No data available
Sublimation point:		No data available
Softening point:		No data available
Pour point: No data available:		No data available
Flash point:		No data available
Flammability Solid/liquid: Gas:		No data available No data available
Explosive properties No data available		
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Auto-ignition temperature:		No data available
Self-ignition temperature Solid:		No data available
Gas:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / dynamic:		No data available
Viscosity / kinematic:		No data available
Flow time:		No data available
Water solubility:		completely miscible
Solubility in other solvents No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,034 g/cm <sup>3</sup>
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physical Sustaining combustion:	I hazard classes	No data available
Oxidizing properties		

Revision No: 1,02 - Replaces version: 1,01



Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%						
Revision date: 16.05.2022	Product code: 31824	Page 7 of 10				
Other safety characteristics						
Solvent separation test:	No data available					
Solvent content:	0					
Solid content:	0					
Evaporation rate:	No data available					
Further Information						
Corrosive to metals.						
SECTION 10: Stability and reactivity						

# 10.1. Reactivity

Corrosive to metals. Oxidising agent

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

# 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

# Further information

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Exposure route Dose Species Source Method							
7697-37-2	nitric acid							
	inhalation vapour	ATE 2,65 mg/kg						

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema



# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

multionernont-c	tandara to Elemente je too nightin oaipeterse	
evision date: 16.05.2022	Product code: 31824	Page 8 of 10
Sensitising effects Based on available data, the classif	cation criteria are not met.	
Carcinogenic/mutagenic/toxic effects Based on available data, the classif	•	
STOT-single exposure Based on available data, the classif	cation criteria are not met.	
STOT-repeated exposure Based on available data, the classif	cation criteria are not met.	
Aspiration hazard Based on available data, the classif	cation criteria are not met.	
Specific effects in experiment on an a There are no data available on the		
Additional information on tests There are no data available on the p	preparation/mixture itself.	

#### **Practical experience**

There are no data available on the preparation/mixture itself.

# 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

## **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	-	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

# 12.6. Endocrine disrupting properties



# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

Revision date: 16.05.2022

Product code: 31824

Page 9 of 10

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

# **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 2031



F

# according to Regulation (EC) No 1907/2006

# Multielement-Standard 16 Elemente je 100 mg/l in Salpetersäure 5%

Revision date: 16.05.2022	Product code: 31824	Page 10 of 10
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	A212	
Limited quantity Passenger:	Forbidden	
Passenger LQ:	Forbidden	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:	Forbidden	
IATA-max. quantity - Passenger:	Forbidden	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

### National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile
	work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1.

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)