



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l

Revision date: 17.05.2023

Product code: 31842

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

Hazard components for labelling nitric acid

Signal word:

Danger

Pictograms:



#### Hazard statements

H290	May be corrosive to metals.
H315	Causes skin irritation.
H318	Causes serious eye damage.



Page 2 of 10

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l Product code: 31842

Revision date: 17.05.2023	Product code: 31842
Precautionary statemer	Its
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	F ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.
2.3. Other hazards	

No data available

#### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### Chemical characterization

Mixtures in aqueous solution

### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
7697-37-2	nitric acid			1 - < 5 %		
	231-714-2	007-030-00-3	01-2119487297-23			
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071					

### Full text of H and EUH statements: see section 16.

Specific Cor	nc. Limits, M-fac	tors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20	

#### Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

No data available

# After inhalation

Provide fresh air. Call a doctor if you feel unwell.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l

Revision date: 17.05.2023

Product code: 31842

Page 3 of 10

Protect uninjured eye.

### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed Irritant

Irritant

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Metal oxide smoke, toxic

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

# Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

#### For containment Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).



#### an analyti**chem** brand

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l

Revision date: 17.05.2023

Product code: 31842

Page 4 of 10

#### Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

## Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

### Further information on storage conditions

Keep container tightly closed.

# 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

### 8.2. Exposure controls





an analyti**chem** brand

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l

Revision date: 17.05.2023

Product code: 31842

Page 5 of 10

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation:KCL 741 Dermatril® LRecommended material:NBR (Nitrile rubber) 0,11 mmWearing time with occasional contact (splashes):> 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

### **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available



Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l					
Revision date: 17.05.2023	Product code: 31842	Page 6 of 10			
Upper explosion limits:	No data available				
Flash point:	No data available				
Auto-ignition temperature:	No data available				
Decomposition temperature:	No data available				
pH-Value:	acidic				
Viscosity / kinematic:	No data available				
Water solubility:	completely miscible				
Solubility in other solvents					
No data available					
Partition coefficient n-octanol/water:	No data available				
Vapour pressure:	No data available				
Vapour pressure:	No data available				
Density:	1,015 g/cm³				
Bulk density:	No data available				
Relative vapour density:	No data available				
9.2. Other information					
Information with regard to physical hazard clas	ses				
Explosive properties					
No data available					
Sustaining combustion:	No data available				
Self-ignition temperature					
Solid:	No data available				
Gas:	No data available				
Oxidizing properties					
Oxidizing					
Other safety characteristics					
Evaporation rate:	No data available				
Solvent separation test:	No data available				
Solvent content:	0				
Solid content:	0				
Sublimation point:	No data available				
Softening point:	No data available				
Pour point:	No data available				
No data available:					
Viscosity / dynamic:	No data available				
Flow time:	No data available				
Further Information					
Corrosive to metals.					

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Alkali (lye)

# 10.4. Conditions to avoid No data available

# 10.5. Incompatible materials Metal



an analyti**chem** brand

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l

Revision date: 17.05.2023

Product code: 31842

Page 7 of 10

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

# **Further information**

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

# Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
7697-37-2	nitric acid	-		-			
	inhalation vapour	ATE 2,65 mg/l					

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

# Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

# Additional information on tests

There are no data available on the preparation/mixture itself.

### **Practical experience**

There are no data available on the preparation/mixture itself.

### 11.2. Information on other hazards

### Other information

There are no data available on the preparation/mixture itself.

#### **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

### 12.1. Toxicity



# Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l

Revision date: 17.05.2023

Product code: 31842

Page 8 of 10

#### There are no data available on the mixture itself.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7697-37-2	nitric acid							
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26	
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	
	Algae toxicity	NOEC mg/l	> 419		several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209	

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. There are no data available on the mixture itself.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### **Further information**

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8



Multielement-Standardlösung 7 Elemente in Salpetersäure 0,5 mol/l					
Revision date: 17.05.2023	Product code: 31842	Page 9 of 10			
Classification code:	C1				
Special Provisions:	274				
Limited quantity:	5 L				
Excepted quantity:	E1				
Transport category:	3				
Hazard No:	80				
Tunnel restriction code:	E				
Inland waterways transport (ADN)					
14.1. UN number or ID number:					
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)				
14.3. Transport hazard class(es):	8				
14.4. Packing group:					
Hazard label:	8				
Classification code:	C1				
Special Provisions:	274				
Limited quantity:	5 L				
Excepted quantity:	E1				
Marine transport (IMDG)					
14.1. UN number or ID number:	UN 3264				
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	III				
Hazard label:	8				
Special Provisions:	223, 274				
Limited quantity:	5 L				
Excepted quantity:	E1				
EmS:	F-A, S-B				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 3264				
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	III				
Hazard label:	8				
Special Provisions:	A3 A803				
Limited quantity Passenger:	1L				
Passenger LQ:	Y841				
Excepted quantity:	E1				
IATA-packing instructions - Passenger:	852				
IATA-max. quantity - Passenger:	5 L				
IATA-packing instructions - Cargo:	856				
IATA-max. quantity - Cargo:	60 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	No				

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75

# National regulatory information



Multielement-Standardlösun	g 7 Elemente in Salp	oetersäure 0,5 mol/l
----------------------------	----------------------	----------------------

Revision date: 17.05.2023	Product code: 31842	Page 10 of 10
Employment restrictions:	Observe restrictions to employment for juveniles accordi work protection guideline' (94/33/EC).	ng to the 'juvenile
Water hazard class (D):	1 - slightly hazardous to water	

### **SECTION 16: Other information**

# Abbreviations and acronyms

Ox. Liq: Oxidising liquid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

# Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)