

Safety Data Sheet

according to Regulation (EC) No 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking SECTION 1: Identification of the substance/mixture and uses advised against I.1. Product identified uses of the substance or mixture and uses advised against Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). Interview of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 Telefax: 0203/5194-290 e-mail: info@berndkraft.de Responsible Department: Abteilung Produktsicherheit Telephone: 0203/5194-107/117 e-mail:	F Revision date: 16.05.2022	Flusssäure- Kalibrierlösung 0,002 Product code: 318		Page 1 of 7			
1.1. Product identifier Flusssäure- Kalibrierlösung 0,002 mol HF/l in Wasser 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). 13. Details of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 Telefax: 0203/5194-290 e-mail: Info@berndkraft.de Contact person: Abteilung Produktsicherheit Internet: www.berndkraft.de Responsible Department: Abteilung Produktsicherheit I.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) Further Information Further Information							
Flusssäure- Kalibrierlösung 0,002 mol HF/l in Wasser I.2. Relevant identified uses of the substance or mixture and uses advised against I.S. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). Integration of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 Telefax: 0203/5194-290 e-mail: info@berndkraft.de Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117 e-mail: produktsicherheit@berndkraft.de Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: t.4.800-424-9300 Outside USA and Canada: +1703-741-5970 (collect calls accepted) Internet: +1600-424-9300 Outside USA and Canada: +1703-741-5970 (collect calls accepted)							
Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). 1.3. Details of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 relephone: 0203/5194-0 relephone: produktsicherheit Contact person: Abteilung Produktsicherheit ntermet: www.berndkraft.de Responsible Department: Abteilung Produktsicherheit 1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)		0,002 mol HF/l in Wasser					
Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). 1.3. Details of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 relephone: 0203/5194-0 relephone: 0203/5194-0 relephone: 0203/5194-0 relephone: 0203/5194-0 relephone: 0203/5194-0 relephone: 0203/5194-107/117 e-mail: info@berndkraft.de Contact person: Abteilung Produktsicherheit nterret: www.berndkraft.de Responsible Department: Abteilung Produktsicherheit 1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, mumber: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: n-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)	1.2. Relevant identified uses of the	e substance or mixture and uses advise	ed against				
Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). 1.3. Details of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 e-mail: info@berndkraft.de Contact person: Abteilung Produktsicherheit produktsicherheit@berndkraft.de Telephone: 0203/5194-107/117 e-mail: info@berndkraft.de Internet: www.berndkraft.de Responsible Department: Abteilung Produktsicherheit 1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, I.4. Emergency telephone Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1.800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)	Use of the substance/mixture						
Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Uses advised against Do not use for private purposes (household). 1.3. Details of the supplier of the safety data sheet Company name: Company name: Fa. Bernd Kraft GmbH Street: D-47167 Duisburg Telephone: D-47167 Duisburg Telephone: D-47167 Duisburg Telephone: D-47167 Duisburg Telephone: D-47167 Duisburg D-47167 Duisburg Telephone: D-47167 Duisburg D-424-9300 Outside USA and Canada: +1703-741-5970 (collect calls accepted) Telephone: D-47167 Duisburg D-474-9300 Outside USA and Canada: +1703-741-5970 (collect calls accepted)							
Uses advised against Do not use for private purposes (household). 1.3. Details of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 remail: info@berndkraft.de Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117 e-mail: produktsicherheit@berndkraft.de Telephone: 0203/5194-107/117 e-mail: produktsicherheit Telephone: 0203/5194-107/117 e-mail: produktsicherheit@berndkraft.de For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, T.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-930							
Do not use or private purposes (household). 1.3. Details of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 e-mail: info@berndkraft.de Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117 e-mail: produktsicherheit@berndkraft.de For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Internet: Abteilung Produktsicherheit For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) Further Information			ninent, services, craitsmen)				
1.3. Details of the supplier of the safety data sheet Company name: Fa. Bernd Kraft GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0 e-mail: info@berndkraft.de Contact person: Abteilung Produktsicherheit remail: produktsicherheit@berndkraft.de Internet: www.berndkraft.de Responsible Department: Abteilung Produktsicherheit 1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1.800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)	-	sees (bourobold)					
Company name:Fa. Bernd Kraft GmbHStreet:Stempelstraße 6Place:D-47167 DuisburgTelephone:0203/5194-0e-mail:info@berndkraft.deContact person:Abteilung Produktsicherheite-mail:produktsicherheit@berndkraft.deInternet:www.berndkraft.deResponsible Department:Abteilung Produktsicherheit1.4. Emergency telephone:For Hazardous Materials [or Dangerous Gods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1703-741-5970 (collect calls accepted)Further Information		, ,					
Street:Stempelstraße 6Place:D-47167 DuisburgTelephone:0203/5194-0e-mail:info@berndkraft.deContact person:Abteilung Produktsicherheite-mail:produktsicherheit@berndkraft.deInternet:www.berndkraft.deInternet:www.berndkraft.deResponsible Department:Abteilung Produktsicherheit1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)Further InformationFor Hazardous Materials							
Place:D-47167 DuisburgTelephone:0203/5194-0Telefax: 0203/5194-290e-mail:info@berndkraft.deContact person:Abteilung ProduktsicherheitTelephone: 0203/5194-107/117e-mail:produktsicherheit@berndkraft.deInternet:www.berndkraft.deResponsible Department:Abteilung Produktsicherheit1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)Further Information							
e-mail:info@berndkraft.deContact person:Abteilung ProduktsicherheitTelephone: 0203/5194-107/117e-mail:produktsicherheit@berndkraft.deInternet:www.berndkraft.deResponsible Department:Abteilung Produktsicherheit1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)Further Information		•					
e-mail:info@berndkraft.deContact person:Abteilung ProduktsicherheitTelephone: 0203/5194-107/117e-mail:produktsicherheit@berndkraft.deInternet:www.berndkraft.deResponsible Department:Abteilung Produktsicherheit1.4. Emergency telephoneFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,number:Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)Further Information	Telephone:	0203/5194-0	Telefax: 0203/5194-290				
e-mail: Internet:produktsicherheit@berndkraft.deInternet:www.berndkraft.deResponsible Department:Abteilung Produktsicherheit1.4. Emergency telephone number:For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)Further InformationFor Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: accepted)	•	info@berndkraft.de					
Internet: Responsible Department:www.berndkraft.de1.4. Emergency telephone number:For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)Further InformationFurther Information	Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117				
Responsible Department: Abteilung Produktsicherheit 1.4. Emergency telephone number: For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) Further Information Further Information	e-mail:						
1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) Further Information							
number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) Further Information	Responsible Department:	Abteilung Produktsicherheit					
1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted) Further Information	1.4. Emergency telephone						
accepted)	1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls						
Further Information							
		accepted)					
		EACH Registration Number see section 3	l.				
SECTION 2: Hazards identification							

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Hazardous components

none (according to Regulation (EC) No 1907/2006 (REACH))

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures



Flusssäure- Kalibrierlösung 0,002 mol HF/I in Wasser

Revision date: 16.05.2022

Product code: 31881

Page 2 of 7

General information

Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water In case of skin irritation, consult a physician. Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrogen fluoride

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.



Flusssäure- Kalibrierlösung 0,002 mol HF/I in Wasser

Revision date: 16.05.2022

Product code: 31881

Page 3 of 7

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Keep container tightly closed. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.


Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):





Safety Data Sheet

according to Regulation (EC) No 1907/2006

Flusssäure- Kalibrierlösung 0,002 mol HF/l in Wasser

Revision date: 16.05.2022

Product code: 31881

Page 4 of 7

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

KCL 741 Dermatril® L NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid	
clear	
odourless	
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	No data available
	clear



Flusssäure- Kalil	brierlösung 0,002 mol HF/I in Wasser	
Revision date: 16.05.2022	Product code: 31881	Page 5 of 7
pH-Value:	No data available	
Viscosity / dynamic:	No data available	
Viscosity / kinematic:	No data available	
Flow time:	No data available	
Water solubility:	No data available	
Solubility in other solvents No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	No data available	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard class	es	
Sustaining combustion:	No data available	
Oxidizing properties No data available		
Other safety characteristics		
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Evaporation rate:	No data available	
Further Information		
No data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



Flusssäure- Kalibrierlösung 0,002 mol HF/l in Wasser

Revision date: 16.05.2022

Product code: 31881

Page 6 of 7

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



Flusssäure- Kalibrierlösung 0,002 mol HF/l in Wasser				
Revision date: 16.05.2022	Product code: 31881	Page 7 of 7		
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.			
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.			
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.			
14.4. Packing group:	No dangerous good in sense of this transport regulation.			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
No dangerous good in sense of this trar <u>14.7. Maritime transport in bulk according to</u> No dangerous good in sense of this trar	IMO instruments			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulation	ations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 75				
National regulatory information				
Water hazard class (D):	non-hazardous to water			
Additional information				
No data available				
SECTION 16: Other information				

Changes

This data sheet contains changes from the previous version in section(s): 1.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)