

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Lithiumchloridlösung 4 mol/l in Wasser

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name:	Fa. Bernd Kraft GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
e-mail:	info@berndkraft.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
e-mail:	produktsicherheit@berndkraft.de	
Internet:	www.berndkraft.de	
Responsible Department:	Abteilung Produktsicherheit	

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No 1272/2008**

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

**2.2. Label elements**

**Regulation (EC) No 1272/2008**

**Signal word:** Warning

**Pictograms:**



**Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 2 of 10

P302+P352 IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixtures in aqueous solution

**Hazardous components**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
7447-41-8	lithium chloride	15 - < 20 %
	231-212-3	
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H302 H315 H319	

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7447-41-8	231-212-3	lithium chloride	15 - < 20 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 526 mg/kg	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

No data available

**After inhalation**

Provide fresh air.

**After contact with skin**

Take off immediately all contaminated clothing and wash it before reuse.

Wash immediately with: Water

In case of skin irritation, consult a physician.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant

**4.3. Indication of any immediate medical attention and special treatment needed**

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 3 of 10

No data available

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrogen chloride (HCl)

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 4 of 10

**7.1. Precautions for safe handling**

**Advice on safe handling**

Handle and open container with care.  
Keep container tightly closed.  
Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Wash contaminated clothing prior to re-use.  
Do not breathe vapour/aerosol.  
Avoid contact with skin, eyes and clothes.

**Further information on handling**

Wash contaminated clothing before reuse.  
Wash hands before breaks and after work.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.

**Hints on joint storage**

No data available

**Further information on storage conditions**

Store in a dry place.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7447-41-8	lithium chloride			
	Worker DNEL, long-term	inhalation	systemic	10 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	systemic	30 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	73,2 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	10 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	systemic	30 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	73,2 mg/kg bw/day
	Consumer DNEL, acute	dermal	systemic	50 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	7,32 mg/kg bw/day
	Consumer DNEL, acute	oral	systemic	21,96 mg/kg bw/day

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 5 of 10

**PNEC values**

CAS No	Substance	
Environmental compartment		Value
7447-41-8	lithium chloride	
Freshwater		10,4 mg/l
Freshwater (intermittent releases)		10,4 mg/l
Marine water		1,04 mg/l
Freshwater sediment		49,9 mg/kg
Marine sediment		4,99 mg/kg
Micro-organisms in sewage treatment plants (STP)		140,2 mg/l
Soil		4,13 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles

**Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

KCL 741 Dermatril® L

NBR (Nitrile rubber) 0,11mm

Wearing time with permanent contact: >480min

By short-term hand contact

KCL 741 Dermatril® L

NBR (Nitrile rubber) 0,11mm

Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

Wash hands before breaks and after work.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: Liquid  
Colour: clear

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 6 of 10

Odour: odourless

**Changes in the physical state**

Melting point/freezing point: No data available

Boiling point or initial boiling point and boiling range: No data available

Sublimation point: No data available

Softening point: No data available

Pour point: No data available

No data available:

Flash point: No data available

**Flammability**

Solid/liquid: No data available

Gas: No data available

**Explosive properties**

No data available

Lower explosion limits: No data available

Upper explosion limits: No data available

Auto-ignition temperature: No data available

**Self-ignition temperature**

Solid: No data available

Gas: No data available

Decomposition temperature: No data available

pH-Value: No data available

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

Water solubility: No data available

**Solubility in other solvents**

No data available

Partition coefficient n-octanol/water: No data available

Vapour pressure: No data available

Vapour pressure: No data available

Density: 1,089 g/cm<sup>3</sup>

Bulk density: No data available

Relative vapour density: No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

Sustaining combustion: No data available

Oxidizing properties

No data available

**Other safety characteristics**

Solvent separation test: No data available

Solvent content: 0

Solid content: 0

Evaporation rate: No data available

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 7 of 10

**Further Information**

No data available

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No data available

**10.2. Chemical stability**

No data available

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

No data available

**Further information**

No data available

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7447-41-8	lithium chloride				
	oral	LD50 mg/kg 526	Rat	Acta Pharmacologica et Toxicologica 47,	Only data from review article available.
	dermal	LD50 mg/kg > 2000	Rat	Study report (1995)	OECD Guideline 402

**Irritation and corrosivity**

Causes skin irritation.

Causes serious eye irritation.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Practical experience**

No data available

**11.2. Information on other hazards**

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 8 of 10

**Other information**

No data available

**Further information**

No data available

**SECTION 12: Ecological information**

**12.1. Toxicity**

No data available

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7447-41-8	lithium chloride					
	Acute fish toxicity	LC50 158 mg/l	96 h	Oncorhynchus mykiss	Study report (1997)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 400 mg/l	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 249 mg/l	48 h	Daphnia magna	Study report (1997)	OECD Guideline 202
	Fish toxicity	NOEC 17,35 mg/l	34 d	Danio rerio	Study report (2012)	OECD Guideline 210
	Crustacea toxicity	NOEC 1,7 mg/l	21 d	Daphnia magna	Study report (2012)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 180,8 mg/l)	3 h	activated sludge, domestic	Study report (2004)	EU Method C.11

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
7447-41-8	lithium chloride	ca. -0,46

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

No data available

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No data available

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Lithiumchloridlösung 4 mol/l in Wasser

Revision date: 16.05.2022

Product code: 32015

Page 9 of 10

#### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):  
Entry 3

##### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

##### Additional information

No data available

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Lithiumchloridlösung 4 mol/l in Wasser**

Revision date: 16.05.2022

Product code: 32015

Page 10 of 10

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

**Relevant H and EUH statements (number and full text)**

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*