



according to Regulation (EC) No 1907/2006

Revision date: 24.04.2024	Multielement-Standardlösung "S Product code: 32106		Page 1 of 11
SECTION 1: Identification of t	he substance/mixture and of the comp	any/undertaking	
1.1. Product identifier			
Multielement-Standardlösu	ng "Seltene Erden"		
1.2. Relevant identified uses of t	he substance or mixture and uses advised	against	
Use of the substance/mixture			
Laboratory chemicals			
Industrial uses: Uses of sul	ostances as such or in preparations at indus	trial sites	
Professional uses: Public d	omain (administration, education, entertainn	nent, services, craftsmen)	
Uses advised against			
Do not use for private purp	oses (household).		
1.3. Details of the supplier of the			
Company name:	AnalytiChem GmbH		
	ACD		
Street:	Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax: 0203/5194-290	
E-mail:	info@analytichem.de		
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117	
E-mail:	produktsicherheit@analytichem.de		
Internet:	www.analytichem.de		
Responsible Department:	Abteilung Produktsicherheit		
	For Hazardous Materials for Dangero	us Goods] Incidents Spill, Leak, Fire,	
1.4. Emergency telephone		EC Day or Night Within USA and Canada	

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

Regulation (EC) No 1272/2008
Hazard components for labelling
nitric acid

Signal word:

Danger

Pictograms:



# Hazard statements

H290

May be corrosive to metals.



according to Regulation (EC) No 1907/2006

Product code: 32106	Page 2 of 11
Causes severe skin burns and eye damage.	
Harmful if inhaled.	
S	
Do not breathe dust/fume/gas/mist/vapours/spray.	
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Immediately call a POISON CENTER/doctor.	
	Causes severe skin burns and eye damage. Harmful if inhaled. <b>s</b> Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

EUH071 Corrosive to the respiratory tract.

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

# Chemical characterization

Mixtures in aqueous solution

### **Relevant ingredients**

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
7697-37-2	nitric acid	nitric acid				
	231-714-2 007-030-00-3 01-2119487297-23					
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	10 - < 15 %
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20	

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

First aider: Pay attention to self-protection!

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.



## according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Seltene Erden"

Revision date: 24.04.2024

Product code: 32106

Page 3 of 11

Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uniniured eve.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures



AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Seltene Erden"

Revision date: 24.04.2024

Product code: 32106

Page 4 of 11

## Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

### Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

### Laboratory chemicals



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Seltene Erden"

Revision date: 24.04.2024

Product code: 32106

Page 5 of 11

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Seltene Erden"

Revision date: 24.04.2024

Product code: 32106

Page 6 of 11

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	like: Nitric acid	
Melting point/freezing point:		No data available
Boiling point or initial boiling point a	nd	No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physica	al hazard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Sustaining combustion: Self-ignition temperature		
Sustaining combustion: Self-ignition temperature Solid:		No data available
Sustaining combustion: Self-ignition temperature Solid: Gas:		
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties		No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing		No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b>		No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate:		No data available No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b> Evaporation rate: Solvent separation test:		No data available No data available No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing Other safety characteristics Evaporation rate:		No data available No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b> Evaporation rate: Solvent separation test: Solvent content:		No data available No data available No data available No data available 0
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b> Evaporation rate: Solvent separation test: Solvent content: Solid content:		No data available No data available No data available No data available 0 0
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b> Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point:		No data available No data available No data available No data available 0 0 No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b> Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point:		No data available No data available No data available No data available 0 0 No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b> Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point:		No data available No data available No data available No data available 0 0 No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b> Evaporation rate: Solvent separation test: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point: No data available:		No data available No data available No data available No data available 0 0 No data available No data available No data available
Sustaining combustion: Self-ignition temperature Solid: Gas: Oxidizing properties Oxidizing <b>Other safety characteristics</b> Evaporation rate: Solvent separation test: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point: No data available: Viscosity / dynamic:		No data available No data available No data available No data available 0 0 No data available No data available No data available

Corrosive to metals.



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Seltene Erden"

Revision date: 24.04.2024

Product code: 32106

Page 7 of 11

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals. Oxidising agent

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Alkali (Iye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

## 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

Cellulose Metal The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### Further information

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if inhaled.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 4,451 mg/l

CAS No	Chemical name

	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid	-			
	inhalation vapour	ATE 2,65 mg/l			

## Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage. Corrosive to the respiratory tract. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema

Pulmonary oedema

see also Section 4

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

Revision date: 24.04.2024

Product code: 32106

Page 8 of 11

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### Practical experience

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

## Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419		several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Seltene Erden"

Revision date: 24.04.2024

Product code: 32106

Page 9 of 11

## Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	11
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
	-



# according to Regulation (EC) No 1907/2006

Multielement-Standardlösung "Seltene Erden"				
Revision date: 24.04.2024	Produ	ict code: 32106	Page 10 of 11	
14.4. Packing group:	II			
Hazard label:	8			
Special Provisions:	A212			
Limited quantity Passenger:	Forbidden			
Passenger LQ:	Forbidden			
Excepted quantity:	E0			
IATA-packing instructions - Passenger	r:	Forbidden		
IATA-max. quantity - Passenger:		Forbidden		
IATA-packing instructions - Cargo:		855		
IATA-max. quantity - Cargo:		30 L		

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

#### Entry 3

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 12.

#### Abbreviations and acronyms

Ox. Liq: Oxidising liquid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

May intensify fire; oxidiser.
May be corrosive to metals.
Causes severe skin burns and eye damage.
Causes serious eye damage.
Toxic if inhaled.
Harmful if inhaled.
Corrosive to the respiratory tract.

#### **Further Information**

Provide appropriate information, instructions and training to users



according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "Seltene Erden"

Revision date: 24.04.2024

Product code: 32106

Page 11 of 11

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)