



according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0.01 M Natriumfluorid

1.2. Relevant identified uses of the substance or mixture and uses

advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at

industrial sites

Professional uses: Public domain (administration, education,

entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Telephone: 0203/5194-107/117

Produktsicherheit

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Abteilung Produktsicherheit

Department:

1.4. Emergency For Hazardous Materials [or Dangerous Goods]

telephone number: Incidents Spill, Leak, Fire, Exposure, or

Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.



according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 2 of 11

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name	Chemical name					
	EC No	Index No	REACH No				
	Classification (Regulation (EC) No 1272/2008)						
64-19-7	acetic acid						
	200-580-7	200-580-7 607-002-00-6 01-2119475328-30					
	Flam. Liq. 3, Skin Corr	Flam. Liq. 3, Skin Corr. 1A; H226 H314					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

EC No	Chemical name	Quantity		
Specific Conc. L	imits, M-factors and ATE			
200-580	acetic acid	5 - < 10		
-7		%		
inhalation: LC50 = 11,4 mg/l (vapours); oral: LD50 =				
3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin				
Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315:				
>= 10 - < 25 E	eye Irrit. 2; H319: >= 10 - < 25			
	Specific Conc. L 200-580 -7 inhalation: LC5 3310 mg/kg Sk Corr. 1B; H314:	Specific Conc. Limits, M-factors and ATE 200-580		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.


After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available





according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 3 of 11

4.3. Indication of any immediate medical attention and special

treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency

procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 4 of 11

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care.

Keep container tightly closed.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/c m³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	



according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 5 of 11

DNEL/DMEL values

CAS No	Substance					
, , ,		Exposure route	Effect	Value		
64-19-7	acetic acid					
Worker DNEL,	long-term	inhalation	local	25 mg/m³		
Worker DNEL,	acute	inhalation	local	25 mg/m³		
Consumer DNEL, long-term		inhalation	local	25 mg/m³		
Consumer DN	EL, acute	inhalation	local	25 mg/m³		

PNEC values

CAS No	Substance			
Environmenta	Environmental compartment Value			
64-19-7	acetic acid			
Freshwater		3,058 mg/l		
Freshwater (i	ntermittent releases)	30,58 mg/l		
Marine water 0,306 mg/l				
Freshwater so	ediment	11,36 mg/kg		
Marine sedim	Marine sediment			
Micro-organis	Micro-organisms in sewage treatment plants (STP) 85 mg/l			
Soil 0,47 mg/kg				

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact
KCL 741 Dermatril® L
NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact
KCL 741 Dermatril® L
NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in



according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M **Natriumfluorid**

Revision date: 27.05.2024 Product code: 32127 Page 6 of 11

laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear

Odour: characteristic

Melting point/freezing No data available

point:

Boiling point or initial No data available

boiling point and boiling

range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition No data available

temperature:

Decomposition No data available

temperature:

pH-Value: No data available Viscosity / kinematic: No data available Water solubility: No data available

Solubility in other solvents

No data available


Partition coefficient No data available

n-octanol/water:

Vapour pressure: No data available Vapour pressure: No data available ~1,04 g/cm3 Density: Bulk density: No data available Relative vapour No data available density:

9.2. Other information

Information with regard to physical hazard classes





according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 7 of 11

No data available

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available Solvent separation No data available

test:

Solvent content: 0
Solid content: 0

Sublimation point:

No data available

Softening point:

No data available

No data available:

Pour point:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 8 of 11

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					J Ind Hyg The sodium			
	Exposure route	Dose		Species	Source	Method			
64-19-7	acetic acid								
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin			
	inhalation (4 h) vapour	LC50 mg/l	11,4	Rat	Study report (1980)	OECD Guideline 403			

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the

classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the

classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification

cuita via ana matamata

criteria are not met.

Reproductive toxicity: Based on available data, the classification

criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

No data available

11.2. Information on other hazards

Other information

No data available

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 9 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]	Species	Source	Method	
64-19-7	acetic acid							
	Acute fish toxicity Acute algae	LC50 1000 mg/l ErC50	>	72	Oncorhynchus mykiss Skeletonema	Study report (2005) Study	other: SOP E257 ISO 10253	
	toxicity	1000 mg/l			costatum	report (2005)	0500	
	Acute crustacea toxicity	EC50 1000 mg/l	>		Daphnia magna	Study report (1990)	OECD Guideline 202	

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17

BCF

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ.
				Toxicol. Ch

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging





according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 10 of 11

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID No dangerous good in sense of this transport

<u>number:</u> regulation.

14.2. UN proper No dangerous good in sense of this transport

shipping name: regulation.

<u>14.3. Transport hazard</u> No dangerous good in sense of this transport

<u>class(es):</u> regulation.

14.4. Packing group: No dangerous good in sense of this transport

regulation.

Inland waterways transport (ADN)

14.1. UN number or ID No dangerous good in sense of this transport

<u>number:</u> regulation.

<u>14.2. UN proper</u> No dangerous good in sense of this transport

shipping name: regulation.

14.3. Transport hazard No dangerous good in sense of this transport

<u>class(es):</u> regulation.

14.4. Packing group: No dangerous good in sense of this transport

regulation.

Marine transport (IMDG)

14.1. UN number or ID No dangerous good in sense of this transport

number: regulation.

14.2. UN proper No dangerous good in sense of this transport

shipping name: regulation.

<u>14.3. Transport hazard</u> No dangerous good in sense of this transport

<u>class(es):</u> regulation.

14.4. Packing group: No dangerous good in sense of this transport

regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID No dangerous good in sense of this transport

number: regulation.

14.2. UN proper No dangerous good in sense of this transport

shipping name: regulation.

14.3. Transport hazardNo dangerous good in sense of this transport

class(es): regulation.

14.4. Packing group: No dangerous good in sense of this transport

regulation.

14.5. Environmental hazards

ENVIRONMENTALLY No

HAZARDOUS:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.





according to Regulation (EC) No 1907/2006

Essigsäure- / Natriumacetat - Pufferlösung 1,0 M Natriumacetat + 0,01 M Natriumfluorid

Revision date: 27.05.2024 Product code: 32127 Page 11 of 11

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 75

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

Additional information

No data available

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Flam. Liq: Flammable İquid Skin Corr: Skin corrosion

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage. EUH210 Safety data sheet available on request.

Further Information

Provide appropriate information, instructions and training to users The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)