

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

Revision date: 26.06.2024

Product code: 32429

Page 1 of 16

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

UFI: 06TV-P22K-W00K-7PRD

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH  
ACD

Street: Stempelstraße 6

Place: D-47167 Duisburg

Telephone: 0203/5194-0

Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit

Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Corr. 1B; H314

Eye Dam. 1; H318

Skin Sens. 1; H317

Carc. 1A; H350i

STOT RE 2; H373

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

nitric acid

methanesulphonic acid

nickel dinitrate

Signal word: Danger

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

Revision date: 26.06.2024

Product code: 32429

Page 2 of 16

#### Pictograms:



#### Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H350i	May cause cancer by inhalation.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

#### Special labelling of certain mixtures

EUH071	Corrosive to the respiratory tract. Restricted to professional users.
--------	--

#### 2.3. Other hazards

No data available

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixtures in aqueous solution

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l**

Revision date: 26.06.2024

Product code: 32429

Page 3 of 16

**Relevant ingredients**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
7697-37-2	nitric acid	1 - < 5 %
	231-714-2	
	007-030-00-3	
	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071	
75-75-2	methanesulphonic acid	1 - < 5 %
	200-898-6	
	607-145-00-4	
	01-2119491166-34	
	Met. Corr. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H312 H302 H314 H318 H335	
7782-61-8	Iron(III) nitrate nonahydrate	1 - < 5 %
	233-899-5	
	Ox. Sol. 3, Skin Irrit. 2, Eye Irrit. 2; H272 H315 H319	
13138-45-9	nickel dinitrate	< 1 %
	236-068-5	
	028-012-00-1	
	01-2119492333-38	
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410	
7440-66-6	zinc	< 1 %
	231-175-3	
	Aquatic Acute 1, Aquatic Chronic 1; H400 H410	

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
75-75-2	200-898-6	methanesulphonic acid	1 - < 5 %
		dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg	
7782-61-8	233-899-5	Iron(III) nitrate nonahydrate	1 - < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
13138-45-9	236-068-5	nickel dinitrate	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

Revision date: 26.06.2024

Product code: 32429

Page 4 of 16

#### After inhalation

Provide fresh air.  
Call a physician immediately.

#### After contact with skin

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water.  
Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.  
Call a physician immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Causes burns.  
Irritant  
Cough  
Dyspnoea  
Vomiting  
Methaemoglobinaemia  
Risk of serious damage to eyes.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

No data available

## SECTION 5: Firefighting measures

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **Unsuitable extinguishing media**

no restriction

### **5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Nitrogen oxides (NOx)

### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

Revision date: 26.06.2024

Product code: 32429

Page 5 of 16

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Use personal protection equipment.  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
Do not breathe vapour/aerosol. Use extractor hood (laboratory).

##### Advice on protection against fire and explosion

Usual measures for fire prevention.

##### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

##### Further information on handling

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

Revision date: 26.06.2024

Product code: 32429

Page 6 of 16

#### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed.

Store in a place accessible by authorized persons only.

#### 7.3. Specific end use(s)

Laboratory chemicals

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

##### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7782-61-8	Iron(III) nitrate nonahydrate			
	Worker DNEL, long-term	inhalation	systemic	12 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	17 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	3 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	8,6 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	1,2 mg/kg bw/day
13138-45-9	nickel dinitrate			
	Consumer DNEL, acute	oral	systemic	0,012 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
	Worker DNEL, acute	inhalation	systemic	104 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	local	1,6 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	systemic	8,8 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	local	0,1 mg/m <sup>3</sup>

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l**

Revision date: 26.06.2024

Product code: 32429

Page 7 of 16

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
7782-61-8	Iron(III) nitrate nonahydrate	
Freshwater		0,024 mg/l
Freshwater (intermittent releases)		0,24 mg/l
Marine water		0,002 mg/l
Freshwater sediment		0,2 mg/kg
Marine sediment		0,02 mg/kg
Micro-organisms in sewage treatment plants (STP)		500 mg/l
Soil		0,026 mg/kg
13138-45-9	nickel dinitrate	
Freshwater		0,0071 mg/l
Freshwater (intermittent releases)		0 mg/l
Marine water		0,0086 mg/l
Freshwater sediment		109 mg/kg
Marine sediment		109 mg/kg
Secondary poisoning		0,12 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,33 mg/l
Soil		29,9 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

goggles

Wear eye/face protection.

**Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11mm

Wearing time with permanent contact: >480min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11mm

Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet <(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l**

Revision date: 26.06.2024

Product code: 32429

Page 8 of 16

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:		
Odour:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		0
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density (at 20 °C):		No data available
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

**Explosive properties**

No data available

**Sustaining combustion:**

No data available

**Self-ignition temperature**

Solid:

No data available



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

Revision date: 26.06.2024

Product code: 32429

Page 9 of 16

Gas:	No data available
Oxidizing properties	
No data available	
<b>Other safety characteristics</b>	
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

#### Further Information

Corrosive to metals.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.  
Oxidising agent

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Alkali (lye)  
The product develops hydrogen in an aqueous solution in contact with metals.  
Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide  
Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose  
Metal  
The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated:  
SECTION 5: Firefighting measures

#### Further information

No data available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l**

Revision date: 26.06.2024

Product code: 32429

Page 10 of 16

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
75-75-2	methanesulphonic acid				
	oral	ATE 500 mg/kg			
	dermal	ATE 1100 mg/kg			
7782-61-8	Iron(III) nitrate nonahydrate				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2002)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2004)	OECD Guideline 402
13138-45-9	nickel dinitrate				
	oral	LD50 361,9 mg/kg	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.  
 Serious eye damage/eye irritation: Causes serious eye damage.  
 Corrosive to the respiratory tract.  
 Following ingestion Gastric perforation  
 Irritating to respiratory system.  
 Pulmonary oedema  
 see also Section 4

**Sensitising effects**

May cause an allergic skin reaction. (nickel dinitrate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer by inhalation. (nickel dinitrate)  
 Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
 Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (nickel dinitrate)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the preparation/mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the preparation/mixture itself.

**Additional information on tests**

There are no data available on the preparation/mixture itself.

**Practical experience**

There are no data available on the preparation/mixture itself.

**11.2. Information on other hazards**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

Revision date: 26.06.2024

Product code: 32429

Page 11 of 16

#### Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

#### Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l**

Revision date: 26.06.2024

Product code: 32429

Page 12 of 16

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry, other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l ( )	> 1000	3 h	Activated sludge	Study report (2008) OECD Guideline 209
7782-61-8	Iron(III) nitrate nonahydrate					
	Acute fish toxicity	LC50 mg/l	1010	96 h	Pimephales promelas	Scott, G. & Crunkilton, R. (2000). Acute The study was not carried out to any spe
	Acute algae toxicity	ErC50	130 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2002) OECD Guideline 201
	Acute crustacea toxicity	EC50	611 mg/l	48 h	Daphnia magna	Scott, G. & Crunkilton, R. (2000). Acute The study was not carried out to any spe
	Fish toxicity	NOEC	1,6 mg/l	146 d	Salvelinus namaycush	McGurk, M., Landry, F., Tang, A. & Hanks No specific guideline followed. However,
	Crustacea toxicity	NOEC	8,1 mg/l	21 d	Daphnia magna	Study report (2002) OECD Guideline 211
13138-45-9	nickel dinitrate					
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009) OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004) other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2 other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990) Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	EC50 ( )	33 mg/l ( )	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332 ISO 8192

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l**

Revision date: 26.06.2024

Product code: 32429

Page 13 of 16

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Further information**

Do not allow to enter into surface water or drains.  
Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.  
Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l**

Revision date: 26.06.2024

Product code: 32429

Page 14 of 16

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Special Provisions:	A212
Limited quantity Passenger:	Forbidden
Passenger LQ:	Forbidden
Excepted quantity:	E0
IATA-packing instructions - Passenger:	Forbidden
IATA-max. quantity - Passenger:	Forbidden
IATA-packing instructions - Cargo:	855
IATA-max. quantity - Cargo:	30 L

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 27, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 9,12.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l**

Revision date: 26.06.2024

Product code: 32429

Page 15 of 16

**Abbreviations and acronyms**

Ox. Liq: Oxidising liquid  
 Ox. Sol: Oxidising solid  
 Met. Corr: Substance or mixture corrosive to metals  
 Acute Tox: Acute toxicity  
 Skin Corr: Skin corrosion  
 Skin Irrit: Skin irritation  
 Eye Dam: Eye damage  
 Eye Irrit: Eye irritation  
 Resp. Sens: Respiratory sensitisation  
 Skin Sens: Skin sensitisation  
 Muta: Germ cell mutagenicity  
 Carc: Carcinogenicity  
 Repr: Reproductive toxicity  
 STOT SE: Specific target organ toxicity - single exposure  
 STOT RE: Specific target organ toxicity - repeated exposure  
 Aquatic Acute: Acute aquatic hazard  
 Aquatic Chronic: Chronic aquatic hazard

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 1A; H350i	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H272 May intensify fire; oxidiser.  
 H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H312 Harmful in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H319 Causes serious eye irritation.  
 H331 Toxic if inhaled.  
 H332 Harmful if inhaled.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 H335 May cause respiratory irritation.  
 H341 Suspected of causing genetic defects.  
 H350i May cause cancer by inhalation.  
 H360D May damage the unborn child.  
 H372 Causes damage to organs through prolonged or repeated exposure.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.  
 EUH071 Corrosive to the respiratory tract.

**Further Information**

Provide appropriate information, instructions and training to users  
 The above information describes exclusively the safety requirements of the product and is based on our

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "14" 8 Elemente in Salpetersäure 1 mol/l

Revision date: 26.06.2024

Product code: 32429

Page 16 of 16

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*