

Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
<u>number:</u>	Exposure, or Accident Call CHEMTF	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls
	accepted)	

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling nitric acid Calcium nitrate tetrahydrate manganese nitrate

Signal word:







Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025	Product code: 32459	Page 2 of 13
Hazard statements		
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
Precautionary statemer	nts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
Special labelling of cert	tain mixtures	
EUH071	Corrosive to the respiratory tract.	
2.3. Other hazards		

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
7697-37-2	nitric acid			5 - < 10 %	
	231-714-2	007-030-00-3	01-2119487297-23		
	Ox. Liq. 3, Met. Corr. 1, Acute Tox.	3, Skin Corr. 1A; H272 H290 H3	31 H314 EUH071		
13477-34-4	Calcium nitrate tetrahydrate	1 - < 5 %			
	233-332-1		01-2119495093-35		
	Ox. Sol. 3, Acute Tox. 4, Eye Dam.	1; H272 H302 H318			
20694-39-7	manganese nitrate	1 - < 5 %			
			01-2119487993-17		
	Ox. Sol. 2, Acute Tox. 4, Skin Corr. H314 H318 H373 H412 EUH071	1C, Eye Dam. 1, STOT RE 2, A	quatic Chronic 3; H272 H302		
7631-99-4	sodium nitrate			1 - < 5 %	
	231-554-3		01-2119488221-41		
	Ox. Sol. 3, Eye Irrit. 2; H272 H319				

Full text of H and EUH statements: see section 16.



Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 3 of 13

Specific Cor	nc. Limits, M-fac	ctors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	5 - < 10 %
		E 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 orr. 1B; H314: >= 5 - < 20	
13477-34-4	233-332-1	Calcium nitrate tetrahydrate	1 - < 5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 300 - < 2000 mg/kg	
20694-39-7		manganese nitrate	1 - < 5 %
	oral: ATE = 50	0 mg/kg	
7631-99-4	231-554-3	sodium nitrate	1 - < 5 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = ca. 3430 mg/kg	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to Regulation (EC) No 1907/2006 Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 4 of 13

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13



Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 5 of 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

Hints on joint storage

national regulations

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
13477-34-4	Calcium nitrate tetrahydrate					
Consumer DNEL, acute oral systemic 10 mg/kg bw/				10 mg/kg bw/day		



Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 6 of 13

PNEC values

CAS No	Substance		
Environmental compartment Value			
13477-34-4	Calcium nitrate tetrahydrate		
Micro-organism	Micro-organisms in sewage treatment plants (STP) 18 mg/l		
7631-99-4	7631-99-4 sodium nitrate		
Micro-organisms in sewage treatment plants (STP) 18 mg/l			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Liquid



Multielement-Stan	dard 5 Elemente je 1 Product co	0000 mg/l in Salpetersäure 1,6 mol/ de: 32459	Page 7 of 13
Calaura			5
Colour: Odour:	clear like: Nitric acid		
Melting point/freezing point:		No data available	
Boiling point or initial boiling point and		No data available	
boiling range:			
Flammability:		No data available	
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Flash point:		No data available	
Auto-ignition temperature:		No data available	
Decomposition temperature:		No data available	
pH-Value:		acidic	
Viscosity / kinematic:		No data available	
Water solubility:		completely miscible	
Solubility in other solvents		,,	
No data available			
Partition coefficient n-octanol/water:		No data available	
Vapour pressure:		No data available	
Vapour pressure:		No data available	
Density:		No data available	
Bulk density:		No data available	
Relative vapour density:		No data available	
9.2. Other information			
Information with regard to physical ha	azard classes		
Explosive properties			
No data available			
Sustaining combustion:		No data available	
Self-ignition temperature			
Solid:		No data available No data available	
Gas: Ovidizing properties		No dala avallable	
Oxidizing properties Oxidizing			
-			
Other safety characteristics		No data available	
Evaporation rate:			
Solvent separation test: Solvent content:		No data available 0	
Solid content:		0	
Sublimation point:		No data available	
Softening point:		No data available	
Pour point:		No data available	
No data available:			
Viscosity / dynamic:		No data available	
Flow time:		No data available	
Further Information			
Corrosive to metals.			
SECTION 10: Stability and reactivity			

10.1. Reactivity

Corrosive to metals. Oxidising agent

10.2. Chemical stability





an analyti**chem** brand

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 8 of 13

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose	Species	Source	Method				
7697-37-2	nitric acid	itric acid							
	inhalation vapour	ATE 2,65 mg/l							
13477-34-4	Calcium nitrate tetrahydra	ate							
	oral	LD50 > 300 - < 2000 mg/kg	Rat	Study report (2010)	OECD Guideline 423				
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2007)	OECD Guideline 402				
20694-39-7	manganese nitrate								
	oral	ATE 500 mg/kg							
7631-99-4	sodium nitrate								
	oral	LD50 ca. 3430 mg/kg	Rat	Study report (1980)	OECD Guideline 401				
	dermal	LD50 > 5000 mg/kg	Rat	Study report (2000)	OECD Guideline 402				

Irritation and corrosivity



according to Regulation (EC) No 1907/2006

Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 9 of 13

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage. Corrosive to the respiratory tract. Following ingestion Gastric perforation Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract. Irritating to respiratory system. Pulmonary oedema see also Section 4 Sensitising effects Based on available data, the classification criteria are not met. Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 10 of 13

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7697-37-2	nitric acid							
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26	
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso	
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209	
13477-34-4	Calcium nitrate tetrahydra	ite						
	Acute fish toxicity	LC50 mg/l	1378	96 h	Poecilia reticulata	Water res. 11(10):927-935 (1977)	OECD Guideline 203	
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	
7631-99-4	sodium nitrate							
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	Study report (2000)	OECD Guideline 203	
	Acute crustacea toxicity	EC50 mg/l	3581	48 h	Daphnia magna	J. Water Pollut. Control Fed. 37(9):1308	no data	
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 11 of 13

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)		
<u>14.1. UN number or ID number:</u>	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	II	
Hazard label:	8	
Classification code:	C1	
Limited quantity:	1 L	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	80	
Tunnel restriction code:	E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Classification code:	C1	
Limited quantity:	1 L	
Excepted quantity:	E2	
Marine transport (IMDG)		
<u>14.1. UN number or ID number:</u>	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	-	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 2031	
14.2. UN proper shipping name:	NITRIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	A212	
Limited quantity Passenger:	Forbidden	
Passenger LQ:	Forbidden	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:		Forbidden



according to Regulation (EC) No 1907/2006

Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l						
Revision date: 09.01.2025	Product code: 32459					
IATA-max. quantity - Passenger:	Forbidden					
IATA-packing instructions - Cargo:	855 30 L					
IATA-max. quantity - Cargo:	30 L					
SECTION 15: Regulatory information						
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixtu	re				
EU regulatory information						
Restrictions on use (REACH, annex XVII):						
Entry 3						
Marketing and use of explosives precursor						
	use of this product by the general public is restricted by	0				
the relevant national contact point.	tions, and significant disappearances and thefts should	be reported to				
National regulatory information						
Employment restrictions:	Observe restrictions to employment for juveniles acco	rding to the 'juvenile				
work protection guideline' (94/33/EC).						
Water hazard class (D):	1 - slightly hazardous to water					
SECTION 16: Other information						

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Ox. Liq: Oxidising liquid Ox. Sol: Oxidising solid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Eye Irrit: Eye irritation STOT RE: Specific target organ toxicity - repeated exposure Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our



according to Regulation (EC) No 1907/2006

Multielement-Standard 5 Elemente je 10000 mg/l in Salpetersäure 1,6 mol/l

Revision date: 09.01.2025

Product code: 32459

Page 13 of 13

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)