

according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 3; H226 Acute Tox. 3; H301 Acute Tox. 3; H311

Acute Tox. 3; H331 Skin Corr. 1B; H314

Eye Dam. 1; H318

Muta. 2; H341 STOT SE 1; H370 STOT RE 2; H373

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

phenol methanol

Signal word: Danger



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 2 of 15

Pictograms:











Hazard statements

H226 Flammable liquid and vapour.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P310 **2.3. Other hazards**

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation	(EC) No 1272/2008)		
108-95-2	phenol			90 - < 95 %
	203-632-7	604-001-00-2	01-2119471329-32	
	Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, STOT RE 2, Aquatic Chronic 2; H341 H331 H311 H301 H314 H373 H411			
67-56-1	methanol			10 - < 15 %
	200-659-6	603-001-00-X	01-2119433307-44	
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
108-95-2	203-632-7	phenol	90 - < 95 %
	850 mg/kg; ora	E = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = ll: LD50 = 530 mg/kg	
67-56-1	200-659-6	methanol	10 - < 15 %
		50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: /kg; oral: LD50 = 6000 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; 10	



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 3 of 15

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

fast help required Call a physician immediately.

First aider: Pay attention to self-protection!

Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water, Polyethylene glycol 400 / Polyethylene glycol 300/ethanol (2:1)

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

(for phenol): rinse the affected skin areas with plenty of water as quickly as possible using the nearest emergency shower. Rinse with a mixture of polyethylene glycol 300 (PEG 300)/ethanol 2:1; Rinse with polyethylene glycol 400 (PEG 400); Rinse with polyethylene glycol 300 (PEG 300). Practical experience and experimental studies have shown that the best results are achieved with the first method (PEG 300/ethanol) for practically all phenols. As far as non-chlorinated cresols and phenols are concerned, PEG 400 can also be used successfully. After rinsing with PEG 400 or PEG 300/ethanol 2:1, you should alternately rinse with plenty of water (e.g. emergency shower).

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist.

After ingestion

Provide fresh air.

Rinse mouth immediately and drink plenty of water.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

corrosive, Irritant, Cough

Dyspnoea, Cardiac arrhythmias, Circulatory collapse

Dizziness, Risk of serious damage to eyes.

Dizziness, Anaesthetic state

Agitation, Spasms

Inebriation, Vomiting

Headache, Impairment of vision

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

Print date: 25.04.2024



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 4 of 15

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Highly flammable.

Hazardous combustion products

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Wear full chemical protective clothing.

In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 5 of 15

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff, Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Keep locked up.

Store in a place accessible by authorized persons only.

Provide adequate ventilation as well as local exhaustion at critical locations.

Further information on storage conditions

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Protect against: Light

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
67-56-1	Methyl alcohol	200	260		TWA (8 h)	
108-95-2	Phenol	2	8		TWA (8 h)	
		4	16		STEL (15 min)	



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 6 of 15

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
108-95-2	Phenol	Phenol	120 mg/g	Creatinine	End of shift
67-56-1	Methanol	Methanol	15 mg/L	Urine	End of shift

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
108-95-2	phenol			
Worker DNEL, I	ong-term	inhalation	systemic	8 mg/m³
Worker DNEL, a	acute	inhalation	local	16 mg/m³
Worker DNEL, I	ong-term	dermal	systemic	1,23 mg/kg bw/day
Consumer DNE	L, long-term	inhalation	systemic	0,452 mg/m³
Consumer DNE	L, long-term	dermal	systemic	0,5 mg/kg bw/day
Consumer DNE	L, long-term	oral	systemic	0,5 mg/kg bw/day
67-56-1	methanol			
Consumer DNE	L, acute	inhalation	systemic	50 mg/m³
Worker DNEL, I	ong-term	inhalation	systemic	260 mg/m³
Worker DNEL, a	acute	inhalation	systemic	260 mg/m³
Worker DNEL, I	ong-term	inhalation	local	260 mg/m³
Worker DNEL, a	acute	inhalation	local	260 mg/m³
Worker DNEL, I	ong-term	dermal	systemic	40 mg/kg bw/day
Worker DNEL, a	acute	dermal	systemic	40 mg/kg bw/day
Consumer DNE	L, long-term	inhalation	systemic	50 mg/m³
Consumer DNE	L, long-term	inhalation	local	50 mg/m³
Consumer DNEL, acute		inhalation	local	50 mg/m³
Consumer DNEL, long-term		dermal	systemic	8 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	8 mg/kg bw/day
Consumer DNE	L, long-term	oral	systemic	8 mg/kg bw/day
Consumer DNE	L, acute	oral	systemic	8 mg/kg bw/day

Print date: 25.04.2024



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 7 of 15

PNEC values

CAS No	Substance	
Environmen	Environmental compartment	
108-95-2	phenol	
Freshwater		0,008 mg/l
Freshwater	(intermittent releases)	0,031 mg/l
Marine wate	r	0,001 mg/l
Freshwater	sediment	0,091 mg/kg
Marine sedir	nent	0,009 mg/kg
Micro-organisms in sewage treatment plants (STP)		2,1 mg/l
Soil	Soil	
67-56-1	methanol	
Freshwater		20,8 mg/l
Freshwater	(intermittent releases)	1540 mg/l
Marine wate	Marine water	
Freshwater sediment		77 mg/kg
Marine sediment		7,7 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		100 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 897 Butoject®

Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 8 of 15

of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing, gloves and eye/face protection.

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Colour:

Odour:

Odour threshold:

Liquid

colourless

characteristic

No data available

Test method

Print date: 25.04.2024

Melting point/freezing point:

No data available

Boiling point or initial boiling point and

No data available

boiling range:

Flammability:

Lower explosion limits:

No data available

No data available

Upper explosion limits:

No data available

Flash point: 29 °C DIN EN 924 2003-08

Auto-ignition temperature:

Decomposition temperature:

No data available

No data available

PH-Value:

not determined

Viscosity / kinematic:

No data available

Water solubility:

No data available

Solubility in other solvents

not determined

No data available Dissolution rate: Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available No data available Density: No data available Relative density: Bulk density: No data available Relative vapour density: No data available Particle characteristics: No data available

9.2. Other information

Information with regard to physical hazard classes



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 9 of 15

Explosive properties

Vapours can form explosive mixtures with air.

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours can form explosive mixtures with air.

10.2. Chemical stability

Protect against: Light

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Vapours can form explosive mixtures with air.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Metal

Plastic articles

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 10 of 15

ATEmix calculated

ATE (oral) 100,0 mg/kg; ATE (dermal) 718,3 mg/kg; ATE (inhalation vapour) 3,000 mg/l; ATE (inhalation dust/mist) 0,5000 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
108-95-2	phenol							
	oral	LD50 mg/kg	530	Rat	J Pharmacol Exp Ther 80: 233-240 (1944)	OECD Guideline 401		
	dermal	LD50 mg/kg	850	Rabbit	Am Ind Hyg Assoc J 37: 596-606 (1976)	OECD Guideline 402		
	inhalation vapour	ATE	3 mg/l					
	inhalation dust/mist	ATE	0,5 mg/l					
67-56-1	methanol							
	oral	LD50 mg/kg	6000	Monkey	Amer J Ophthalmol 40: 76-83 (cited in DG	Determination of the acute toxicity of t		
	dermal	ATE mg/kg	300					
	inhalation (4 h) vapour	LC50 mg/l	128,2	Rat	Study report (1980)	Study performed according to internal co		
	inhalation dust/mist	ATE	0,5 mg/l					

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (phenol)

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol)

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (phenol)

(liver, kidneys, heart)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 11 of 15

Further information

corrosive, Irritant, Cough

Dyspnoea, Cardiac arrhythmias, Circulatory collapse

Dizziness, Risk of serious damage to eyes.

Dizziness, Anaesthetic state

Agitation, Spasms Inebriation, Vomiting

Headache, Impairment of vision

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method			
108-95-2	phenol									
	Acute fish toxicity	LC50	8,9 mg/l	96 h	Oncorhynchus mykiss	Publication (1980)	other:			
	Acute algae toxicity	ErC50 mg/l	61,1	96 h	Raphidocelis subcapitata	Environ. Toxicol. Water Qual. 7: 35-48 (other: US EPA			
	Acute crustacea toxicity	EC50	3,1 mg/l	48 h	Ceriodaphnia dubia	Publication (1991)	Test performance in compliance with EPA			
	Fish toxicity	NOEC mg/l	0,077	60 d	Cirrhina mrigala	Publication (1984)	Method: other			
	Crustacea toxicity	NOEC mg/l	0,16	16 d	Daphnia magna	Ecotoxicol. Envir. Saf. 15: 72-77 (1988)	other: NEN 6502			
67-56-1	methanol									
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975			
	Acute algae toxicity	ErC50 22000 mg/	ca.	96 h	Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11			
	Fish toxicity	NOEC mg/l	446,7	28 d	Pimephales promelas	SAR and QSAR in Environmental Research,	Calculation performed with ECOSAR			
	Crustacea toxicity	NOEC	208 mg/l	21 d	Daphnia magna	OECD QSAR Toolbox Report (2013)	Toxicity of the target chemical is predi			

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
108-95-2	phenol	1,47
67-56-1	methanol	-0,77



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 12 of 15

BCF

CAS No	Chemical name	BCF	Species	Source
108-95-2	phenol	17,5	Danio rerio	Publication (1985)
67-56-1	methanol	1	Cyprinus carpio	Comparative Biochemi

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains.

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2929

14.2. UN proper shipping name: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S. (Methanol, Phenol)

14.3. Transport hazard class(es): 6.1 14.4. Packing group: Ш Hazard label: 6.1 + 3Classification code: TF1 **Special Provisions:** 274 Limited quantity: 100 mL E4 Excepted quantity: Transport category: 2 Hazard No: 63 Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2929

14.2. UN proper shipping name: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S. (methanol, phenol)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+3Classification code:TF1



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 13 of 15

Special Provisions: 274 802 Limited quantity: 100 mL Excepted quantity: E4

Marine transport (IMDG)

14.1. UN number or ID number: UN 2929

14.2. UN proper shipping name: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S. (methanol, phenol)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+3Special Provisions:274Limited quantity:100 mLExcepted quantity:E4EmS:F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2929

14.2. UN proper shipping name: TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S. (methanol, phenol)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+3Special Provisions:A4 A137Limited quantity Passenger:1 LPassenger LQ:Y641Excepted quantity:E4

IATA-packing instructions - Passenger: 654
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 662
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes
Danger releasing substance: phenol

14.6. Special precautions for user

Warning: Combustible liquid. Toxic.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69, Entry 75

Information according to Directive H2 ACUTE TOXIC

2012/18/EU (SEVESO III):

Additional information: P5c

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.



according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 14 of 15

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 4,8,9,11,12.

Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Muta: Germ cell mutagenicity

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

oldosinoditor for mixtures and does evaluation metrica according to regulation (25) no 12/2/2000 [521]				
Classification	Classification procedure			
Flam. Liq. 3; H226	On basis of test data			
Acute Tox. 3; H301	Calculation method			
Acute Tox. 3; H311	Calculation method			
Acute Tox. 3; H331				
Skin Corr. 1B; H314	Calculation method			
Eye Dam. 1; H318	Calculation method			
Muta. 2; H341	Calculation method			
STOT SE 1; H370	Calculation method			
STOT RE 2; H373	Calculation method			
Aquatic Chronic 2; H411	Calculation method			

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

Print date: 25.04.2024



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Phenol / Methanol-Gemisch gravimetrisch 90: 10 gemischt

Revision date: 25.04.2024 Product code: 32523 Page 15 of 15

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)