

### ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

Revision date: 10.04.2024

Product code: 32535

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

UFI:

### G93W-A27P-D001-CVH7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
<u>number:</u>	•	REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls

**Further Information** 

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

Regulation (EC) No 1272/2008 Hazard components for labelling nitric acid Signal word: Danger

**Pictograms:** 



Hazard statements H290

May be corrosive to metals.



- - 1/1

### ICP Multiploment Standard 7 Elemente in 1000 mg/l in Salpotorsäure 1 n

according to Regulation (EC) No 1907/2006

	icP-multielement-Standard / Elemente je 1000 mg/i in Salpetersaure 1 mol/i					
Revision date: 10.04.2024	Product code: 32535	Page 2 of 11				
H314	Causes severe skin burns and eye damage.					
Precautionary statemer	nts					
P260	Do not breathe dust/fume/gas/mist/vapours/spray.					
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.					
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.					
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P310	Immediately call a POISON CENTER/doctor.					
Special labelling of cert	Special labelling of certain mixtures					

Corrosive to the respiratory tract.

#### 2.3. Other hazards

EUH071

No data available

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name	Quantity			
	EC No	Index No REACH No			
	Classification (Regulation (	EC) No 1272/2008)			
7697-37-2	nitric acid			5 - < 10 %	
	231-714-2	007-030-00-3	01-2119487297-23		
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071				
7664-38-2	phosphoric acid			< 1 %	
	231-633-2				
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name				
	Specific Conc. Limits, M-factors and ATE					
7697-37-2	231-714-2	231-714-2 nitric acid				
	inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20					
7664-38-2	231-633-2	phosphoric acid	< 1 %			
		ral: ATE = 500 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye rit. 2; H319: >= 10 - < 25				

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### General information

First aider: Pay attention to self-protection!



#### ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

Revision date: 10.04.2024

Product code: 32535

Page 3 of 11

### After inhalation

Provide fresh air.

Call a physician immediately.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures



### ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

Revision date: 10.04.2024

Product code: 32535

Page 4 of 11

### **General advice**

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities



### ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

Revision date: 10.04.2024

Product code: 32535

Page 5 of 11

#### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed.

### 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7440-50-8	Copper, dusts and mists	-	1		TWA (8 h)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		_	2		STEL (15 min)	

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7664-38-2	phosphoric acid			
Worker DNEL,	acute	inhalation	local	2 mg/m³
Worker DNEL,	long-term	inhalation	local	2,92 mg/m³
Consumer DN	Consumer DNEL, long-term		systemic	4,57 mg/m³
Consumer DNEL, long-term		inhalation	local	0,36 mg/m³
Consumer DNEL, long-term		oral	systemic	0,1 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	10,7 mg/m³

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles Wear eye/face protection.

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: > 480 min

#### By short-term hand contact



### Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

Revision date: 10.04.2024

Product code: 32535

Page 6 of 11

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Dhysical state:	
Physical state: Liquid	
Colour: colourless	
Odour: like: Nitric acid	
Melting point/freezing point: N	lo data available
Boiling point or initial boiling point and N	lo data available
boiling range:	
Flammability: N	lo data available
Lower explosion limits: N	lo data available
Upper explosion limits: N	lo data available
Flash point: N	lo data available
Auto-ignition temperature: N	lo data available
Decomposition temperature: N	lo data available
pH-Value:	<1
Viscosity / kinematic: N	lo data available
Water solubility: com	npletely miscible
Solubility in other solvents	
No data available	
Partition coefficient n-octanol/water: N	lo data available
Vapour pressure: N	lo data available
Vapour pressure: N	lo data available
Density:	~1,04 g/cm³
Bulk density: N	lo data available
Relative vapour density: N	lo data available
9.2. Other information	
Information with regard to physical hazard classes	
Explosive properties	
No data available	
	lo data available
Self-ignition temperature	
	lo data available
Gas: N	lo data available



### ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

Revision date: 10.04.2024	Product code: 32535	Page 7 of 11
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		

Corrosive to metals

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals. Oxidising agent

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

#### Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

## 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose

Metal The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



### ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

Revision date: 10.04.2024

Product code: 32535

Page 8 of 11

CAS No	Chemical name	Chemical name								
	Exposure route	Dose	Species	Source	Method					
7697-37-2	nitric acid	nitric acid								
	inhalation vapour	ATE 2,65 mg/l								
7664-38-2	phosphoric acid	phosphoric acid								
	oral	ATE 500 mg/kg								

#### Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Corrosive to the respiratory tract. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### Practical experience

There are no data available on the preparation/mixture itself.

### 11.2. Information on other hazards

#### Other information

There are no data available on the preparation/mixture itself.

#### Further information

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.



### ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l

Revision date: 10.04.2024

Product code: 32535

Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209
7664-38-2	phosphoric acid						
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l()	> 1000		activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **Further information**

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

#### **SECTION 14: Transport information**



ICP-Multielement-Standard 7 Elemente	ie 1000 mg/l in Salpetersäure 1 mol/l
	je rood mg/r m Salpetersaure r mol/r

		e je 1000 mg/i in Salpetersaure 1 mol/i	Dage 10 of 11
Revision date: 10.04.2024	Product co	ode: 32535	Page 10 of 11
Land transport (ADR/RID)			
14.1. UN number or ID number:	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Classification code:	C1 1 L		
Limited quantity: Excepted quantity:	E2		
Transport category:	2		
Hazard No:	80		
Tunnel restriction code:	E		
Inland waterways transport (ADN)			
14.1. UN number or ID number:	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Classification code:	C1		
Limited quantity: Excepted quantity:	1 L E2		
	EZ		
Marine transport (IMDG)			
<u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name:	UN 2031 NITRIC ACID		
14.2. ON proper snipping name. 14.3. Transport hazard class(es):	8		
14.4. Packing group:	0		
Hazard label:	8		
Special Provisions:	-		
Limited quantity:	1 L		
Excepted quantity:	E2		
EmS:	F-A, S-B		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:			
Hazard label: Special Provisions:	8 A212		
Limited quantity Passenger:	Forbidden		
Passenger LQ:	Forbidden		
Excepted quantity:	E0		
IATA-packing instructions - Passenger:		Forbidden	
IATA-max. quantity - Passenger:		Forbidden	
IATA-packing instructions - Cargo:		855	
IATA-max. quantity - Cargo:		30 L	

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

#### Entry 3, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):



### Safety Data Sheet

according to Regulation (EC) No 1907/2006

ICP-Multielement-Standard 7 Elemente je 1000 mg/l in Salpetersäure 1 mol/l
--

Revision date:	10.04.2024
----------------	------------

Product code: 32535

Page 11 of 11

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,12.

### Abbreviations and acronyms

Ox. Liq: Oxidising liquid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

#### **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)