

Standard solution TOC 150 mg/l - TN 50 mg/l Potassium hydrogen phthalate / ammonium sulfate				
Page 1 of 9				
undertaking				
/ ammonium sulfate				
<u>nst</u>				
tes services, craftsmen)				
Telefax: 0203/5194-290 Telephone: 0203/5194-107/117				
ods] Incidents Spill, Leak, Fire, ay or Night Within USA and Canada: +1 703-741-5970 (collect calls				

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:

P234



Hazard statements

H290

May be corrosive to metals.

Precautionary statements

Keep only in original packaging.



Standard solution TOC 150 mg/l - TN 50 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 18.02.2025

Product code: 32547

Page 2 of 9

P390 P406 Absorb spillage to prevent material damage. Store in a corrosion-resistant container with a resistant inner liner.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

none (according to Regulation (EC) No 1907/2006 (REACH))

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin Wash immediately with: Water

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.



Standard solution TOC 150 mg/l - TN 50 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 18.02.2025

Product code: 32547

Page 3 of 9

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

No data available



Standard solution TOC 150 mg/l - TN 50 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 18.02.2025

Product code: 32547

Page 4 of 9

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	odourless
Melting point/freezing point:	
Boiling point or initial boiling point and	Ł
boiling range:	

No data available No data available



Standard solution TOC 150 mg/l - TN 50 mg/l Potassium hydrogen phthalate / ammonium sulfate			
Revision date: 18.02.2025	Product code: 32547	Page 5 of 9	
Flammability:	No data available		
Lower explosion limits:	No data available		
Upper explosion limits:	No data available		
Flash point:	No data available		
Auto-ignition temperature:	No data available		
Decomposition temperature:	No data available		
pH-Value:	1,7		
Viscosity / kinematic:	No data available		
Water solubility:	No data available		
Solubility in other solvents			
No data available			
Partition coefficient n-octanol/water:	No data available		
Vapour pressure:	No data available		
Vapour pressure:	No data available		
Density (at 20 °C):	0,9995 g/cm ³		
Bulk density:	No data available		
Relative vapour density:	No data available		
9.2. Other information			
Information with regard to physical hazard o	classes		
Explosive properties			
No data available			
Sustaining combustion:	No data available		
Self-ignition temperature			
Solid:	No data available No data available		
Gas: Oxidizing properties	No data avaliable		
No data available			
Other safety characteristics	Nie dete enelletie		
Evaporation rate:	No data available		
Solvent separation test: Solvent content:	No data available No data available		
Solid content:	No data available		
Sublimation point:	No data available		
Softening point:	No data available		
Pour point:	No data available		
No data available:			
Viscosity / dynamic:	No data available		
Flow time:	No data available		
Further Information			
Corrosive to metals.			
SECTION 10: Stability and reactivity			

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available



Standard solution TOC 150 mg/l - TN 50 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 18.02.2025

Product code: 32547

Page 6 of 9

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Corrosive to metals.

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

No data available

11.2. Information on other hazards

Other information No data available

No data avallable

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available



m brond according to Regulation (EC) No 1907/2006 Standard solution TOC 150 mg/l - TN 50 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 18.02.2025

Product code: 32547

Page 7 of 9

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	111
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	111
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	
14.4. Facking group.	



Standard solution TOC 150 mg/I - TN 50 mg/I Potassium hydrogen phthalate / ammonium				
sulfate				
Revision date: 18.02.2025	Product code:	32547	Page 8 of 9	
Hazard label:	8			
Special Provisions:	223			
Limited quantity:	5 L			
Excepted quantity:	E1			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 1789			
14.2. UN proper shipping name:	HYDROCHLORIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	III			
Hazard label:	8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	1 L			
Passenger LQ:	Y841			
Excepted quantity:	E1			
IATA-packing instructions - Passenger:	85	2		
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	85	6		
IATA-max. quantity - Cargo:	60	L		
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
No dangerous good in sense of this tra	ansport regulation.			
14.7. Maritime transport in bulk according to	o IMO instruments			
No dangerous good in sense of this tra	ansport regulation.			
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	lations/logislation specifi	c for the substance or mixture		
Marketing and use of explosives precurso				
This product is regulated by Regulation	. , .			
disappearances and thefts should be r	eported to the relevant hat			
National regulatory information				
Water hazard class (D):	 - non-hazardous to wat 	er		

Additional information

No data available

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

Further Information

Provide appropriate information, instructions and training to users



Standard solution TOC 150 mg/l - TN 50 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 18.02.2025

Product code: 32547

Page 9 of 9

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)