

| Standard solution TOC 800 mg/I - TN 30 mg/I Potassium hydrogen phthalate / ammonium | | | m |
|---|--|---|-------------|
| | sulfate | | |
| Revision date: 23.01.2024 | Product code: 326 | 16 | Page 1 of 9 |
| SECTION 1: Identification of the | substance/mixture and of the com | npany/undertaking | |
| <u>1.1. Product identifier</u> Standard solution TOC 800 mg | /I - TN 30 mg/I Potassium hydrogen ph | thalate / ammonium sulfate | |
| UFI: | T7AW-A24U-6004-XHQF | | |
| 1.2. Relevant identified uses of the s | ubstance or mixture and uses advise | ed against | |
| | nces as such or in preparations at indu in (administration, education, entertair | | |
| Do not use for private purposes | s (household). | | |
| 1.3. Details of the supplier of the saf | ety data sheet | | |
| Company name: | AnalytiChem GmbH ACD Stempelstraße 6 | | |
| Place: | D-47167 Duisburg | | |
| Telephone: E-mail: Contact person: E-mail: Internet: Responsible Department: | 0203/5194-0 info@analytichem.de Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit | Telefax: 0203/5194-290 Telephone: 0203/5194-107/117 | |
| <u>1.4. Emergency telephone</u> number: Further Information | Exposure, or Accident Call CHEMT | rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls | |
| | | | |

inapplicable, this product is a mixture REACH registration number see section 3

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Pictograms:

P234

GB CLP Regulation

Signal word:



Warning

Hazard statements H290

May be corrosive to metals.

Precautionary statements

Keep only in original packaging.



Standard solution TOC 800 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 23.01.2024

Product code: 32616

Page 2 of 9

P390 P406 Absorb spillage to prevent material damage. Store in a corrosion-resistant container with a resistant inner liner.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

none (according to UK REACH Regulation)

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.



Standard solution TOC 800 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 23.01.2024

Product code: 32616

Page 3 of 9

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Hints on joint storage

No data available



Standard solution TOC 800 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 23.01.2024

Product code: 32616

Page 4 of 9

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Wash hands before breaks and after work.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid |
|--|------------|
| Colour: | colourless |
| Odour: | odourless |
| Melting point/freezing point: | |
| Boiling point or initial boiling point and | |
| boiling range: | |

No data available No data available



| Standard solution TOC 800 mg/l - T | N 30 mg/l Potassium hydrogen phthalate / a sulfate | mmonium |
|---|---|-------------|
| Revision date: 23.01.2024 | Product code: 32616 | Page 5 of 9 |
| Flammability: | No data available | |
| Lower explosion limits: | No data available | |
| Upper explosion limits: | No data available | |
| Flash point: | No data available | |
| Auto-ignition temperature: | No data available | |
| Decomposition temperature: | No data available | |
| pH-Value: | 1,7 | |
| Viscosity / kinematic: | No data available | |
| Water solubility: | No data available | |
| Solubility in other solvents | | |
| No data available | | |
| Partition coefficient n-octanol/water: | No data available | |
| Vapour pressure: | No data available | |
| Vapour pressure: | No data available | |
| Density: | 1,0006 g/cm ³ | |
| Bulk density: | No data available | |
| Relative vapour density: | No data available | |
| 9.2. Other information | | |
| Information with regard to physical hazard classe | S | |
| Explosive properties | | |
| No data available | | |
| Sustaining combustion: | No data available | |
| Self-ignition temperature | | |
| Solid: | No data available | |
| Gas: | No data available | |
| Oxidizing properties No data available | | |
| | | |
| Other safety characteristics | | |
| Evaporation rate: | No data available | |
| Solvent separation test: | No data available | |
| Solvent content: | No data available | |
| Solid content: Sublimation point: | No data available No data available | |
| Softening point: | No data available | |
| Pour point: | No data available | |
| No data available: | | |
| Viscosity / dynamic: | No data available | |
| Flow time: | No data available | |
| Further Information | | |
| Corrosive to metals. | | |
| SECTION 10: Stability and reactivity | | |
| | | |

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available



| in analytic feature brand | | |
|---|---|------------------------|
| Standard solution TOC 800 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium sulfate | | |
| Revision date: 23.01.2024 | Product code: 32616 | Page 6 of |
| 10.4. Conditions to avoid No data available | | |
| 10.5. Incompatible materials | | |
| Corrosive to metals. | | |
| 10.6. Hazardous decomposition pro No data available | <u>oducts</u> | |
| Further information No data available | | |
| SECTION 11: Toxicological info | rmation | |
| 11.1. Information on hazard classes | s as defined in GB CLP Regulation | |
| Acute toxicity Based on available data, the | classification criteria are not met. | |
| ATEmix calculated ATE (oral) > 2000 mg/kg; ATI dust/mist) > 5 mg/l | E (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; | ATE (inhalation |
| Irritation and corrosivity Based on available data, the | classification criteria are not met. | |
| Sensitising effects Based on available data, the | classification criteria are not met. | |
| Carcinogenic/mutagenic/toxic e Based on available data, the | ffects for reproduction classification criteria are not met. | |
| STOT-single exposure Based on available data, the | classification criteria are not met. | |
| STOT-repeated exposure Based on available data, the | classification criteria are not met. | |
| Aspiration hazard Based on available data, the | classification criteria are not met. | |
| Practical experience No data available | | |
| 11.2. Information on other hazards | | |
| Other information No data available | | |
| Further information No data available | | |
| SECTION 12: Ecological inform | ation | |
| <u>12.1. Toxicity</u> No data available | | |
| 12.2. Persistence and degradability No data available | <u>'</u> | |
| 12.3. Bioaccumulative potential | | |
| No data available | | |
| 12.4. Mobility in soil No data available | | |
| 12.5. Results of PBT and vPvB ass | <u>essment</u> | |
| | | |
| evision No: 1,02 - Replaces version: 1,01 | GB - en | Print date: 23.01.2024 |



Standard solution TOC 800 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 23.01.2024

Product code: 32616

Page 7 of 9

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. No data available

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | UN 1789 |
|--|---|
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | 111 |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 520 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |
| Inland waterways transport (ADN) | |
| 14.1. UN number or ID number: | UN 1789 |
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| | |
| Hazard label: | 8 |
| Hazard label: Classification code: | 8 C1 |
| | • |
| Classification code: | C1 |
| Classification code: Special Provisions: | C1 520 |
| Classification code: Special Provisions: Limited quantity: Excepted quantity: | C1 520 5 L |
| Classification code: Special Provisions: Limited quantity: Excepted quantity: Marine transport (IMDG) | C1 520 5 L |
| Classification code: Special Provisions: Limited quantity: Excepted quantity: Marine transport (IMDG) <u>14.1. UN number or ID number:</u> | C1 520 5 L E1 |
| Classification code: Special Provisions: Limited quantity: Excepted quantity: Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> | C1 520 5 L E1 UN 1789 |
| Classification code: Special Provisions: Limited quantity: Excepted quantity: Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> | C1 520 5 L E1 UN 1789 HYDROCHLORIC ACID |
| Classification code: Special Provisions: Limited quantity: Excepted quantity: Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> | C1 520 5 L E1 UN 1789 HYDROCHLORIC ACID 8 |
| Classification code: Special Provisions: Limited quantity: Excepted quantity: Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: | C1 520 5 L E1 UN 1789 HYDROCHLORIC ACID 8 III |
| Classification code: Special Provisions: Limited quantity: Excepted quantity: Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> | C1 520 5 L E1 UN 1789 HYDROCHLORIC ACID 8 III 8 |



| Standard solution TOC 800 | mg/l - TN 30 mg/l Potassium hydrogen phthalate / | ammonium |
|--|---|-------------|
| | sulfate | |
| Revision date: 23.01.2024 | Product code: 32616 | Page 8 of 9 |
| Excepted quantity: | E1 | |
| EmS: | F-A, S-B | |
| Air transport (ICAO-TI/IATA-DGR) | | |
| <u>14.1. UN number or ID number:</u> | UN 1789 | |
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID | |
| <u>14.3. Transport hazard class(es):</u> | 8 | |
| 14.4. Packing group: | | |
| Hazard label: | 8 | |
| Special Provisions: | A3 A803 1 L | |
| Limited quantity Passenger: Passenger LQ: | Y841 | |
| Excepted quantity: | E1 | |
| IATA-packing instructions - Passenger: | 852 | |
| IATA-max. quantity - Passenger: | 5 L | |
| IATA-packing instructions - Cargo: | 856 | |
| IATA-max. quantity - Cargo: | 60 L | |
| 14.5. Environmental hazards | | |
| ENVIRONMENTALLY HAZARDOUS: | Νο | |
| 14.6. Special precautions for user | | |
| No dangerous good in sense of this to | ansport regulation | |
| 14.7. Maritime transport in bulk according | | |
| No dangerous good in sense of this to | | |
| SECTION 15: Regulatory information | | |
| 15.1. Safety, health and environmental reg | ulations/legislation specific for the substance or mixture | |
| Marketing and use of explosives precurso | | |
| | on (EU) 2019/1148: all suspicious transactions, and significant | |
| | reported to the relevant national contact point. | |
| National regulatory information | | |
| Water hazard class (D): | non-hazardous to water | |
| Additional information | | |
| No data available | | |
| | | |
| SECTION 16: Other information | | |
| Changes | | |
| This data sheet contains changes fro | m the previous version in section(s): 1,9. | |
| Abbreviations and acronyms | | |
| Met. Corr: Corrosive to metals | | |

Met. Corr: Corrosive to metals

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|--------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of



Standard solution TOC 800 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

sulfate...

Revision date: 23.01.2024

Product code: 32616

Page 9 of 9

processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)