

according to Regulation (EC) No 1907/2006

## Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

**1.4. Emergency telephone** For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

**number:** Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



### **Hazard statements**

H290 May be corrosive to metals. H319 Causes serious eye irritation.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing



according to Regulation (EC) No 1907/2006

Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 2 of 12

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion-resistant container with a resistant inner liner.

### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution

#### Relevant ingredients

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
151-21-3	sodium dodecyl sulphate			1 - < 5 %
	205-788-1		01-2119489461-32	
	Flam. Sol. 2, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, Aquatic Chronic 3; H228 H332 H302 H315 H318 H335 H412			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name			
	Specific Conc. Limits, M-factors and ATE			
151-21-3	205-788-1	sodium dodecyl sulphate	1 - < 5 %	
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1200 mg/kg			

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

No data available

#### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water.



according to Regulation (EC) No 1907/2006

# Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 3 of 12

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrochloric gas

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

# Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 4 of 12

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

national regulations

## Further information on storage conditions

Unsuitable container/equipment material: Metal storage temperature: +15°C - +25°C

#### 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 5 of 12

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
151-21-3	sodium dodecyl sulphate			
Worker DNEL,	long-term	inhalation	systemic	285 mg/m³
Worker DNEL, long-term		dermal	systemic	4060 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	85 mg/m³
Consumer DNEL, long-term		dermal	systemic	2440 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	24 mg/kg bw/day

#### **PNEC values**

CAS No	Substance	
Environmenta	al compartment	Value
151-21-3	sodium dodecyl sulphate	
Freshwater		0,176 mg/l
Freshwater (intermittent releases)		0,055 mg/l
Marine water		0,018 mg/l
Freshwater sediment		6,97 mg/kg
Marine sediment		0,697 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,35 mg/l
Soil		1,29 mg/kg

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection:

Face protection shield

goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min



according to Regulation (EC) No 1907/2006

# Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 6 of 12

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH. D-36124 Eichenzell. Internet; www.kcl.de).

#### Skin protection

Wear suitable protective clothing.

Protective clothing acid-resistant

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: clear
Odour: odourless

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: not applicable No data available Lower explosion limits: No data available Upper explosion limits: Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: acidic pH-Value: Viscosity / kinematic: No data available Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

Vapour pressure:

No data available

No data available

No data available

Density:

No data available

Bulk density:

No data available

Relative vapour density:

No data available

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties
No data available
Self-ignition temperature

Solid: not applicable
Gas: not applicable



according to Regulation (EC) No 1907/2006

# Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 7 of 12

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic: No data available Flow time: No data available

Further Information
Corrosive to metals

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

The product develops hydrogen in an aqueous solution in contact with metals.

## 10.4. Conditions to avoid

Heat

#### 10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### **Further information**

No data available

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 8 of 12

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
151-21-3	sodium dodecyl sulphate						
	oral	LD50 mg/kg	1200	Rat	Other company data (1983)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2012)	OECD Guideline 402	
	inhalation vapour	ATE	11 mg/l				
	inhalation dust/mist	ATE	1,5 mg/l				

### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

## **Practical experience**

There are no data available on the mixture itself.

#### 11.2. Information on other hazards

### Other information

There are no data available on the mixture itself.

#### **Further information**

Irritant

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 9 of 12

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
151-21-3	sodium dodecyl sulphate						
	Acute fish toxicity	LC50	29 mg/l	96 h	Pimephales promelas	Study report (2004)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 120	72 h	Desmodesmus subspicatus	Study report (1994)	other: DIN 38412, part 9
	Acute crustacea toxicity	EC50 mg/l	3,15	48 h	Artemia salina	Journal of the Water Pollution Control F	Static mortality test on Artemia nauplii
	Fish toxicity	NOEC mg/l	>= 1,357	42 d	Pimephales promelas	Bulletin of Environmental Contamination	42 day exposure of fish in aquaria provi
	Crustacea toxicity	NOEC mg/l	0,88	7 d	Ceriodaphnia dubia	Environmental Toxicology and Water Quali	other: EPA-600/489/001: Short term metho
	Acute bacteria toxicity	EC50	135 mg/l	3 h	activated sludge of a predominantly domestic sewag	Water Research 17(10): 1363-1368 (1983)	other: OECD Environment directorate prop

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
151-21-3	sodium dodecyl sulphate	0

### **BCF**

CAS No	Chemical name	BCF	Species	Source
151-21-3	sodium dodecyl sulphate	ca. 4	Cyprinus carpio	Chemosphere 11, 917-

### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

### **Further information**

Do not empty into drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.



according to Regulation (EC) No 1907/2006

## Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 10 of 12

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8 Classification code: C<sub>1</sub> Special Provisions: 520 Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 80 Tunnel restriction code: Ε

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C1Special Provisions:520Limited quantity:5 LExcepted quantity:E1

#### Marine transport (IMDG)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-B

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L



according to Regulation (EC) No 1907/2006

## Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 11 of 12

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9,12.

## Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Flam. Sol: Flammable solid Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Eye Irrit. 2; H319	Calculation method

### Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Print date: 03.04.2025



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Natriumdodecylsulfat-Lösung 20 g/l salzsaure SDS-Lösung

Revision date: 03.04.2025 Product code: 32726 Page 12 of 12

H412

Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)