

according to Regulation (EC) No 1907/2006

# Kaliumhydroxidlösung 450 g/l für Art. 32816

Revision date: 19.11.2024

Product code: 32830

Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Kaliumhydroxidlösung 450 g/l für Art. 32816

# Further trade names

Keine UFI-Verwendung da ein interner Artikel

UFI:

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

#### Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

1MWW-M2US-R001-GKE8

#### Uses advised against

Do not use for private purposes (household).

# 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	AnalytiChem GmbH		
	ACD			
Street:	Stempelstraße 6			
Place:	D-47167 Duisburg			
Telephone:	0203/5194-0	Telefax: 0203/5194-290		
E-mail:	info@analytichem.de			
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117		
E-mail:	produktsicherheit@analytichem.de			
Internet:	www.analytichem.de			
Responsible Department:	Abteilung Produktsicherheit			
1.4. Emergency telephone	For Hazardous Materials [or Danger	rous Goods] Incidents Spill, Leak, Fire,		
number:	Exposure, or Accident Call CHEMTI	REC Day or Night Within USA and Canada:		
	1-800-424-9300 Outside USA and 0	Canada: +1 703-741-5970 (collect calls		
	accepted)			

#### Further Information

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# Regulation (EC) No 1272/2008

# Hazard components for labelling potassium hydroxide

Signal word: Danger



according to Regulation (EC) No 1907/2006

Kaliumhydroxidlösung 450 g/l für Art. 32816					
Revision date: 19.11.2024	Product code: 32830	Page 2 of 11			
Pictograms:					
Hazard statements					
H290	May be corrosive to metals.				
H302	Harmful if swallowed.				
H314	Causes severe skin burns and eye damage.				
Precautionary statemen	ts				
P260	Do not breathe dust/fume/gas/mist/vapours/spray.				
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.				
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.				
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P310	Immediately call a POISON CENTER/doctor.				
2.3. Other hazards					

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Chemical characterization**

Mixtures in aqueous solution

# **Relevant ingredients**

CAS No	Chemical name	Chemical name			
	EC No	Index No	Index No REACH No		
	Classification (Regulation (EC) No 1272/2008)				
1310-58-3	potassium hydroxide	potassium hydroxide			
	215-181-3	019-002-00-8	019-002-00-8 01-2119487136-33		
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1; H290 H302 H314 H318				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
1310-58-3	215-181-3	potassium hydroxide	30 - < 35 %	
oral: LD50 = 333 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2				

# **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

First aider: Pay attention to self-protection!



according to Regulation (EC) No 1907/2006

# Kaliumhydroxidlösung 450 g/l für Art. 32816

Revision date: 19.11.2024

Product code: 32830

Page 3 of 11

# After inhalation

Provide fresh air. Call a physician immediately.

# After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

# 4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Dyspnoea Cough Circulatory collapse Vomiting Abdominal pain Corneal opacity. Has degreasing effect on the skin. Risk of serious damage to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Avoid contact with skin, eyes and clothes.

# Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**


#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Corrosive to metals.

# For non-emergency personnel

Provide adequate ventilation.





according to Regulation (EC) No 1907/2006

# Kaliumhydroxidlösung 450 g/l für Art. 32816

Revision date: 19.11.2024

Product code: 32830

Page 4 of 11

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

# For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

# Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals.

Provide adequate ventilation as well as local exhaustion at critical locations.





according to Regulation (EC) No 1907/2006

# Kaliumhydroxidlösung 450 g/l für Art. 32816

Revision date: 19.11.2024

Product code: 32830

Page 5 of 11

# Unsuitable container/equipment material: Metal, Aluminium, Tin, Zinc

# Further information on storage conditions

Store in a dry place. Keep container tightly closed. storage temperature +5°C - +30°C

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	

# **DNEL/DMEL** values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
1310-58-3	potassium hydroxide				
Worker DNEL,	long-term	inhalation	local	1 mg/m³	
Consumer DNEL, long-term inhalation local 1 mg/m <sup>3</sup>					

# 8.2. Exposure controls

#### Appropriate engineering controls

Do not breathe vapour/aerosol.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact	
Trade name/designation:	KCL 741 Dermatril® L
Recommended material:	NBR (Nitrile rubber) 0,11 mm
Wearing time with permane	ent contact: > 480 min

By short-term hand contact		
Trade name/designation:	KCL 741 Dermatril® L	
Recommended material:	NBR (Nitrile rubber) 0,1	1 mm
Wearing time with occasion	al contact (splashes):	> 480 min



according to Regulation (EC) No 1907/2006

# Kaliumhydroxidlösung 450 g/l für Art. 32816

Revision date: 19.11.2024

Product code: 32830

Page 6 of 11

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

# Skin protection

Wear suitable protective clothing.

# Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

nical properties	
Liquid	
odourless	
	No data available
	No data available
	not applicable
	not determined
	not determined
	Х
	not determined
	not determined
	14
	No data available
	Soluble in: Water
	not determined
	No data available
	No data available
	1,2836 g/cm³
	No data available
	not determined
ard classes	
	Not sustaining combustion
	not applicable
	not applicable
	Liquid colourless odourless

# Other safety characteristics



according to Regulation (EC) No 1907/2006

not determined

No data available

not determined

# Kaliumhydroxidlösung 450 g/l für Art. 32816

	-		
Revision date: 19 11 2024	Pr	oduct code: 32830	

Page 7 of 11

Evaporation rate: Solvent separation test: Solvent content: Solid content: Sublimation point: Softening point: Pour point: No data available: Viscosity / dynamic: Flow time:

# **Further Information**

Corrosive to metals.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Acid, White/yellow phosphor, Hydrogen halide Alkaline earth metal, Light metal, Metal The product develops hydrogen in an aqueous solution in contact with metals.

# 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Metal Glass Keep away from: Metal. The product develops hydrogen in an aqueous solution in contact with metals.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# Further information

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if swallowed.


If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

# Pulmonary oedema

# ATEmix calculated

ATE (oral) 979,4 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route Dose Species Source Method					Method
1310-58-3	potassium hydroxide					-
		LD50 mg/kg	333		Fund. Appl. Toxicol., 8, 97-100 (1987)	OECD Guideline 425





# according to Regulation (EC) No 1907/2006

# Kaliumhydroxidlösung 450 g/l für Art. 32816

Revision date: 19.11.2024

Product code: 32830

Page 8 of 11

Irritation and corrosivity Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage.

Has degreasing effect on the skin.

Corneal opacity.

Risk of serious damage to eyes.

# Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met. No data available

# Specific effects in experiment on an animal

No data available

# Additional information on tests

No data available

# Practical experience

No data available

# 11.2. Information on other hazards

# Other information

No data available

# Further information

Skin corrosion/irritation Dyspnoea Cough Circulatory collapse Vomiting Abdominal pain

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

# 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

No information available.

# 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties



# according to Regulation (EC) No 1907/2006

# Kaliumhydroxidlösung 450 g/l für Art. 32816

Revision date: 19.11.2024

Product code: 32830

Page 9 of 11

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

# Further information

Do not allow to enter into surface water or drains. Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

# Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1814
14.2. UN proper shipping name:	POTASSIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C5
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1814
14.2. UN proper shipping name:	POTASSIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C5
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1814
14.2. UN proper shipping name:	POTASSIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	



according to Regulation (EC) No 1907/2006

Kaliumhydroxidlösung 450 g/l für Art. 32816		
Revision date: 19.11.2024	Product code: 32830	Page 10 of 11
14.1. UN number or ID number:   14.2. UN proper shipping name:   14.3. Transport hazard class(es):   14.4. Packing group:   Hazard label:   Special Provisions:   Limited quantity Passenger:   Passenger LQ:   Excepted quantity:   IATA-packing instructions - Passenger:   IATA-max. quantity - Passenger:	UN 1814 POTASSIUM HYDROXIDE SOLUTION 8 II 8 A3 A803 0.5 L Y840 E2 851 1 L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards	Ne	
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user   Warning: strongly corrosive.   14.7. Maritime transport in bulk according to not applicable	o IMO instruments	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	
Water hazard class (D):	1 - slightly hazardous to water	
SECTION 16: Other information		

# Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.



according to Regulation (EC) No 1907/2006

# Kaliumhydroxidlösung 450 g/l für Art. 32816

Revision date: 19.11.2024

Product code: 32830

Page 11 of 11

# Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

# Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)