



according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 1 of 15

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

2,3-Dimercaptopropanollösung 10% in Ethanol

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at

industrial sites

Professional uses: Public domain (administration, education,

entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

# 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Telephone: 0203/5194-107/117

Produktsicherheit

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Abteilung Produktsicherheit

Department:

1.4. Emergency For Hazardous Materials [or Dangerous Goods]

<u>telephone number:</u> Incidents Spill, Leak, Fire, Exposure, or

Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1A: H317

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 2 of 15

# Hazard components for labelling

dimercaprol

Signal word: Danger

Pictograms:





#### **Hazard statements**

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

# **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting

equipment.

P280

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)	·		
64-17-5	ethanol				
	200-578-6	603-002-00-5	01-2119457610-43		
	Flam. Liq. 2, Eye Irrit. 2; H225 H319				
59-52-9	dimercaprol				
	200-433-7				
	Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1A, STOT SE 3; H301 H315 H319 H317 H335				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 3 of 15

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Limits, M-factors and ATE		
64-17-5	200-578 -6	ethanol	90 - < 95 %	
	1	inhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 - 100		
59-52-9	200-433 -7	dimercaprol	10 - < 15 %	
	oral: ATE = 10	oral: ATE = 100 mg/kg		

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before

reuse.

Call a physician immediately.

# After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Dizziness

The product causes narcotic-like effects.

Inebriation

Vomiting

Allergic reactions

## 4.3. Indication of any immediate medical attention and special

#### treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.





according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 4 of 15

#### Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form

explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO2) Carbon monoxide

#### 5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Use water spray jet to protect personnel and to cool endangered containers

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency

# <u>procedures</u>

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights,

mechanical/electrical equipment, and electronic devices such as

cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

# For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

# For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.





according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 5 of 15

Danger of explosion

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation

# Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower



according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 6 of 15

if necessary.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

# Further information on storage conditions

Vapours may form explosive mixtures with air.

#### 7.3. Specific end use(s)

Laboratory use Laboratory chemical

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/c m³	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	

# **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure	Effect	Value	
		route			
64-17-5	ethanol				
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³	
Worker DNEL,	Worker DNEL, long-term		systemic	343 mg/kg	
				bw/day	
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³	
Consumer DNEL, long-term		dermal	systemic	206 mg/kg	
				bw/day	
Consumer DNEL, long-term		oral	systemic	87 mg/kg	
				bw/day	



according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 7 of 15

#### **PNEC values**

CAS No	Substance	
Environmen	al compartment	Value
64-17-5	ethanol	
Freshwater		0,96 mg/l
Freshwater	Freshwater (intermittent releases)	
Marine wate	r	0,79 mg/l
Freshwater	sediment	3,6 mg/kg
Marine sedir	Marine sediment	
Secondary p	Secondary poisoning	
Micro-organ	Micro-organisms in sewage treatment plants (STP)	
Soil		0,63 mg/kg

# 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test

according to EN374):

By long-term hand contact
KCL 897 Butoject®
Butyl caoutchouc (butyl rubber) 0,3 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact NBR (Nitrile rubber) 0,4 mm

Wearing time with occasional contact (splashes): > 120 min


The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.





according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 8 of 15

Wear breathing apparatus if exposed to vapours/dusts/aerosols. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light yellow

Melting point/freezing

No data available

point:

Boiling point or initial 78 °C

boiling point and boiling

range:

Flammability: not applicable
Lower explosion limits: No data available
Upper explosion limits: No data available
Flash point: 12 °C
Auto-ignition No data available

temperature:

Decomposition not determined

temperature:

pH-Value:

Viscosity / kinematic:

No data available

Water solubility:

No data available

Solubility in other solvents

not determined

Partition coefficient No data available

n-octanol/water:

Vapour pressure:No data availableVapour pressure:No data availableDensity:0,9 g/cm³Bulk density:No data availableRelative vapournot determined

density:

# 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

Vapours can form explosive mixtures with air.

Sustaining combustion: Sustaining combustion

Self-ignition temperature

Solid: not applicable
Gas: not applicable





according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 9 of 15

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent separation No data available

test:

Solid content: not determined
Sublimation point: No data available
Softening point: No data available
Pour point: No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

**Further Information** 

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Highly flammable.

Vapours can form explosive mixtures with air.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Oxidising agent

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

# 10.6. Hazardous decomposition products

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2) Carbon monoxide

### **Further information**

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# **Acute toxicity**

Harmful if swallowed.

#### **ATEmix** calculated

ATE (oral) 1000,0 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 10 of 15

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64-17-5	ethanol						
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401	
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403	
59-52-9	dimercaprol						
	oral	ATE mg/kg	100				

# Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

#### Sensitising effects

May cause an allergic skin reaction. (dimercaprol)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification

criteria are not met.

Reproductive toxicity: Based on available data, the classification

criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# Practical experience

No data available

### 11.2. Information on other hazards

# Other information

Irritant

Dizziness

The product causes narcotic-like effects.

Inebriation

Vomiting

#### **Further information**

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 11 of 15

CAS No	Chemical name							
	Aquatic toxicity	Dose	[h] Species	Source	Method			
64-17-5	ethanol							
	Acute fish toxicity	LC50 15400 mg/l	96 Lepomis h macrochirus	Bulletin of Environmen tal Contaminat ion	other: EPA-660/3- 75-009, 1975			
	Acute algae toxicity	ErC50 ca. 22000 mg/l	96 Pseudokirchn h eriella subcapitata	Ecotoxicol ogy and Environmen tal Safety 7	OECD Guideline 201			
	Acute crustacea toxicity	EC50 > 10000 mg/l	48 Daphnia h magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11			
	Algae toxicity	NOEC 5400 mg/l	5 d Skeletonema costatum	Environ Toxicol Chem 8(5):451-4 55. (1989	Study to determine the sensitivit y of a			
	Crustacea toxicity	NOEC 2 mg/l	10 Ceriodaphnia d dubia	Arch Environ Contam Toxicol 20(2):211- 21	Follows the basic methodolog y for the th			

# 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77

# **BCF**

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative
				Biochemi

# 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.





according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 12 of 15

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains.

Dispose of waste according to applicable legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

Land	transport (ADR/RI	D)
------	-------------------	----

**14.1. UN number or ID** UN 1993

number:

14.2. UN proper FLAMMABLE LIQUID, N.O.S. (ethanol)

shipping name:

14.3. Transport hazard 3

class(es):

14.4. Packing group:IIHazard label:3Classification code:F1

Special Provisions: 274 601 640D

Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction D/F

code:

Inland waterways transport (ADN)

**14.1. UN number or ID** UN 1993

number:

14.2. UN proper FLAMMABLE LIQUID, N.O.S. (ethanol)

shipping name:

14.3. Transport hazard 3

class(es):



according to Regulation (EC) No 1907/2006

2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 13 of 15

14.4. Packing group:IIHazard label:3Classification code:F1

Special Provisions: 274 601 640D

Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

**14.1. UN number or ID** UN 1993

number:

14.2. UN proper FLAMMABLE LIQUID, N.O.S. (ethanol)

shipping name:

14.3. Transport hazard 3

class(es):

14.4. Packing group:IIHazard label:3Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-E. S-E

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID** UN 1993

number:

14.2. UN proper FLAMMABLE LIQUID, N.O.S. (ethanol)

shipping name:

14.3. Transport hazard 3

class(es):

14.4. Packing group:IIHazard label:3Special Provisions:A3Limited quantity1 L

Passenger:

Passenger LQ: Y341 Excepted quantity: E2

IATA-packing instructions - 353

Passenger:

IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY No

HAZARDOUS:

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific

for the substance or mixture

**EU regulatory information** 



according to Regulation (EC) No 1907/2006

# 2,3-Dimercaptopropanollösung 10% in Ethanol

Revision date: 27.05.2024 Product code: 32840 Page 14 of 15

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40 Information according to Directive 2012/18/EU

P5c FLAMMABLE LIQUIDS

(SEVESO III):

**National regulatory information** 

Employment Observe restrictions to employment for restrictions: juveniles according to the 'juvenile work

protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been

carried out.

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9,12.

# Abbreviations and acronyms Flam. Liq: Flammable liquid

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

ADR: Accord européen sur le transport des marchandises dangereuses

par Route

(European Agreement concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of

Chemicals

EINECS: European Inventory of Existing Commercial Chemical

Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1A; H317	Calculation method

#### Relevant H and EUH statements (number and full text)



according to Regulation (EC) No 1907/2006

#### 2,3-Dimercaptopropanollösung 10% in Ethanol Revision date: 27.05.2024 Product code: 32840 Page 15 of 15 H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. Harmful if swallowed. H302 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

#### **Further Information**

Provide appropriate information, instructions and training to users The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)