

according to Regulation (EC) No 1907/2006

| Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60 µg HF/l) | | | | | | |
|--|---|--|--------------|--|--|--|
| Revision date: 29.08.2023 | Product code: 3290 |)7 | Page 1 of 10 | | | |
| SECTION 1: Identification of the | substance/mixture and of the com | ipany/undertaking | | | | |
| <u>1.1. Product identifier</u> Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60 μg HF/l) | | | | | | |
| 1.2. Relevant identified uses of the | substance or mixture and uses advise | ed against | | | | |
| Use of the substance/mixture | | | | | | |
| Laboratory chemicals Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen) | | | | | | |
| Uses advised against | | | | | | |
| Do not use for private purpose | s (household). | | | | | |
| 1.3. Details of the supplier of the sa | fety data sheet | | | | | |
| Company name: | AnalytiChem GmbH | | | | | |
| Street: | Stempelstraße 6 | | | | | |
| Place: | D-47167 Duisburg | | | | | |
| Telephone: | 0203/5194-0 | Telefax:0203/5194-290 | | | | |
| E-mail: | info@analytichem.de | | | | | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 | | | | |
| E-mail: Internet: | produktsicherheit@analytichem.de | | | | | |
| Responsible Department: | www.analytichem.de Abteilung Produktsicherheit | | | | | |
| · · | v | erve Caadal Incidents Chill I ack Fins | | | | |
| <u>1.4. Emergency telephone</u> number: | Exposure, or Accident Call CHEMT | rous Goods] Incidents Spill, Leak, Fire, REC Day or Night Within USA and Canada Canada: +1 703-741-5970 (collect calls | : | | | |
| Further Information This product is a mixture. REACH Registration Number see section 3. | | | | | | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

| Regulation (EC) No 1 | 272/2008 |
|----------------------|----------|
| Signal word: | Warning |
| Pictograms: | |

Hazard statements

H290

May be corrosive to metals.

uti Pre

| recautionary statements | | | | | |
|--|--|--|--|--|--|
| Keep only in original packaging. | | | | | |
| Absorb spillage to prevent material damage. | | | | | |
| Store in a corrosion-resistant container with a resistant inner liner. | | | | | |
| | | | | | |



Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60

µg HF/I)

Revision date: 29.08.2023

Product code: 32907

Page 2 of 10

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Hazardous components

| CAS No | Chemical name | | | Quantity | | |
|-------------------------------------|---|--|--|----------|--|--|
| | EC No Index No REACH No | | | | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | | |
| 7647-01-0 | Hydrochloric acid | | | | | |
| | 231-595-7 017-002-01-X 01-2119484862-27 | | | | | |
| Skin Corr. 1B, STOT SE 3; H314 H335 | | | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | | |
|-----------|--|-----------------------------|-----------|--|--|--|
| | Specific Conc. | . Limits, M-factors and ATE | | | | |
| 7647-01-0 | 231-595-7 | Hydrochloric acid | 1 - < 5 % | | | |
| | Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 | | | | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed



Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60

µg HF/l)

Revision date: 29.08.2023

Product code: 32907

Page 3 of 10

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated:

Hydrogen chloride (HCI)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60

according to Regulation (EC) No 1907/2006

µg HF/I)

Revision date: 29.08.2023

Product code: 32907

Page 4 of 10

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|-----------|-------------------|-----|-------|---------|---------------|--------|
| 7647-01-0 | Hydrogen chloride | 5 | 8 | | TWA (8 h) | |
| | | 10 | 15 | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | | | | |
|--------------|---------------------------|----------------|--------|----------|--|
| DNEL type | | Exposure route | Effect | Value | |
| 7647-01-0 | 47-01-0 Hydrochloric acid | | | | |
| Worker DNEL, | long-term | inhalation | local | 8 mg/m³ | |
| Worker DNEL, | acute | inhalation | local | 15 mg/m³ | |
| Consumer DNE | EL, long-term | inhalation | local | 8 mg/m³ | |
| Consumer DNE | EL, acute | inhalation | local | 15 mg/m³ | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection

equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.



Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60

µg HF/I)

Revision date: 29.08.2023

Product code: 32907

Page 5 of 10

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid | |
|--|-----------|-------------------|
| Colour: | clear | |
| Odour: | odourless | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and | | No data available |
| boiling range: | | |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | acidic |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | |
| No data available | | |



| Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60 | | | | | |
|--|---------------------|--------------|--|--|--|
| μg HF/I) | | | | | |
| Revision date: 29.08.2023 | Product code: 32907 | Page 6 of 10 | | | |
| Partition coefficient n-octanol/water: | No data available | | | | |
| Vapour pressure: | No data available | | | | |
| Vapour pressure: | No data available | | | | |
| Density: | No data available | | | | |
| Bulk density: | No data available | | | | |
| Relative vapour density: | No data available | | | | |
| 9.2. Other information | | | | | |
| Information with regard to physical hazard classe | es | | | | |
| Explosive properties | | | | | |
| No data available | | | | | |
| Sustaining combustion: | No data available | | | | |
| Self-ignition temperature | | | | | |
| Solid: | No data available | | | | |
| Gas: | No data available | | | | |
| Oxidizing properties | | | | | |
| Oxidizing | | | | | |
| Other safety characteristics | | | | | |
| Evaporation rate: | No data available | | | | |
| Solvent separation test: | No data available | | | | |
| Solvent content: | 0 | | | | |
| Solid content: | 0 | | | | |
| Sublimation point: | No data available | | | | |
| Softening point: | No data available | | | | |
| Pour point: | No data available | | | | |
| No data available: | | | | | |
| Viscosity / dynamic: | No data available | | | | |
| Flow time: | No data available | | | | |
| Further Information | | | | | |
| | | | | | |

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information



| an analyti chem brana | according to Regulation (EC) No 1907/2006 | |
|---|---|------------------|
| Multielement-Standardlösu | ng 3 Elemente je 10 mg/l in Salzsäure 2 % mit S µg HF/l) | puren HF (ca. 60 |
| Revision date: 29.08.2023 | Product code: 32907 | Page 7 of 10 |
| 11.1. Information on hazard classes as de | fined in Regulation (EC) No 1272/2008 | |
| Toxicocinetics, metabolism and distrib There are no data available on the p | | |
| Acute toxicity Based on available data, the classific | cation criteria are not met. | |
| ATEmix calculated ATE (oral) > 2000 mg/kg; ATE (derm dust/mist) > 5 mg/l | nal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (| (inhalation |
| Irritation and corrosivity Based on available data, the classific | cation criteria are not met. | |
| Sensitising effects Based on available data, the classific | cation criteria are not met. | |
| Carcinogenic/mutagenic/toxic effects f Based on available data, the classific | - | |
| STOT-single exposure Based on available data, the classific | cation criteria are not met. | |
| STOT-repeated exposure Based on available data, the classific Aspiration hazard Based on available data, the classific | | |
| Specific effects in experiment on an ar There are no data available on the p | | |
| Additional information on tests There are no data available on the pr | reparation/mixture itself. | |
| Practical experience There are no data available on the p | reparation/mixture itself. | |
| 11.2. Information on other hazards | | |
| Other information There are no data available on the p | reparation/mixture itself. | |
| Further information There are no data available on the p | reparation/mixture itself. | |
| SECTION 12: Ecological information | | |
| 12.1. Toxicity | | |
| There are no data available on the m | ixture itself. | |
| CAS No Chemical name | | |

| CAS No | Chemical name | | | | | | |
|-----------|---------------------|------|----------|-----------|----------------|--------|--------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 7647-01-0 | Hydrochloric acid | | | | | | |
| | Acute fish toxicity | LC50 | 862 mg/l | 96 h | Leuciscus idus | | |

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment



Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60

µg HF/I)

Page 8 of 10

Revision date: 29.08.2023

Product code: 32907

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| 14.1. UN number or ID number: | UN 1789 |
|--------------------------------------|-------------------|
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 520 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Transport category: | 3 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |
| Inland waterways transport (ADN) | |
| <u>14.1. UN number or ID number:</u> | UN 1789 |
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 520 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| Marine transport (IMDG) | |
| 14.1. UN number or ID number: | UN 1789 |
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | 111 |
| Hazard label: | 8 |
| Special Provisions: | 223 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| | |



Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60

according to Regulation (EC) No 1907/2006

| μg HF/I) | | | | |
|--|---------------------|--------------|--|--|
| Revision date: 29.08.2023 | Product code: 32907 | Page 9 of 10 | | |
| EmS: | F-A, S-B | | | |
| Air transport (ICAO-TI/IATA-DGR) | | | | |
| 14.1. UN number or ID number: | UN 1789 | | | |
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID | | | |
| 14.3. Transport hazard class(es): | 8 | | | |
| 14.4. Packing group: | III | | | |
| Hazard label: | 8 | | | |
| Special Provisions: | A3 A803 | | | |
| Limited quantity Passenger: | 1 L | | | |
| Passenger LQ: | Y841 | | | |
| Excepted quantity: | E1 | | | |
| IATA-packing instructions - Passenger: | 852 | | | |
| IATA-max. quantity - Passenger: | 5 L | | | |
| IATA-packing instructions - Cargo: | 856 | | | |
| IATA-max. quantity - Cargo: | 60 L | | | |
| 14.5. Environmental hazards | | | | |
| ENVIRONMENTALLY HAZARDOUS: | No | | | |
| SECTION 15: Regulatory information | | | | |

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

| | Restrictions on use (REACH, annex XVII): | | |
|---|---|--|--|
| | Entry 75 | | |
| | Information according to 2012/18/EU (SEVESO III): | Not subject to 2012/18/EU (SEVESO III) | |
| Marketing and use of explosives precursors (Regulation (EU) 2019/1148): This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant | | | |
| | | | |
| | disappearances and thefts should be re | disappearances and thefts should be reported to the relevant national contact point. | |
| | National regulatory information | | |
| | Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juvenile | |
| | | | |

- - non-hazardous to water

work protection guideline' (94/33/EC).

Water hazard class (D):

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion

STOT SE: Specific target organ toxicity - single exposure

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure | |
|---|--------------------------|--|
| Met. Corr. 1; H290 | On basis of test data | |
| Relevant H and FLIH statements (number and full text) | | |

Relevant H and EUH statements (number and full text)

| H290 | May be corrosive to metals. |
|------|--|
| H314 | Causes severe skin burns and eye damage. |
| H335 | May cause respiratory irritation. |



Multielement-Standardlösung 3 Elemente je 10 mg/l in Salzsäure 2 % mit Spuren HF (ca. 60

µg HF/l)

Revision date: 29.08.2023

Product code: 32907

Page 10 of 10

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)