

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision date: 01.08.2024

Product code: 32968

Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

UFI:

SF9X-G23K-000A-SPU5

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	AnalytiChem GmbH			
	ACD				
Street:	Stempelstraße 6				
Place:	D-47167 Duisburg				
Telephone:	0203/5194-0	Telefax: 0203/5194-290			
E-mail:	info@analytichem.de				
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117			
E-mail:	produktsicherheit@analytichem.de				
Internet:	www.analytichem.de				
Responsible Department:	Abteilung Produktsicherheit				
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,			
number:	•	REC Day or Night Within USA and Canada: Canada: +1 703-741-5970 (collect calls			

**Further Information** 

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

Regulation (EC) No 1272/2008 Hazard components for labelling nitric acid Signal word: Danger

**Pictograms:** 



Hazard statements H290

May be corrosive to metals.



Multie	element-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %	
Revision date: 01.08.2024	Product code: 32968	Page 2 of 12
H314	Causes severe skin burns and eye damage.	
Precautionary statemen	ts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	

Corrosive to the respiratory tract.

## 2.3. Other hazards

EUH071

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

## **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation			
7697-37-2	nitric acid			5 - < 10 %
	231-714-2	231-714-2 007-030-00-3 01-2119487297-23		
	Ox. Liq. 3, Met. Corr. 1, A			
7761-88-8	silver nitrate			< 0.001 %
	231-853-9			
	Ox. Sol. 2, Met. Corr. 1, S H290 H314 H318 H400 H			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
7697-37-2	231-714-2	231-714-2 nitric acid				
		: 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20				
7761-88-8	231-853-9	silver nitrate	< 0.001 %			
dermal: LD50 = > 348 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1000 Aquatic Chronic 1; H410: M=100						

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection!



## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision date: 01.08.2024

Product code: 32968

Page 3 of 12

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures



# Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision date: 01.08.2024

Product code: 32968

Page 4 of 12

## **General advice**

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities



## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision	date:	01	.08.2024
----------	-------	----	----------

Product code: 32968

Page 5 of 12

## Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

## Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

## **DNEL/DMEL** values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
7761-88-8	8 silver nitrate				
Consumer DNEL, long-term		oral		0,02 mg/kg bw/day	
Worker DNEL, long-term		inhalation	systemic	0,016 mg/m³	
Consumer DNEL, long-term		inhalation	systemic	0,006 mg/m³	

## **PNEC** values

CAS No	Substance		
Environmental	compartment	Value	
7761-88-8 silver nitrate			
Freshwater 0,0000		0,00004 mg/l	
Marine water		0,00086 mg/l	
Freshwater sediment		438,13 mg/kg	
Marine sediment		438,13 mg/kg	
Micro-organisms in sewage treatment plants (STP)		0,025 mg/l	
Soil		1,41 mg/kg	

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Wear eye/face protection.

## Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision date: 01.08.2024

Product code: 32968

Page 6 of 12

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Environmental exposure controls

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	Liquid colourless like: Nitric acid No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range: Flammability: Lower explosion limits:		No data available No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		0
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure: Vapour pressure:		No data available No data available
vapour pressure.		



Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %				
Revision date: 01.08.2024	Product code: 32968	Page 7 of 12		
Density:	No data available			
Relative density:	No data available			
Bulk density:	No data available			
Relative vapour density:	No data available			
Particle characteristics:	No data available			
9.2. Other information				
Information with regard to physical hazard classe	95			
Explosive properties				
No data available				
Sustaining combustion:	No data available			
Self-ignition temperature				
Solid:	No data available			
Gas:	No data available			
Oxidizing properties				
Oxidizing				
Other safety characteristics				
Evaporation rate:	No data available			
Solvent separation test:	No data available			
Solvent content:	0			
Solid content:	0			
Sublimation point:	No data available			
Softening point:	No data available			
Pour point:	No data available			
No data available:				
Viscosity / dynamic:	No data available			
Flow time:	No data available			
Further Information				

Corrosive to metals.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals. Oxidising agent

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

#### Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

## 10.4. Conditions to avoid

No data available

## 10.5. Incompatible materials

Cellulose Metal The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures



## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision date: 01.08.2024

Product code: 32968

Page 8 of 12

## **Further information**

No data available

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7697-37-2	nitric acid					
	inhalation vapour	ATE 2,65 mg	ı/I			
7761-88-8	silver nitrate					
	oral	LD50 > mg/kg	> 2000	Rat	Study report (1993)	OECD Guideline 401
	dermal	LD50 > mg/kg	> 348	Guinea pig	J. Vet. Med. Sci.73: 1417 - 1423. (2011)	OECD Guideline 434

## Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage. Corrosive to the respiratory tract. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema see also Section 4 Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

## Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.



## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision da	te: 01.08.2024
-------------	----------------

Product code: 32968

Page 9 of 12

## **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

## Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

## Other information

There are no data available on the preparation/mixture itself.

## Further information

There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7697-37-2	nitric acid							
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26	
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical	
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso	
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209	
7761-88-8	silver nitrate							
	Acute fish toxicity	LC50 mg/l	0,0012	96 h	Pimephales promelas	Environmental Toxicology and Chemistry.	A guideline was not specified. The test	
	Acute algae toxicity	ErC50 mg/l	0,0099	96 h	Pseudokirchneriella subcapitata	Environmental Science and Technology. 44	eline: U.S. Environmental Protection Age	
	Acute crustacea toxicity	EC50 mg/l	0,00022	48 h	Daphnia magna	Environmental Toxicology and Chemistry.	The protective effect of reactive sulphi	
	Fish toxicity	NOEC 0,00125 r	> ng/l	73 d	Oncorhynchus mykiss	Environmental Toxicology and Chemistry 2	other: ASTM 1241-98	
	Algae toxicity	NOEC mg/l	0,0012	14 d	Champia parvula	in Bishop WE, Cardwell RD Heidolph BB (E	The toxicity tests lasted 11 days for th	
	Crustacea toxicity	NOEC mg/l	0,00031	20 d	Isonychia bicolour	Environmental Toxicology and Chemistry.	20 day sublethal effects on representati	

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision date: 01.08.2024

Product code: 32968

Page 10 of 12

	-
вι.	-
	•

CAS No	Chemical name	BCF	Species	Source
7761-88-8	silver nitrate	70	Cyprinus carpio	Water, Air and Soil

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### Further information

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

,	
<u>14.1. UN number or ID number:</u>	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID



## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision date: 01.08.2024	Product co	ode: 32968	Page 11 of 12
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Special Provisions:	-		
Limited quantity:	1 L		
Excepted quantity:	E2		
EmS:	F-A, S-B		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number or ID number:</u>	UN 2031		
14.2. UN proper shipping name:	NITRIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	II		
Hazard label:	8		
Special Provisions:	A212		
Limited quantity Passenger:	Forbidden		
Passenger LQ:	Forbidden		
Excepted quantity:	E0		
IATA-packing instructions - Passenger:		Forbidden	
IATA-max. quantity - Passenger:		Forbidden	
IATA-packing instructions - Cargo:		855	
IATA-max. quantity - Cargo:		30 L	

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,12.

## Abbreviations and acronyms

Ox. Liq: Oxidising liquid Ox. Sol: Oxidising solid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung 20 Elemente je 1 mg/l in Salpetersäure 5 %

Revision date: 01.08.2024

Product code: 32968

Page 12 of 12

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)