

according to Regulation (EC) No 1907/2006

Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 1 of 13

AnalytiChem GmbH

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Methanol 90 % (V/V) zur Analyse

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| Company name: | AnalytiChem GmbH | |
|--------------------------|------------------------------------|---|
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |
| 1.4. Emergency telephone | For Hazardous Materials [or Danger | ous Goods] Incidents Spill, Leak, Fire, |
| number: | Exposure, or Accident Call CHEMT | REC Day or Night Within USA and Canada: |
| | 1-800-424-9300 Outside USA and C | Canada: +1 703-741-5970 (collect calls |

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 STOT SE 1; H370

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

| Hazard components | for labelling |
|-------------------|---------------|
| methanol | |

Signal word: Pictograms: Danger



Hazard statements

H225

Highly flammable liquid and vapour.



| Revision date: 22.05.2023 | Methanol 90 % (V/V) zur Analyse Product code: 33021 | Page 2 of 13 | | | | |
|---------------------------|--|--------------|--|--|--|--|
| H301+H311+H331 | Toxic if swallowed, in contact with skin or if inhaled. | | | | | |
| H370 | Causes damage to organs (eyes, central nervous system). | | | | | |
| Precautionary statemer | Precautionary statements | | | | | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | | | | | |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. | | | | | |
| P308+P311 | IF exposed or concerned: Call a POISON CENTER/doctor. | | | | | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | | | | | |

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | | |
|---------|---|--|--|--|--|
| | EC No Index No REACH No | | | | |
| | Classification (Regulation (EC) No 1272/2008) | | | | |
| 67-56-1 | methanol | | | | |
| | 200-659-6 603-001-00-X 01-2119433307-44 | | | | |
| | Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | |
|---------|------------------|---|-------------|--|
| | Specific Conc. L | ific Conc. Limits, M-factors and ATE | | |
| 67-56-1 | 200-659-6 | methanol | 85 - < 90 % | |
| | | 0 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ‹g; oral: LD50 = 6000 mg/kg_STOT SE 1; H370: >= 10 - 100_STOT SE 2; I0 | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation Provide fresh air.

> If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.



Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 3 of 13

After ingestion

Provide fresh air. Call a physician immediately. Notes for the doctor : Methanol

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Dizziness Dizziness, Anaesthetic state Agitation, Spasms Inebriation, Vomiting Headache, Impairment of vision Repeated exposure may cause skin dryness or cracking.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids Highly flammable. Hazardous combustion products In case of fire may be liberated: Carbon dioxide, Carbon monoxide Vapours are heavier than air, spread along floors and form explosive mixtures with air. Beware of reignition. Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear full chemical protective clothing. In case of fire and/or explosion do not breathe fumes.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures



Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 4 of 13

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep



according to Regulation (EC) No 1907/2006

Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 5 of 13

away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|---------|----------------|-----|-------|---------|-----------|--------|
| 67-56-1 | Methyl alcohol | 200 | 260 | | TWA (8 h) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|---------|-----------|-----------|---------|---------------|---------------|
| 67-56-1 | Methanol | Methanol | 15 mg/L | Urine | End of shift |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------|---------------|----------------|----------|-----------------|--|--|
| DNEL type | • | Exposure route | Effect | Value | | |
| 67-56-1 | methanol | | | | | |
| Consumer DN | EL, acute | inhalation | systemic | 50 mg/m³ | | |
| Worker DNEL, | long-term | inhalation | systemic | 260 mg/m³ | | |
| Worker DNEL, | acute | inhalation | systemic | 260 mg/m³ | | |
| Worker DNEL, | long-term | inhalation | local | 260 mg/m³ | | |
| Worker DNEL, | acute | inhalation | local | 260 mg/m³ | | |
| Worker DNEL, | long-term | dermal | systemic | 40 mg/kg bw/day | | |
| Worker DNEL, | acute | dermal | systemic | 40 mg/kg bw/day | | |
| Consumer DN | EL, long-term | inhalation | systemic | 50 mg/m³ | | |
| Consumer DN | EL, long-term | inhalation | local | 50 mg/m³ | | |
| Consumer DN | EL, acute | inhalation | local | 50 mg/m³ | | |
| Consumer DN | EL, long-term | dermal | systemic | 8 mg/kg bw/day | | |
| Consumer DN | EL, acute | dermal | systemic | 8 mg/kg bw/day | | |
| Consumer DN | EL, long-term | oral | systemic | 8 mg/kg bw/day | | |
| Consumer DN | EL, acute | oral | systemic | 8 mg/kg bw/day | | |



according to Regulation (EC) No 1907/2006

Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 6 of 13

PNEC values

| CAS No | Substance | | | | |
|---|---------------------------------|-----------|--|--|--|
| Environmen | Environmental compartment Value | | | | |
| 67-56-1 | methanol | | | | |
| Freshwater | | 20,8 mg/l | | | |
| Freshwater (intermittent releases) 1540 mg/l | | | | | |
| Marine water 2,08 mg/l | | | | | |
| Freshwater sediment 77 mg/kg | | | | | |
| Marine sediment 7,7 n | | | | | |
| Micro-organisms in sewage treatment plants (STP) 10 | | | | | |
| Soil 100 mg/kg | | | | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):


By long-term hand contact Trade name/designation: KCL 897 Butoject® Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 890 Vitoject® Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 145 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing Take off immediately all contaminated clothing and wash it before reuse. Wear fire resistant or flame retardant clothing. Wash hands and face before breaks and after work and take a shower if necessary.





according to Regulation (EC) No 1907/2006

Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 7 of 13

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation Filtering device with filter or ventilator filtering device of type: AX

Environmental exposure controls

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| <u>5.1. Information on basic physical and t</u> | | |
|---|-------------------------------------|-----------------------|
| Physical state: | Liquid colourless | |
| Colour: | | |
| Odour: Odour threshold: | characteristic No data available | |
| | No data avaliable | Ne dete eveileble |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and | | ~65 °C |
| boiling range: Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| | | |
| Upper explosion limits: | | No data available |
| Flash point: | | ~10 °C |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | not determined |
| pH-Value: | | No data available |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | very soluble |
| Solubility in other solvents | | |
| not determined | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density (at 20 °C): | | 0,8257 g/cm³ |
| Relative density: | | No data available |
| Bulk density: | | not determined |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |
| 9.2. Other information | | |
| Information with regard to physical | hazard classes | |
| Explosive properties | | |
| Vapours can form explosive mixtu | res with air. | |
| Sustaining combustion: | | Sustaining combustion |
| Self-ignition temperature | | |
| Solid: | | not applicable |
| Gas: | | not applicable |
| Oxidizing properties | | |
| and the second second | | |

No data available

not determined

Evaporation rate:

Other safety characteristics



according to Regulation (EC) No 1907/2006

| Methanol 90 % (V/V) zur Analyse | | | | | |
|------------------------------------|---------------------|--------------|--|--|--|
| Revision date: 22.05.2023 | Product code: 33021 | Page 8 of 13 | | | |
| Solvent separation test: | No data available | | | | |
| Solvent content: | No data available | | | | |
| Solid content: | No data available | | | | |
| Sublimation point: | No data available | | | | |
| Softening point: | No data available | | | | |
| Pour point: | No data available | | | | |
| No data available: | | | | | |
| Viscosity / dynamic: (at 20 °C) | No data available | | | | |
| Flow time: | No data available | | | | |
| Further Information | | | | | |
| Na data available | | | | | |

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

Vapours can form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent, Nitrogen oxides (NOx), Potassium chlorate, peroxides, for example hydrogen peroxide, Nitric acid, sulphuric acid, Acid halogen, Acetic anhydride, Maleic anhydride, Reducing agent, Acid, Bromine, Chlorine, Chloroform, Fluorine, Alkali metals, Alkaline earth metal;

10.4. Conditions to avoid

Vapours can form explosive mixtures with air. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Plastic articles

Zinc

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled. Irritation to respiratory tract

ATEmix calculated

ATE (oral) 113,6 mg/kg; ATE (dermal) 340,9 mg/kg; ATE (inhalation vapour) 3,410 mg/l; ATE (inhalation dust/mist) 0,5680 mg/l



according to Regulation (EC) No 1907/2006

Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 9 of 13

| CAS No | Chemical name | | | | | | |
|---------|-------------------------|---------------|----------|---------|---|--|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 67-56-1 | methanol | | | | | | |
| | oral | LD50 mg/kg | 6000 | Monkey | Amer J Ophthalmol 40: 76-83 (cited in DG | Determination of the acute toxicity of t | |
| | dermal | ATE mg/kg | 300 | | | | |
| | inhalation (4 h) vapour | LC50 mg/l | 128,2 | Rat | Study report (1980) | Study performed according to internal co | |
| | inhalation dust/mist | ATE | 0,5 mg/l | | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met. Has degreasing effect on the skin.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (methanol) eyes, central nervous system

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

Irritation to respiratory tract Repeated exposure may cause skin dryness or cracking. Causes damage to organs. Organs affected: Liver and kidney damage eyes heart

Further information

Irritant, Dizziness, Dizziness, Anaesthetic state, Agitation, Spasms, Inebriation, Vomiting, Headache, Impairment of vision

Repeated exposure may cause skin dryness or cracking.



according to Regulation (EC) No 1907/2006

Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 10 of 13

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | |
|---------|--------------------------|---------------------|----------|-----------|------------------------------------|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 67-56-1 | methanol | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 15400 | 96 h | Lepomis macrochirus | Bulletin of Environmental Contamination | other: EPA-660/3-75-00 9, 1975 |
| | Acute algae toxicity | ErC50 22000 mg/l | ca. | | Pseudokirchneriella subcapitata | Ecotoxicology and Environmental Safety 7 | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | > 10000 | 48 h | Daphnia magna | Water Research 23(4): 495-499 (1989) | other: DIN 38412 Teil 11 |
| | Fish toxicity | NOEC mg/l | 446,7 | 28 d | Pimephales promelas | SAR and QSAR in Environmental Research, | Calculation performed with ECOSAR |
| | Crustacea toxicity | NOEC | 208 mg/l | 21 d | Daphnia magna | OECD QSAR Toolbox Report (2013) | Toxicity of the target chemical is predi |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| BCE | | |
|---------|---------------|---------|
| 67-56-1 | methanol | -0,77 |
| CAS No | Chemical name | Log Pow |

| В | |
|---|--|
| _ | |

| CAS No | Chemical name | BCF | Species | Source |
|---------|---------------|-----|-----------------|----------------------|
| 67-56-1 | methanol | 1 | Cyprinus carpio | Comparative Biochemi |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.



Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 11 of 13

Send to a physico-chemical treatment facility under observation of official regulations. Do not allow to enter into surface water or drains.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| <u>14.1. UN number or ID number:</u> | UN 1230 |
|---|--|
| 14.2. UN proper shipping name: | METHANOL |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | I |
| Hazard label: | 3+6.1 |
| Classification code: | FT1 |
| - | |
| Special Provisions: | 279 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 336 |
| Tunnel restriction code: | D/E |
| Inland waterways transport (ADN) | |
| 14.1. UN number or ID number: | UN 1230 |
| 14.2. UN proper shipping name: | METHANOL |
| 14.3. Transport hazard class(es): | 3 |
| 14.4. Packing group: | II |
| Hazard label: | 3+6.1 |
| Classification code: | FT1 |
| Special Provisions: | 279 802 |
| Limited quantity: | 1 L |
| · · | |
| Excepted quantity: | E2 |
| | |
| Marine transport (IMDG) | |
| Marine transport (IMDG) <u>14.1. UN number or ID number:</u> | UN 1230 |
| | UN 1230 METHANOL |
| <u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name: | |
| <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> | METHANOL |
| <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> | METHANOL 3 II |
| 14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Hazard label: | METHANOL 3 II 3+6.1 |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions: | METHANOL 3 II 3+6.1 279 |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity: | METHANOL 3 II 3+6.1 279 1 L |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity: | METHANOL 3 II 3+6.1 279 1 L E2 |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS: | METHANOL 3 II 3+6.1 279 1 L |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR) | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number: | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name: | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 METHANOL |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es): | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name: | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 METHANOL |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es): | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 METHANOL 3 |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group: | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 METHANOL 3 II |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions: | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 METHANOL 3 II 3+6.1 |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity Passenger: | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 METHANOL 3 II 3+6.1 A113 1 L |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity Passenger:Passenger LQ: | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 METHANOL 3 II 3+6.1 A113 1 L Y341 |
| 14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity:Excepted quantity:EmS:Air transport (ICAO-TI/IATA-DGR)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity Passenger: | METHANOL 3 II 3+6.1 279 1 L E2 F-E, S-D UN 1230 METHANOL 3 II 3+6.1 A113 1 L |

352



according to Regulation (EC) No 1907/2006

| | | Methanol 90 % (V/V) zur Analyse | | | | |
|--|---|---------------------------------|--|--|--|--|
| Revision date: 22.05.2023 | Product code: 33021 | Page 12 of 13 | | | | |
| IATA-max. quantity - Passenger: | 1L | | | | | |
| IATA-packing instructions - Cargo: | 364 | | | | | |
| IATA-max. quantity - Cargo: | 60 L | | | | | |
| 14.5. Environmental hazards | | | | | | |
| ENVIRONMENTALLY HAZARDOUS: | No | | | | | |
| 14.6. Special precautions for user Warning: Combustible liquid. Toxic. | | | | | | |
| 14.7. Maritime transport in bulk according to | IMO instruments | | | | | |
| not applicable | | | | | | |
| SECTION 15: Regulatory information | | | | | | |
| SECTION 15: Regulatory information | | | | | | |
| | | | | | | |
| | ations/legislation specific for the substance or mixture | | | | | |
| 15.1. Safety, health and environmental regul EU regulatory information | ations/legislation specific for the substance or mixture | | | | | |
| 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): | ations/legislation specific for the substance or mixture | | | | | |
| 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69 | | | | | | |
| 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69 Information according to 2012/18/EU | ations/legislation specific for the substance or mixture 22 Methanol (67-56-1) | | | | | |
| 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69 | 22 Methanol (67-56-1) | | | | | |
| 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69 Information according to 2012/18/EU (SEVESO III): | | | | | | |
| 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69 Information according to 2012/18/EU (SEVESO III): Additional information: | 22 Methanol (67-56-1) | | | | | |
| 15.1. Safety, health and environmental regul EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69 Information according to 2012/18/EU (SEVESO III): Additional information: National regulatory information | 22 Methanol (67-56-1) H2, P5c Observe restrictions to employment for juveniles according to the 'juven work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or | | | | | |

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,11,12,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Flam. Liq: Flammable liquid Acute Tox: Acute toxicity STOT SE: Specific target organ toxicity - single exposure



according to Regulation (EC) No 1907/2006

Methanol 90 % (V/V) zur Analyse

Revision date: 22.05.2023

Product code: 33021

Page 13 of 13

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Acute Tox. 3; H301 | Calculation method |
| Acute Tox. 3; H311 | Calculation method |
| Acute Tox. 3; H331 | Calculation method |
| STOT SE 1; H370 | Calculation method |

Relevant H and EUH statements (number and full text)

| H225 | Highly flammable liquid and vapour. |
|----------------------|---|
| H301 | Toxic if swallowed. |
| H301+H311+H331 | Toxic if swallowed, in contact with skin or if inhaled. |
| H311 | Toxic in contact with skin. |
| H331 | Toxic if inhaled. |
| H370 | Causes damage to organs (eyes, central nervous system). |
| H370 | Causes damage to organs. |
| H311 H331 H370 | Toxic in contact with skin. Toxic if inhaled. Causes damage to organs (eyes, central nervous system). |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)