

Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Muta. 1B; H340 Carc. 1A; H350 STOT RE 2; H373 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

nitric acid arsenic acid and it salts with the exception of those specified elsewhere in this Annex nickel dinitrate cadmium nitrate; cadmium dinitrate mercury nitrate monohydrate



according to Regulation (EC) No 1907/2006

Multielen Revision date: 23.11.2023	nent-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l Product code: 33044	Page 2 of 17
Revision date. 23.11.2023		Page 2 of 17
Signal word:	Danger	
Pictograms:		
Hazard statements	• • •	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H332	Harmful if inhaled.	
H340	May cause genetic defects.	
H350	May cause cancer.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statemen	nts	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
Special labelling of cert	ain mixtures	
EUH071	Corrosive to the respiratory tract.	
	Restricted to professional users.	
2.3. Other hazards		
No data availabla		

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 3 of 17

Relevant ingredients

CAS No	Chemical name	Quantity			
	EC No	Index No	REACH No		
	Classification (Regulation (EC)	No 1272/2008)	·		
7697-37-2	nitric acid			10 - < 15 %	
	231-714-2	007-030-00-3	01-2119487297-23		
	Ox. Liq. 3, Met. Corr. 1, Acute	Tox. 3, Skin Corr. 1A; H272 H	290 H331 H314 EUH071		
10031-43-3	Copper(II) nitrate trihydrate			< 1 %	
			01-2119969290-34		
	Ox. Sol. 2, Acute Tox. 4, Skin I H315 H319 H400 H410	rrit. 2, Eye Irrit. 2, Aquatic Acu	te 1, Aquatic Chronic 1; H272 H302		
-	arsenic acid and it salts with th	e exception of those specified	elsewhere in this Annex	< 1 %	
	-	033-005-00-1			
	Carc. 1A, Acute Tox. 3, Acute ⁻ H410	Fox. 3, Aquatic Acute 1, Aqua	ic Chronic 1; H350 H331 H301 H400		
13138-45-9	nickel dinitrate	< 1 %			
	236-068-5	028-012-00-1	01-2119492333-38		
	Ox. Sol. 2, Carc. 1A, Muta. 2, F Resp. Sens. 1, Skin Sens. 1, S H360D H332 H302 H315 H318				
10325-94-7	cadmium nitrate; cadmium dini	< 1 %			
	233-710-6	048-014-00-6			
	Carc. 1B, Muta. 1B, Repr. 1B, A Acute 1, Aquatic Chronic 1; H3				
7783-34-8	mercury nitrate monohydrate			< 1 %	
	233-152-3	080-002-00-6			
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410				
10099-74-8	lead dinitrate			< 1 %	
	233-245-9	082-001-00-6			
	Repr. 1A, Acute Tox. 4, Acute 1; H360Df H332 H302 H318 H				

Full text of H and EUH statements: see section 16.



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 4 of 17

CAS No	IC. Limits, M-fac	Chemical name	Quantity
CASINO		Limits, M-factors and ATE	Quantity
7697-37-2	231-714-2	nitric acid	10 - < 15 %
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20	
10031-43-3		Copper(II) nitrate trihydrate	< 1 %
	oral: ATE = 50	o mg/kg	
-	-	arsenic acid and it salts with the exception of those specified elsewhere in this Annex	< 1 %
	inhalation: ATE mg/kg	= 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: ATE = 100	
13138-45-9	236-068-5	nickel dinitrate	< 1 %
	361,9 mg/kg S	•	
10325-94-7	233-710-6	cadmium nitrate; cadmium dinitrate	< 1 %
		= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = al: ATE = 500 mg/kg	
7783-34-8	233-152-3	mercury nitrate monohydrate	< 1 %
		E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: ATE ATE = 5 mg/kg STOT RE 2; H373: >= 0,1 - 100	
10099-74-8	233-245-9	lead dinitrate	< 1 %
		= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = oral: LD50 = > 2000 mg/kg	

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: arsenic acid and it salts with the exception of those specified elsewhere in this Annex

cadmium nitrate; cadmium dinitrate

lead dinitrate

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: arsenic acid and it salts with the exception of those specified elsewhere in this Annex

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 5 of 17

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eve.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes. Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx) Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 6 of 17

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Laboratory chemicals



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 7 of 17

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
13138-45-9	nickel dinitrate						
Consumer DN	IEL, acute	oral	systemic	0,012 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	0,02 mg/kg bw/day			
Worker DNEL	, acute	inhalation	systemic	104 mg/m ³			
Worker DNEL, acute		inhalation	local	1,6 mg/m³			
Consumer DNEL, acute		inhalation	systemic	8,8 mg/m³			
Consumer DN	IEL, acute	inhalation	local	0,1 mg/m³			



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 8 of 17

PNEC values

CAS No	Substance						
Environmenta	al compartment	Value					
10031-43-3	Copper(II) nitrate trihydrate						
Freshwater		0,0078 mg/l					
Marine water	farine water						
Freshwater se	ediment	87 mg/kg					
Marine sedim	ent	676 mg/kg					
Micro-organis	ms in sewage treatment plants (STP)	0,23 mg/l					
Soil		65 mg/kg					
13138-45-9	nickel dinitrate						
Freshwater		0,0071 mg/l					
Freshwater (ir	ntermittent releases)	0 mg/l					
Marine water	0,0086 mg/l						
Freshwater se	109 mg/kg						
Marine sedim	ent	109 mg/kg					
Secondary po	visoning	0,12 mg/kg					
Micro-organis	ms in sewage treatment plants (STP)	0,33 mg/l					
Soil		29,9 mg/kg					
10099-74-8	lead dinitrate						
Freshwater		0,0065 mg/l					
Marine water		0,0034 mg/l					
Freshwater se	174 mg/kg						
Marine sedim	Marine sediment						
Secondary po	Secondary poisoning						
Micro-organis	ms in sewage treatment plants (STP)	0,1 mg/l					
Soil		147 mg/kg					

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 9 of 17

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state:	Liquid	
	Colour:	clear	
	Odour:	like: Nitric acid	
	Odour threshold:	No data available	
	Melting point/freezing point:		No data available
	Boiling point or initial boiling point and		No data available
	boiling range:		
	Flammability:		No data available
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Flash point:		No data available
	Auto-ignition temperature:		No data available
	Decomposition temperature:		No data available
	pH-Value:		acidic
	Viscosity / kinematic:		No data available
	Water solubility:		No data available
	Solubility in other solvents		
	No data available		
	Dissolution rate:		No data available
	Partition coefficient n-octanol/water:		No data available
	Dispersion stability:		No data available
	Vapour pressure:		No data available
	Vapour pressure:		No data available
	Density:		No data available
	Relative density:		No data available
	Bulk density:		No data available
	Relative vapour density:		No data available
	Particle characteristics:		No data available
<u>9.</u>	2. Other information		
	Information with regard to physical haza	ard classes	
	Explosive properties		
	No data available		

No data available Sustaining combustion:



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023	Product code: 33044	Page 10 of 17
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose

Metal The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Harmful if inhaled.



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 11 of 17

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 3,298 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
7697-37-2	nitric acid								
	inhalation vapour	ATE 2,6	5 mg/l						
10031-43-3	Copper(II) nitrate trihydrate								
	oral	ATE mg/kg	500						
	arsenic acid and it salts	s with the exc	ception of thos	e specified elsewh	nere in this Annex				
	oral	ATE mg/kg	100						
	inhalation vapour	ATE	3 mg/l						
	inhalation dust/mist	ATE	0,5 mg/l						
13138-45-9	nickel dinitrate								
	oral	LD50 mg/kg	361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425			
	inhalation vapour	ATE	11 mg/l						
	inhalation dust/mist	ATE	1,5 mg/l						
10325-94-7	cadmium nitrate; cadm	cadmium nitrate; cadmium dinitrate							
	oral	ATE mg/kg	500						
	dermal	ATE mg/kg	1100						
	inhalation vapour	ATE	11 mg/l						
	inhalation dust/mist	ATE	1,5 mg/l						
7783-34-8	mercury nitrate monohydrate								
	oral	ATE	5 mg/kg						
	dermal	ATE	5 mg/kg						
	inhalation vapour	ATE	0,5 mg/l						
	inhalation dust/mist	ATE	0,05 mg/l						
10099-74-8	lead dinitrate								
	oral	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 423			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402			
	inhalation vapour	ATE	11 mg/l						
	inhalation dust/mist	ATE	1,5 mg/l						

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage. Corrosive to the respiratory tract. Following ingestion Gastric perforation Irritating to respiratory system. Pulmonary oedema see also Section 4



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 12 of 17

Sensitising effects

May cause an allergic skin reaction. (nickel dinitrate)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (cadmium nitrate; cadmium dinitrate) May cause cancer. (arsenic acid and it salts with the exception of those specified elsewhere in this Annex; nickel dinitrate; cadmium nitrate; cadmium dinitrate) Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (nickel dinitrate; mercury nitrate monohydrate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 13 of 17

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method			
7697-37-2	nitric acid									
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26			
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical			
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso			
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209			
10031-43-3	Copper(II) nitrate trihydrat	e								
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard			
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t			
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de			
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef			
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g			
13138-45-9	nickel dinitrate									
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported			
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009)	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m			
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729			
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported			
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat			
	Acute bacteria toxicity	EC50)	33 mg/l (0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192			



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 14 of 17

10099-74-8	lead dinitrate							
	Acute fish toxicity	LC50 mg/l	1,17	96 h	Oncorhynchus mykiss	Publication (1976)	Acute bioassays	
	Acute algae toxicity	ErC50 mg/l	0,123		Pseudokirchneriella subcapitata	Study report (2008)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,59683	48 h	Ceriodaphnia dubia	Study report (2007)	other: USEP	
	Fish toxicity	NOEC mg/l	0,087	62 d	Oncorhynchus mykiss	Publication (2008)	methods adapted from the standard guide	
	Crustacea toxicity	NOEC mg/l	0,099	7 d	Ceriodaphnia dubia	Publication (1995)	chronic toxicity testing of lead to aqua	

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
10031-43-3	Copper(II) nitrate trihydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en
10099-74-8	lead dinitrate	3250	Hyalella azteca	Hydrobiologya 259: 7

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID



Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l				
Revision date: 23.11.2023	Product c	ode: 33044	Page 15 of 17	
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Classification code:	C1			
Limited quantity:	1 L			
Excepted quantity:	E2			
Transport category:	2			
Hazard No:	80			
Tunnel restriction code:	E			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Classification code:	C1			
Limited quantity:	1 L			
Excepted quantity:	E2			
Marine transport (IMDG)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Special Provisions:	-			
Limited quantity:	1 L			
Excepted quantity:	E2			
EmS:	F-A, S-B			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 2031			
14.2. UN proper shipping name:	NITRIC ACID			
14.3. Transport hazard class(es):	8			
14.4. Packing group:	II			
Hazard label:	8			
Special Provisions:	A212			
Limited quantity Passenger:	Forbidden			
Passenger LQ:	Forbidden			
Excepted quantity:	E0			
IATA-packing instructions - Passenger:		Forbidden		
IATA-max. quantity - Passenger:		Forbidden		
IATA-packing instructions - Cargo:		855		
IATA-max. quantity - Cargo:		30 L		
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Revision date: 23.11.2023

Product code: 33044

Page 16 of 17

arsenic acid and it salts with the exception of those specified elsewhere in this Annex

Substances of very high concern, SVHC (REACH, article 59): cadmium nitrate; cadmium dinitrate; lead dinitrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 23, Entry 27, Entry 63, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

. . . Em

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile
	work protection guideline' (94/33/EC). Observe employment restrictions
	under the Maternity Protection Directive (92/85/EEC) for expectant or
	nursing mothers. Observe employment restrictions for women of
	child-bearing age.
Water hazard class (D):	3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronyms

Ox. Liq: Oxidising liquid Ox. Sol: Oxidising solid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 1B; H340	Calculation method
Carc. 1A; H350	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)



according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 13 Elemente je 1000 mg/l in Salpetersäure 2 mol/l

Multielement-Standardiosung 13 Elemente je 1000 mg/i in Salpetersaure z mol/i				
Revision date: 23.11.2023	Product code: 33044	Page 17 of 17		
H272	May intensify fire; oxidiser.			
H290	May be corrosive to metals.			
H300	Fatal if swallowed.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H310	Fatal in contact with skin.			
H312	Harmful in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H330	Fatal if inhaled.			
H331	Toxic if inhaled.			
H332	Harmful if inhaled.			
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
H340	May cause genetic defects.			
H341	Suspected of causing genetic defects.			
H350	May cause cancer.			
H350i	May cause cancer by inhalation.			
H360	May damage fertility or the unborn child.			
H360D	May damage the unborn child.			
H360Df	May damage the unborn child. Suspected of damaging fertility.			
H372	Causes damage to organs through prolonged or repeated exposure.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			
EUH071	Corrosive to the respiratory tract.			
Further Information				

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)