

Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium sulfate / sodi			
Revision date: 19.12.2023	Product code: 3307	0	Page 1 of 9
SECTION 1: Identification of the s	ubstance/mixture and of the com	pany/undertaking	
1.1. Product identifier Standard solution TOC 150 mg/	l - TN 30 mg/l Potassium hydrogen ph	thalate / ammonium sulfate / sodi	
UFI:	17KX-32H2-700T-8H8R		
1.2. Relevant identified uses of the su	Ibstance or mixture and uses advise	d against	
Use of the substance/mixture Laboratory chemicals Industrial uses: Uses of substan	ices as such or in preparations at indu in (administration, education, entertain	strial sites	
Uses advised against Do not use for private purposes	(household).		
1.3. Details of the supplier of the safe	<u>ty data sheet</u>		
Company name:	AnalytiChem GmbH ACD		
Street: Place:	Stempelstraße 6 D-47167 Duisburg		
Telephone: E-mail:	0203/5194-0 info@analytichem.de	Telefax:0203/5194-290	
Contact person: E-mail: Internet: Responsible Department:	Abteilung Produktsicherheit produktsicherheit@analytichem.de www.analytichem.de Abteilung Produktsicherheit	Telephone: 0203/5194-107/117	
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)		
Further Information			

inapplicable, this product is a mixture REACH registration number see section 3

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# GB CLP Regulation

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## **GB CLP Regulation**

Signal word:

Pictograms:



Warning

## Hazard statements H290

P234

May be corrosive to metals.

## **Precautionary statements**

Keep only in original packaging.



# Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

## sulfate / sodi ..

Revision date: 19.12.2023

Product code: 33070

Page 2 of 9

P390 Absorb s P406 Store in a

Absorb spillage to prevent material damage. Store in a corrosion-resistant container with a resistant inner liner.

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution

### **Relevant ingredients**

none (according to UK REACH Regulation)

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

No data available

## After inhalation

Provide fresh air. Call a doctor if you feel unwell.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

# After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture Non-combustible liquids



# Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

sulfate / sodi..

Revision date: 19.12.2023

Product code: 33070

Page 3 of 9

Hazardous combustion products In case of fire may be liberated: Hydrochloric gas

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Avoid contact with skin, eyes and clothes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.



## Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

## sulfate / sodi..

Revision date: 19.12.2023

Product code: 33070

Page 4 of 9

## Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

national regulations

#### Further information on storage conditions

Unsuitable container/equipment material: Metal

## 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: Face protection shield

goggles.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

#### By short-term hand contact



# Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

## sulfate / sodi ..

Revision date: 19.12.2023

Product code: 33070

Page 5 of 9

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

## **Environmental exposure controls**

Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and		
Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point ar	nd	No data available
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		Х
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		1,6
Viscosity / kinematic:		No data available
Water solubility:		easily soluble
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		0,9995 g/cm³
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physica	l hazard classes	
Explosive properties		
No data available		
Self-ignition temperature		
Solid		not applicable



Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium		
	sulfate / sodi	
Revision date: 19.12.2023	Product code: 33070	Page 6 of 9
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals		

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### **Further information**

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

## Irritation and corrosivity

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.



Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium sulfate / sodi		
Revision date: 19.12.2023	Product code: 33070	Page 7 of 9
Sensitising effects Based on available data, the classification criteria	are not met.	
Carcinogenic/mutagenic/toxic effects for reproduce Based on available data, the classification criteria		
STOT-single exposure Based on available data, the classification criteria	are not met.	
STOT-repeated exposure Based on available data, the classification criteria	are not met.	
Aspiration hazard Based on available data, the classification criteria	are not met.	
Specific effects in experiment on an animal There are no data available on the mixture itself.		
Additional information on tests There are no data available on the mixture itself.		
<b>Practical experience</b> There are no data available on the mixture itself.		
11.2. Information on other hazards		
Other information There are no data available on the mixture itself.		
Further information Irritant		

## **SECTION 12: Ecological information**

### 12.1. Toxicity

There are no data available on the mixture itself.

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. There are no data available on the mixture itself.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Discharge into the environment must be avoided. Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

## Further information

There are no data available on the mixture itself.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



# Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium

Product code: 33070

sulfate /	sodi.
-----------	-------

Revision date: 19.12.2023

Page 8 of 9

# **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

## Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	U U
Hazard label:	8
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	F1
Excepted quantity.	F-A, S-B
	1-A, 0-D
Air transport (ICAO-TI/IATA-DGR)	LIN 4700
14.1. UN number or ID number:	
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1



Standard solution TOC 150 mg/l - TN 30 mg/l Potassium hydrogen phthalate / ammonium sulfate / sodi		
Revision date: 19.12.2023	Product code: 33070	Page 9 of 9
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	852 5 L 856 60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
	s (Regulation (EU) 2019/1148): ה (EU) 2019/1148: all suspicious transactions, and significant eported to the relevant national contact point.	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC).	nile
Water hazard class (D):	non-hazardous to water	
SECTION 16: Other information		

## Changes

This data sheet contains changes from the previous version in section(s): 1,9.

### Abbreviations and acronyms

Met. Corr: Corrosive to metals
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

## Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety

data sheet.)