



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 1 of 14

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMT	REC Day or Night Within USA and Canada:
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

accepted)

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### Regulation (EC) No 1272/2008

Signal word: Warning

**Pictograms:** 



### **Hazard statements**

H290

May be corrosive to metals.

#### Precautionary statements

Keep only in original packaging.
Absorb spillage to prevent material damage.
Store in a corrosion-resistant container with a resistant inner liner.



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 2 of 14

### Special labelling of certain mixtures

Contains nickel dichloride. May produce an allergic reaction.

# EUH208 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### Chemical characterization

Mixtures in aqueous solution

### **Relevant ingredients**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulati	on (EC) No 1272/2008)	·			
7647-01-0	Hydrochloric acid			5 - < 10 %		
	231-595-7	231-595-7 017-002-01-X 01-2119484862-27				
	Skin Corr. 1B, STOT SE 3; H314 H335					
7647-14-5	sodium chloride	< 0.01 %				
	231-598-3		01-2119485491-33			
7718-54-9	nickel dichloride			< 0.01 %		
	231-743-0	028-011-00-6				
	Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 3, Acute Tox. 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H331 H301 H315 H334 H317 H372 H400 H410					

Full text of H and EUH statements: see section 16.

Specific Co	nc. Limits, M-fa	actors and ATE				
CAS No	EC No	Chemical name	Quantity			
	Specific Cond	Specific Conc. Limits, M-factors and ATE				
7647-01-0	231-595-7	Hydrochloric acid	5 - < 10 %			
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100					
7647-14-5	231-598-3	sodium chloride	< 0.01 %			
	dermal: LD50	) = > 10000 mg/kg; oral: LD50 = 3550 mg/kg				
7718-54-9	231-743-0	nickel dichloride	< 0.01 %			
	mg/kg Skin I >= 1 - 100 S Aquatic Acute	TE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 500 rrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: STOT RE 2; H373: >= 0,1 - < 1 e 1; H400: M=1 nic 1; H410: M=1				

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No data available



## Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 3 of 14

# After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

Allergic reactions

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrochloric gas Metal oxide smoke, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Avoid contact with skin, eyes and clothes.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.



an analyti**chem** brand

# Safety Data Sheet

# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 4 of 14

# For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

For containment

#### Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

### Further information on storage conditions

### Unsuitable container/equipment material: Metal

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 5 of 14

# 8.1. Control parameters

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
-	Nickel, inorganic compounds (as Ni), soluble compounds	-	0.1		TWA (8 h)	

# **Biological limit values**

CAS No	Substance	Parameter	Value	Test material	Sampling time
-	Nickel compounds	Ni	3 μg/L		After several consecutive working shifts



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 6 of 14

# **DNEL/DMEL** values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
7647-01-0	Hydrochloric acid						
Worker DNEL	, long-term	inhalation	local	8 mg/m³			
Worker DNEL	., acute	inhalation	local	15 mg/m³			
Consumer DN	IEL, long-term	inhalation	local	8 mg/m³			
Consumer DN	IEL, acute	inhalation	local	15 mg/m³			
7647-14-5	sodium chloride						
Consumer DN	IEL, long-term	dermal	systemic	126,65 mg/kg bw/day			
Consumer DN	IEL, acute	dermal	systemic	126,65 mg/kg bw/day			
Consumer DN	IEL, long-term	oral	systemic	126,65 mg/kg bw/day			
Consumer DN	IEL, acute	oral	systemic	126,65 mg/kg bw/day			
Worker DNEL	., long-term	inhalation	systemic	2068,62 mg/m <sup>3</sup>			
Worker DNEL	., acute	inhalation	systemic	2068,62 mg/m³			
Worker DNEL	., acute	dermal	systemic	295,52 mg/kg bw/day			
Consumer DN	IEL, long-term	inhalation	systemic	443,28 mg/m <sup>3</sup>			
Consumer DN	IEL, acute	inhalation	systemic	443,28 mg/m <sup>3</sup>			
Worker DNEL	., long-term	dermal	systemic	295,52 mg/kg bw/day			
7718-54-9	nickel dichloride						
Worker DNEL	, acute	inhalation	local	1,6 mg/m³			
Consumer DN	IEL, acute	inhalation	systemic	8,8 mg/m³			
Consumer DN	IEL, acute	inhalation	local	0,1 mg/m³			
Worker DNEL	, acute	inhalation	systemic	104 mg/m <sup>3</sup>			
Consumer DN	IEL, long-term	oral	systemic	0,02 mg/kg bw/day			
Consumer DN	IEL, acute	oral	systemic	0,012 mg/kg bw/day			



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 7 of 14

PNEC values

CAS No	Substance					
Environmental	compartment	Value				
7647-14-5						
Freshwater	Freshwater					
Micro-organisr	Micro-organisms in sewage treatment plants (STP)					
Soil	Soil					
7718-54-9 nickel dichloride						
Freshwater	0,0071 mg/l					
Freshwater (in	termittent releases)	0 mg/l				
Marine water		0,0086 mg/l				
Freshwater se	diment	109 mg/kg				
Marine sedime	Marine sediment					
Secondary poisoning 0,12						
Micro-organisr	Micro-organisms in sewage treatment plants (STP) 0,33 mg/l					
Soil		29,9 mg/kg				

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: Face protection shield goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 8 of 14

sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

#### Thermal hazards

No data available

### Environmental exposure controls

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

	mormation on basic physical and chen	mcal properties	
P	hysical state:	Liquid	
C	olour:	clear	
-	dour:	stinging	
0	dour threshold:	No data available	
Μ	elting point/freezing point:		No data available
B	oiling point or initial boiling point and		No data available
	piling range:		
FI	ammability:		not applicable
Lo	ower explosion limits:		No data available
U	pper explosion limits:		No data available
FI	ash point:		Х
A	uto-ignition temperature:		No data available
D	ecomposition temperature:		No data available
pł	H-Value:		acidic
Vi	iscosity / kinematic:		No data available
W	/ater solubility:		easily soluble
S	olubility in other solvents		
	not determined		
D	issolution rate:		No data available
Pa	artition coefficient n-octanol/water:		No data available
D	ispersion stability:		No data available
Va	apour pressure:		No data available
Va	apour pressure:		No data available
	ensity:		No data available
	elative density:		No data available
B	ulk density:		No data available
	elative vapour density:		No data available
Pa	article characteristics:		No data available
).2. (	Other information		
	formation with regard to physical haza	ard classes	
E	xplosive properties		
	No data available		
	ustaining combustion:		No data available
S	elf-ignition temperature		
	Solid:		not applicable

not applicable not applicable

Gas:

9.



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023	Product code: 33124	Page 9 of 14
Oxidizing properties		
No data available		
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	

### now unie.

Further Information

# Corrosive to metals

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

The product develops hydrogen in an aqueous solution in contact with metals.

### 10.4. Conditions to avoid

Heat

# 10.5. Incompatible materials

Keep away from: Metal. The product develops hydrogen in an aqueous solution in contact with metals.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### Acute toxicity

Based on available data, the classification criteria are not met.

## **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 10 of 14

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
7647-14-5	sodium chloride								
	oral	LD50 mg/kg	3550	Rat	Study report	The study methodology followed appeared			
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report	The study methology followed appeared to			
7718-54-9	nickel dichloride								
	oral	LD50 mg/kg	500	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425			
	inhalation vapour	ATE	3 mg/l						
	inhalation dust/mist	ATE	0,5 mg/l						

### Irritation and corrosivity

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

### Sensitising effects

Based on available data, the classification criteria are not met. Contains nickel dichloride. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

# **Practical experience**

There are no data available on the mixture itself.

# 11.2. Information on other hazards

# Endocrine disrupting properties

There are no data available on the mixture itself.

# Other information

There are no data available on the mixture itself.

#### **Further information**

Irritant

### **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

according to Regulation (EC) No 1907/2006

Revision date: 22.12.2023

Product code: 33124

Page 11 of 14

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
7647-14-5	sodium chloride	- <b>.</b>				-	
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	Study report (1985)	other: ASTM E729
	Acute crustacea toxicity	EC50 mg/l	4136	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700.	OECD Guideline 202
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	Study report (1985)	OECD Guideline 210
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	Memorandum of agreement No. 5429, Kentuc	OECD Guideline 211
7718-54-9	nickel dichloride						
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported
	Acute algae toxicity	ErC50 mg/l	0,263	72 h	Spermatozopsis exsultans	Publication (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 0,2	48 h	Ceriodaphnia dubia	Environmental Toxicology and Chemistry.	other: comparable to USEPA, Methods for
	Fish toxicity	NOEC mg/l	0,04	8 d	Danio rerio	Arch. Environ. Contam. Toxicol. 21:126-1	other: Swedish Standard SS 02 81 93
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported
	Crustacea toxicity	NOEC mg/l	0,09	21 d	Daphnia magna	Water Res. 23(4):501-510 (1989)	other: DIN 38412, Part II
	Acute bacteria toxicity	EC50 )	33 mg/l (	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7718-54-9	nickel dichloride	39	Chlorella salina	J. Mar. Biol. Ass. U

# 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

Revision date: 22.12.2023

Product code: 33124

Page 12 of 14

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

Do not empty into drains.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **SECTION 14: Transport information**

### Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	11
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	11
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	11
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2



# tialament Standardlägung 25 Elemente in 50 ml/l Salzaäure 27

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %		
Revision date: 22.12.2023	Product code: 33124	Page 13 of 14
EmS:	F-A, S-B	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1789	
14.2. UN proper shipping name:	HYDROCHLORIC ACID	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	II	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y840	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	851	
IATA-max. quantity - Passenger:	1 L	
IATA-packing instructions - Cargo:	855	
IATA-max. quantity - Cargo:	30 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 27, Entry 75		
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
Marketing and use of explosives precursor	s (Regulation (EU) 2019/1148)	
	(EU) 2019/1148: all suspicious transactions, and significant	
	eported to the relevant national contact point.	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve	enile
	work protection guideline' (94/33/EC).	
Water hazard class (D):	1 - slightly hazardous to water	
SECTION 16: Other information		

### Changes

This data sheet contains changes from the previous version in section(s): 9,12.



# Multielement-Standardlösung 25 Elemente in 50 ml/l Salzsäure 37 %

according to Regulation (EC) No 1907/2006

Revision	date.	22	12	2023
1101011	uuic.	~~.		.2020

Product code: 33124

Page 14 of 14

#### Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

# Relevant H and EUH statements (number and full text)

Relevant H and EUH statements (number and full text)		
H290	May be corrosive to metals.	
H301	Toxic if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H331	Toxic if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H350i	May cause cancer by inhalation.	
H360D	May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
EUH208	Contains nickel dichloride. May produce an allergic reaction.	

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)