

Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standard "Zinkoxid Pharma 4"-Std. 3 5 Elemente 50 g ZnO /I + 125 ml Salpetersäure 65%/I

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax:0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dangerou	us Goods] Incidents Spill, Leak, Fire,
<u>number:</u>	Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Ca accepted)	EC Day or Night Within USA and Canada: nada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling zinc nitrate nitric acid Signal word: Danger



Multieleme	Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /I + 125 ml Salpetersäure 65%/I						
Revision date: 16.02.2024	Product code: 33166	Page 2 of 14					
Pictograms:							
Hazard statements	•						
H290	May be corrosive to metals.						
H314	Causes severe skin burns and eye damage.						
H332	Harmful if inhaled.						
H412	Harmful to aquatic life with long lasting effects.						
Precautionary statemer	nts						
P260	Do not breathe dust/fume/gas/mist/vapours/spray.						
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.						
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.						
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.						
P310	Immediately call a POISON CENTER/doctor.						
Special labelling of cert	tain mixtures						
EUH071	Corrosive to the respiratory tract						

	-	
EUH071		Corrosive to the respiratory tract.
EUH208		Contains nickel dinitrate. May produce an allergic reaction.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name	Quantity		
	EC No	REACH No		
	Classification (Regulation (EC) No	1272/2008)		
7779-88-6	zinc nitrate			10 - < 15 %
	Acute Tox. 4, Skin Irrit. 2, Eye Dat H315 H318 H335 H400 H411	quatic Chronic 2; H302		
7697-37-2	nitric acid	10 - < 15 %		
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox	H314 EUH071		
13138-45-9	nickel dinitrate			< 0.01 %
	236-068-5	01-2119492333-38		
	Ox. Sol. 2, Carc. 1A, Muta. 2, Rep Resp. Sens. 1, Skin Sens. 1, STC H360D H332 H302 H315 H318 H			

Full text of H and EUH statements: see section 16.



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc.	Limits, M-factors and ATE		
7779-88-6		zinc nitrate	10 - < 15 %	
	oral: ATE = 50	0 mg/kg		
7697-37-2	231-714-2	nitric acid	10 - < 15 %	
	inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20			
13138-45-9	236-068-5	nickel dinitrate	< 0.01 %	
	361,9 mg/kg H372: >= 1 - 1 Aquatic Acute	E = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; 00 STOT RE 2; H373: >= 0,1 - < 1 1; H400: M=1 c 1; H410: M=1		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air. Call a physician immediately.

After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing. Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns. Irritant Cough Allergic reactions Dyspnoea Vomiting Methaemoglobinaemia Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available



Multielement-Standard "Zinkoxid Pharma 4"-Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 4 of 14

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 5 of 14

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals. Unsuitable container/equipment material: Metal The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 6 of 14

DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
13138-45-9	nickel dinitrate							
Consumer DN	EL, acute	oral	systemic	0,012 mg/kg bw/day				
Consumer DNEL, long-term		oral	systemic	0,02 mg/kg bw/day				
Worker DNEL,	acute	inhalation	systemic	104 mg/m³				
Worker DNEL,	acute	inhalation	local	1,6 mg/m³				
Consumer DN	EL, acute	inhalation	systemic	8,8 mg/m³				
Consumer DN	EL, acute	inhalation	local	0,1 mg/m³				

PNEC values

CAS No	Substance					
Environmenta	Environmental compartment Value					
13138-45-9	nickel dinitrate					
Freshwater	Freshwater					
Freshwater (intermittent releases) 0 mg/l						
Marine water	0,0086 mg/l					
Freshwater sediment 109 m						
Marine sediment 109						
Secondary poisoning 0,12 m						
Micro-organisms in sewage treatment plants (STP) 0,33 mg/l						
Soil 2						

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 7 of 14

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical a	ind chemical properties	
Physical state:	Liquid	
Colour:	clear	
Odour:	like: Nitric acid	
Melting point/freezing point:		No data available
Boiling point or initial boiling point	and	No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/wate	er:	No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
9.2. Other information		
Information with regard to physi	cal hazard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		
Oxidizing		
Other safety characteristics		
Evaporation rate:		No data available



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml Salpetersäure 65%/l						
Revision date: 16.02.2024	Product code: 33166	Page 8 of 14				
Solvent separation test:	No data available					
Solvent content:	0					
Solid content:	0					
Sublimation point:	No data available					
Softening point:	No data available					
Pour point:	No data available					
No data available:						
Viscosity / dynamic:	No data available					
Flow time:	No data available					

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals. Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals. Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Harmful if inhaled.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 4,767 mg/l



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 9 of 14

CAS No	Chemical name	Chemical name									
	Exposure route	Dose		Species	Source	Method					
7779-88-6	zinc nitrate	zinc nitrate									
	oral	ATE mg/kg	500								
7697-37-2	nitric acid										
	inhalation vapour	ATE 2,6	5 mg/l								
13138-45-9	nickel dinitrate					_					
	oral	LD50 mg/kg	361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425					
	inhalation vapour	ATE	11 mg/l								
	inhalation dust/mist	ATE	1,5 mg/l								

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.

Corrosive to the respiratory tract.

Following ingestion Gastric perforation

Irritating to respiratory system.

Pulmonary oedema

see also Section 4

Sensitising effects

Based on available data, the classification criteria are not met. Contains nickel dinitrate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 10 of 14

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
7697-37-2	nitric acid								
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26		
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical		
	Algae toxicity	NOEC mg/l	> 419	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso		
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209		
13138-45-9	nickel dinitrate								
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported		
	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m		
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729		
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported		
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat		
	Acute bacteria toxicity	EC50)	33 mg/l (0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192		

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 11 of 14

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 2031
14.2. UN proper shipping name:	NITRIC ACID
<u>14.3. Transport hazard class(es):</u>	8
14.4. Packing group:	II
Hazard label:	8
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /I + 125 ml Salpetersäure 65%/I					
Revision date: 16.02.2024	Product co		Page 12 of 14		
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	UN 2031 NITRIC ACID 8 II 8 A212 Forbidden Forbidden E0	Forbidden Forbidden 855 30 L			
14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS:	No				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII):					
Entry 3, Entry 27, Entry 75 Information according to Directive Not subject to 2012/18/EU (SEVESO III) 2012/18/EU (SEVESO III): Marketing and use of explosives precursors (Regulation (EU) 2019/1148): Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.					
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
Water hazard class (D):	3 - highly hazardous	to water			

Changes

This data sheet contains changes from the previous version in section(s): 12.



Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /l + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 13 of 14

Abbreviations and acronyms

Ox. Liq: Oxidising liquid Ox. Sol: Oxidising solid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eve Dam: Eye damage Resp. Sens: Respiratory sensitisation Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity Carc: Carcinogenicity Repr: Reproductive toxicity STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains nickel dinitrate. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standard "Zinkoxid Pharma 4"–Std. 3 5 Elemente 50 g ZnO /I + 125 ml

Salpetersäure 65%/I

Revision date: 16.02.2024

Product code: 33166

Page 14 of 14

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)