

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 1 of 19

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

### 1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

### Further Information

This product is a mixture. REACH Registration Number see section 3.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290  
Acute Tox. 4; H332  
Skin Corr. 1B; H314  
Eye Dam. 1; H318  
Skin Sens. 1; H317  
Muta. 1B; H340  
Carc. 1A; H350  
STOT RE 2; H373  
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

#### Regulation (EC) No 1272/2008

#### Hazard components for labelling

nitric acid  
arsenic acid and its salts with the exception of those specified elsewhere in this Annex  
nickel dinitrate  
cadmium nitrate; cadmium dinitrate

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multiement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 2 of 19

**Signal word:** Danger

**Pictograms:**



#### Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

#### Special labelling of certain mixtures

EUH071	Corrosive to the respiratory tract. Restricted to professional users.
--------	--

#### 2.3. Other hazards

No data available

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixtures in aqueous solution

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 3 of 19

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			10 - < 15 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071			
7631-99-4	sodium nitrate			1 - < 5 %
	231-554-3		01-2119488221-41	
	Ox. Sol. 3, Eye Irrit. 2; H272 H319			
10031-43-3	Copper(II) nitrate trihydrate			< 1 %
			01-2119969290-34	
	Ox. Sol. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1, Aquatic Chronic 1; H272 H302 H315 H319 H400 H410			
-	arsenic acid and its salts with the exception of those specified elsewhere in this Annex			< 1 %
	-	033-005-00-1		
	Carc. 1A, Acute Tox. 3, Acute Tox. 3, Aquatic Acute 1, Aquatic Chronic 1; H350 H331 H301 H400 H410			
7664-38-2	phosphoric acid			< 1 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318			
13138-45-9	nickel dinitrate			< 1 %
	236-068-5	028-012-00-1	01-2119492333-38	
	Ox. Sol. 2, Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350i H341 H360D H332 H302 H315 H318 H334 H317 H372 H400 H410			
10325-94-7	cadmium nitrate; cadmium dinitrate			< 1 %
	233-710-6	048-014-00-6		
	Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350 H340 H360 H332 H312 H302 H372 H400 H410			
10099-74-8	lead dinitrate			< 1 %
	233-245-9	082-001-00-6		
	Repr. 1A, Acute Tox. 4, Acute Tox. 4, Eye Dam. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H360Df H332 H302 H318 H373 H400 H410			
7446-08-4	selenium dioxide			< 1 %
	231-194-7	034-002-00-8		
	Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H331 H301 H373 H400 H410			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 4 of 19

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	10 - < 15 %
		inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20	
7631-99-4	231-554-3	sodium nitrate	1 - < 5 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = ca. 3430 mg/kg	
10031-43-3		Copper(II) nitrate trihydrate	< 1 %
		oral: ATE = 500 mg/kg	
-	-	arsenic acid and it salts with the exception of those specified elsewhere in this Annex	< 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: ATE = 100 mg/kg	
7664-38-2	231-633-2	phosphoric acid	< 1 %
		oral: ATE = 500 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	
13138-45-9	236-068-5	nickel dinitrate	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = 361,9 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	
10325-94-7	233-710-6	cadmium nitrate; cadmium dinitrate	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg Carc. 1B; H350: >= 0,01 - 100	
10099-74-8	233-245-9	lead dinitrate	< 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg Repr. 2; H361f: >= 2,5 - 100 STOT RE 2; H373: >= 0,5 - 100	
7446-08-4	231-194-7	selenium dioxide	< 1 %
		inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 68,1 mg/kg	

**Further Information**

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: arsenic acid and it salts with the exception of those specified elsewhere in this Annex

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.  
Call a physician immediately.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 5 of 19

Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

#### After ingestion

Rinse mouth immediately and drink plenty of water.  
Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.  
Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns.  
Irritant  
Allergic reactions  
Cough  
Dyspnoea  
Vomiting  
Methaemoglobinaemia  
Risk of serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated:  
Nitrogen oxides (NO<sub>x</sub>)  
Metal oxide smoke, toxic

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.  
In case of fire and/or explosion do not breathe fumes.  
Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Corrosive to metals.

##### For non-emergency personnel

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Do not breathe dust/fume/gas/mist/vapours/spray.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 6 of 19

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

##### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Use extractor hood (laboratory).

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Store in a place accessible by authorized persons only.

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### Further information on storage conditions

Keep container tightly closed.

### 7.3. Specific end use(s)

Laboratory chemicals

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 7 of 19

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7429-90-5	Aluminium metal (Respirable Fraction)	-	1		TWA (8 h)	
7440-36-0	Antimony	-	0.5		TWA (8 h)	
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7664-38-2	phosphoric acid			
	Worker DNEL, acute	inhalation	local	2 mg/m <sup>3</sup>
	Worker DNEL, long-term	inhalation	local	2,92 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	systemic	4,57 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	local	0,36 mg/m <sup>3</sup>
	Consumer DNEL, long-term	oral	systemic	0,1 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	10,7 mg/m <sup>3</sup>
13138-45-9	nickel dinitrate			
	Consumer DNEL, acute	oral	systemic	0,012 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
	Worker DNEL, acute	inhalation	systemic	104 mg/m <sup>3</sup>
	Worker DNEL, acute	inhalation	local	1,6 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	systemic	8,8 mg/m <sup>3</sup>
	Consumer DNEL, acute	inhalation	local	0,1 mg/m <sup>3</sup>
7446-08-4	selenium dioxide			
	Worker DNEL, long-term	inhalation	systemic	0,07 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	9,8 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	0,021 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	6,02 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	0,00602 mg/kg bw/day

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 8 of 19

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
7631-99-4	sodium nitrate	
Micro-organisms in sewage treatment plants (STP)		18 mg/l
10031-43-3	Copper(II) nitrate trihydrate	
Freshwater		0,0078 mg/l
Marine water		0,0052 mg/l
Freshwater sediment		87 mg/kg
Marine sediment		676 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		65 mg/kg
13138-45-9	nickel dinitrate	
Freshwater		0,0071 mg/l
Freshwater (intermittent releases)		0 mg/l
Marine water		0,0086 mg/l
Freshwater sediment		109 mg/kg
Marine sediment		109 mg/kg
Secondary poisoning		0,12 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,33 mg/l
Soil		29,9 mg/kg
10099-74-8	lead dinitrate	
Freshwater		0,0065 mg/l
Marine water		0,0034 mg/l
Freshwater sediment		174 mg/kg
Marine sediment		164 mg/kg
Secondary poisoning		10,9 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,1 mg/l
Soil		147 mg/kg
7446-08-4	selenium dioxide	
Freshwater		0,00374 mg/l
Freshwater (intermittent releases)		0,0077 mg/l
Marine water		0,0028 mg/l
Freshwater sediment		11,48 mg/kg
Marine sediment		8,68 mg/kg
Secondary poisoning		1,4 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,06 mg/kg

**8.2. Exposure controls**

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 9 of 19

#### Eye/face protection

goggles

Wear eye/face protection.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

#### Thermal hazards

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	like: Nitric acid	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
		No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 10 of 19

Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	No data available
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

#### 9.2. Other information

##### Information with regard to physical hazard classes

Explosive properties	
No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
No data available	

##### Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

##### Further Information

Corrosive to metals.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.  
Oxidising agent

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Alkali (lye)  
The product develops hydrogen in an aqueous solution in contact with metals.  
Amines, Ammonia, Alcohols, Alkali metals, Hydrogen peroxide  
Copper, Combustible solids, Solvent, Alkaline earth metal, mercury (Hg).

### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose  
Metal

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multiement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 11 of 19

The product develops hydrogen in an aqueous solution in contact with metals.

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### **Further information**

No data available

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

##### **Toxicokinetics, metabolism and distribution**

There are no data available on the preparation/mixture itself.

##### **Acute toxicity**

Harmful if inhaled.

##### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 19,57 mg/l; ATE (inhalation dust/mist) 3,262 mg/l

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 12 of 19

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			
7631-99-4	sodium nitrate				
	oral	LD50 mg/kg ca. 3430	Rat	Study report (1980)	OECD Guideline 401
	dermal	LD50 mg/kg > 5000	Rat	Study report (2000)	OECD Guideline 402
10031-43-3	Copper(II) nitrate trihydrate				
	oral	ATE mg/kg 500			
-	arsenic acid and its salts with the exception of those specified elsewhere in this Annex				
	oral	ATE mg/kg 100			
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			
7664-38-2	phosphoric acid				
	oral	ATE mg/kg 500			
13138-45-9	nickel dinitrate				
	oral	LD50 mg/kg 361,9	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
10325-94-7	cadmium nitrate; cadmium dinitrate				
	oral	ATE mg/kg 500			
	dermal	ATE mg/kg 1100			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
10099-74-8	lead dinitrate				
	oral	LD50 mg/kg > 2000	Rat	Study report (2003)	OECD Guideline 423
	dermal	LD50 mg/kg > 2000	Rat	Study report (2003)	OECD Guideline 402
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			
7446-08-4	selenium dioxide				
	oral	LD50 mg/kg 68,1	Rat	Indian Journal of Pharmacology 23(3):153	Method not specified GLP compliance: not
	inhalation vapour	ATE 3 mg/l			
	inhalation dust/mist	ATE 0,5 mg/l			

**Irritation and corrosivity**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multiement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 13 of 19

Causes severe skin burns and eye damage.  
Causes serious eye damage.  
Corrosive to the respiratory tract.  
Following ingestion Gastric perforation  
Irritating to respiratory system.  
Pulmonary oedema  
see also Section 4

#### Sensitising effects

May cause an allergic skin reaction. (nickel dinitrate)

#### Carcinogenic/mutagenic/toxic effects for reproduction

May cause genetic defects. (cadmium nitrate; cadmium dinitrate)  
May cause cancer. (arsenic acid and its salts with the exception of those specified elsewhere in this Annex;  
nickel dinitrate; cadmium nitrate; cadmium dinitrate)  
Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (nickel dinitrate)

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### Practical experience

There are no data available on the preparation/mixture itself.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

##### Other information

There are no data available on the preparation/mixture itself.

#### Further information

Causes burns.  
Irritant  
Allergic reactions  
Cough  
Dyspnoea  
Vomiting  
Methaemoglobinaemia  
Risk of serious damage to eyes.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 14 of 19

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry, other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
	Algae toxicity	NOEC	> 419 mg/l	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50	> 1000 mg/l ( )	3 h	Activated sludge	Study report (2008) OECD Guideline 209
7631-99-4	sodium nitrate					
	Acute fish toxicity	LC50	> 100 mg/l	96 h	Oncorhynchus mykiss	Study report (2000) OECD Guideline 203
	Acute crustacea toxicity	EC50	3581 mg/l	48 h	Daphnia magna	J. Water Pollut. Control Fed. 37(9):1308 no data
	Fish toxicity	NOEC	268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009) Growth tests estimated the test chemical
10031-43-3	Copper(II) nitrate trihydrate					
	Acute fish toxicity	LC50	0,193 mg/l	96 h	Pimephales promelas	Study report (1996) measurements were conducted by standard
	Acute algae toxicity	ErC50	0,152 mg/l	72 h	Pseudokirchneriella subcapitata	Publication (2005) OECD Guideline 201
	Acute crustacea toxicity	EC50	0,007 mg/l	48 h	Daphnia magna	Study report (1978) - Test were conducted on Daphnia magna t
	Fish toxicity	NOEC	0,123 mg/l	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991) Three tests are reported, designed to de
	Algae toxicity	NOEC	0,0102 mg/l	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199) Tests were conducted to determine the ef
	Crustacea toxicity	NOEC	0,033 mg/l	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995) The effects of dissolved copper on the g
7664-38-2	phosphoric acid					
	Acute algae toxicity	ErC50	> 100 mg/l	72 h	Desmodesmus subspicatus	Study report (2010) EU Method C.3
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna	Study report (2010) OECD Guideline 202
	Acute bacteria toxicity	EC50	> 1000 mg/l ( )	3 h	activated sludge of a predominantly domestic sewage	Study report (2010) OECD Guideline 209
13138-45-9	nickel dinitrate					
	Acute fish toxicity	LC50	15,3 mg/l	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003) other: not reported

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 15 of 19

	Acute algae toxicity	ErC50 mg/l	0,237	72 h	Ankistrodesmus falcatus	Publication (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,2663	48 h	Ceriodaphnia dubia	Study report (2004)	other: American society of testing and m
	Fish toxicity	NOEC mg/l	0,057	32 d	Pimephales promelas	Water Resources Research Institute. Kent	other: ASTM 1980, E-729
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported
	Crustacea toxicity	NOEC mg/l	0,04	42 d	Daphnia magna	Wat. Res. 24(7):845-852 (1990)	Chronic exposure to sublethal concentrat
	Acute bacteria toxicity	EC50 ( )	33 mg/l ( )	0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192
10099-74-8	lead dinitrate						
	Acute fish toxicity	LC50 mg/l	1,17	96 h	Oncorhynchus mykiss	Publication (1976)	Acute bioassays
	Acute algae toxicity	ErC50 mg/l	0,123	72 h	Pseudokirchneriella subcapitata	Study report (2008)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,59683	48 h	Ceriodaphnia dubia	Study report (2007)	other: USEP
	Fish toxicity	NOEC mg/l	0,087	62 d	Oncorhynchus mykiss	Publication (2008)	methods adapted from the standard guide
	Crustacea toxicity	NOEC mg/l	0,099	7 d	Ceriodaphnia dubia	Publication (1995)	chronic toxicity testing of lead to aqua
7446-08-4	selenium dioxide						
	Acute fish toxicity	LC50	3,3 mg/l	96 h	Morone saxatilis	Publication (1992)	other: ASTM methods for acute testing
	Acute algae toxicity	ErC50 mg/l	44,24	72 h	Pseudokirchneriella subcapitata	Study report (1992)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,55	48 h	Daphnia magna	Environmental Toxicology and Chemistry 1	other: EPA-660/3-75-00 9: Methods for Acu
	Fish toxicity	NOEC mg/l	0,01	258 d	Lepomis macrochirus	Environmental Toxicology and Chemistry 1	Year long study investigating the effect
	Algae toxicity	NOEC mg/l	0,995	10 d	Anabaena flos-aquae	Archives of Environmental Contamination	10-d experiment on the toxicity of selen
	Crustacea toxicity	NOEC mg/l	0,07	28 d	Daphnia magna	Department of Entomology, Fisheries and	OECD Guideline 211
	Acute bacteria toxicity	EC50 mg/l ( )	> 3200	3 h	activated sludge of a predominantly domestic sewage	Study report (2012)	OECD Guideline 209

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 16 of 19

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
10031-43-3	Copper(II) nitrate trihydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun
13138-45-9	nickel dinitrate	23	Spirodela polyrhiza	Ecotoxicology and en
10099-74-8	lead dinitrate	3250	Hyalella azteca	Hydrobiologia 259: 7
7446-08-4	selenium dioxide	755	periphyton	Environmental Pollut

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8
Classification code:	C1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 2031
<b>14.2. UN proper shipping name:</b>	NITRIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	II
Hazard label:	8



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 17 of 19

Classification code: C1  
 Limited quantity: 1 L  
 Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: -  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8  
 Special Provisions: A212  
 Limited quantity Passenger: Forbidden  
 Passenger LQ: Forbidden  
 Excepted quantity: E0  
 IATA-packing instructions - Passenger: Forbidden  
 IATA-max. quantity - Passenger: Forbidden  
 IATA-packing instructions - Cargo: 855  
 IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Authorisations (REACH, annex XIV):  
 arsenic acid and its salts with the exception of those specified elsewhere in this Annex

Substances of very high concern, SVHC (REACH, article 59):  
 cadmium nitrate; cadmium dinitrate; lead dinitrate

Restrictions on use (REACH, annex XVII):  
 Entry 3, Entry 23, Entry 27, Entry 63, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):  
 Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.  
 Water hazard class (D): 3 - highly hazardous to water

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l**

Revision date: 19.02.2024

Product code: 33171

Page 18 of 19

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 12.

**Abbreviations and acronyms**

Pyr. Sol: Pyrophoric solid

Water-react: Substance and mixture which, in contact with water, emits flammable gas

Ox. Liq: Oxidising liquid

Ox. Sol: Oxidising solid

Met. Corr: Substance or mixture corrosive to metals

Flam. Sol: Flammable solid

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation

Muta: Germ cell mutagenicity

Carc: Carcinogenicity

Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Muta. 1B; H340	Calculation method
Carc. 1A; H350	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Multielement-Standardlösung "2" 15 Elemente in Salpetersäure 2 mol/l

Revision date: 19.02.2024

Product code: 33171

Page 19 of 19

H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360	May damage fertility or the unborn child.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*