



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

Revision date: 06.02.2024

Product code: 33176

Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH			
	ACD			
Street:	Stempelstraße 6			
Place:	D-47167 Duisburg			
Telephone:	0203/5194-0	Telefax: 0203/5194-290		
E-mail:	info@analytichem.de			
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117		
E-mail:	produktsicherheit@analytichem.de			
Internet:	www.analytichem.de			
Responsible Department:	Abteilung Produktsicherheit			
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,		
number:	Exposure, or Accident Call CHEMT	Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:		
	1-800-424-9300 Outside USA and C	Canada: +1 703-741-5970 (collect calls		
	accepted)			

# **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

#### Regulation (EC) No 1272/2008

Signal word:

Pictograms:



### **Hazard statements**

H290

May be corrosive to metals.

# Precautionary statements

oouullonuly olulonion	outional y statemente					
P234	Keep only in original packaging.					
P390	Absorb spillage to prevent material damage.					
P406	Store in a corrosion-resistant container with a resistant inner liner.					



# Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

Revision date: 06.02.2024

Product code: 33176

Page 2 of 10

### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

### Relevant ingredients

CAS No	Chemical name	Chemical name		
	EC No Index No REACH No			
	Classification (Regulation (EC) No 1272/2008)			
7647-01-0	Hydrochloric acid			
	231-595-7	017-002-01-X	01-2119484862-27	
	Skin Corr. 1B, STOT SE 3; H314 H335			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7647-01-0	231-595-7	Hydrochloric acid			
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100				

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No data available

### After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available



# Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

Revision date: 06.02.2024

Product code: 33176

Page 3 of 10

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrochloric gas

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

## For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

### Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling



# Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

Revision date: 06.02.2024

Product code: 33176

Page 4 of 10

### Advice on safe handling

Do not breathe vapour/aerosol.

Read label before use.

Handle and open container with care.

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

Further information on storage conditions

Unsuitable container/equipment material: Metal

# 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	

### DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0 Hydrochloric acid				
Worker DNEL, long-term		inhalation	local	8 mg/m³
Worker DNEL, acute		inhalation	local	15 mg/m³
Consumer DNEL, long-term		inhalation	local	8 mg/m³
Consumer DNEL, acute		inhalation	local	15 mg/m³

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment



# Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

Revision date: 06.02.2024

Product code: 33176

Page 5 of 10

# Eye/face protection

Suitable eye protection: Face protection shield goggles.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

### **Environmental exposure controls**

Discharge into the environment must be avoided.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		not applicable
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Flash point:		Х
Auto-ignition temperature:		not applicable
Decomposition temperature:		No data available
pH-Value:		acidic



Multielement-Standa	ardlösung Ca/Mg je 1 mg/l in Salzsäure 2 °	%
Revision date: 06.02.2024	Product code: 33176	Page 6 of 10
Viscosity / kinematic:	No data available	
Water solubility:	easily soluble	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available No data available	
Vapour pressure: Density:	~1,008 g/cm <sup>3</sup>	
Bulk density:	No data available	
Relative vapour density:	No data available	
9.2. Other information		
Information with regard to physical hazard clas Explosive properties not applicable Sustaining combustion:	ses Not sustaining combustion	
Self-ignition temperature		
Solid: Gas:	not applicable	
Oxidizing properties No data available	not applicable	
Other safety characteristics		
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	0	
Solid content:	0	
Sublimation point:	No data available	
Softening point: Pour point:	No data available No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
Corrosive to metals		
SECTION 10: Stability and reactivity		

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

The product develops hydrogen in an aqueous solution in contact with metals.

# 10.4. Conditions to avoid

Heat

# 10.5. Incompatible materials

# Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

# 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures



# Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

Revision date: 06.02.2024

Product code: 33176

Page 7 of 10

### **Further information**

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

### Irritation and corrosivity

Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

### Additional information on tests

There are no data available on the mixture itself.

### Practical experience

There are no data available on the mixture itself.

# 11.2. Information on other hazards

# Other information

There are no data available on the mixture itself.

#### Further information

Irritant

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity         Dose         [h]   [d]         Species         Source				Source	Method	
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential



AnalytiChem GmbH

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

Revision date: 06.02.2024

Product code: 33176

Page 8 of 10

There are no data available on the mixture itself.

# 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

There are no data available on the mixture itself.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

Land transport (ADR/RID)					
14.1. UN number or ID number:	UN 1789				
14.2. UN proper shipping name:	HYDROCHLORIC ACID				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	III				
Hazard label:	8				
Classification code:	C1				
Special Provisions:	520				
Limited quantity:	5 L				
Excepted quantity:	E1				
Transport category:	3				
Hazard No:	80				
Tunnel restriction code:	E				
Inland waterways transport (ADN)					
14.1. UN number or ID number:	UN 1789				
14.2. UN proper shipping name:	HYDROCHLORIC ACID				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	111				
Hazard label:	8				
Classification code:	C1				
Special Provisions:	520				
Limited quantity:	5 L				
Excepted quantity:	E1				
Marine transport (IMDG)					
14.1. UN number or ID number:	UN 1789				
14.2. UN proper shipping name:	HYDROCHLORIC ACID				
14.3. Transport hazard class(es):	8				
14.4. Packing group:	111				



Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %						
Revision date: 06.02.2024	Product code: 33176	Page 9 of 10				
Hazard label:	8					
Special Provisions:	223					
Limited quantity:	5 L					
Excepted quantity:	E1					
EmS:	F-A, S-B					
Air transport (ICAO-TI/IATA-DGR)						
14.1. UN number or ID number:	UN 1789					
14.2. UN proper shipping name:	HYDROCHLORIC ACID					
<u>14.3. Transport hazard class(es):</u>	8					
14.4. Packing group:	III					
Hazard label:	8					
Special Provisions:	A3 A803					
Limited quantity Passenger:	1L					
Passenger LQ:	Y841					
Excepted quantity:	E1					
IATA-packing instructions - Passenger:	852					
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 856					
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	60 L					
	00 E					
14.5. Environmental hazards						
ENVIRONMENTALLY HAZARDOUS:	No					
SECTION 15: Regulatory information						
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture					
EU regulatory information						
Restrictions on use (REACH, annex XVII):						
Entry 75						
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)					
2012/18/EU (SEVESO III):	·····					
National regulatory information						
Water hazard class (D):	non-hazardous to water					
SECTION 16: Other information						
Changes						
Changes This data sheet contains changes from the previous version in section(s): 9,12.						
-						
Abbreviations and acronyms Met. Corr: Substance or mixture corros	ive to motals					
Skin Corr: Skin corrosion						
STOT SE: Specific target organ toxicity	/ - single exposure					
	t des marchandises dangereuses par Route					
(European Agreement concerning the International Carriage of Dangerous Goods by Road)						

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung Ca/Mg je 1 mg/l in Salzsäure 2 %

Revision date: 06.02.2024

Product code: 33176

Page 10 of 10

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

# Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

# **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)