

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 1 of 19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------------|------------------------------|
| Company name: | AnalytiChem GmbH | |
| | ACD | |
| Street: | Stempelstraße 6 | |
| Place: | D-47167 Duisburg | |
| Telephone: | 0203/5194-0 | Telefax: 0203/5194-290 |
| E-mail: | info@analytichem.de | |
| Contact person: | Abteilung Produktsicherheit | Telephone: 0203/5194-107/117 |
| E-mail: | produktsicherheit@analytichem.de | |
| Internet: | www.analytichem.de | |
| Responsible Department: | Abteilung Produktsicherheit | |

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Skin Sens. 1; H317

Carc. 1B; H350

STOT SE 3; H335

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Hydrochloric acid

beryllium nitrate

nickel dichloride

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 2 of 19

Pictograms:



Hazard statements

| | |
|------|--|
| H290 | May be corrosive to metals. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H350 | May cause cancer. |
| H412 | Harmful to aquatic life with long lasting effects. |

Precautionary statements

| | |
|-----------|---|
| P201 | Obtain special instructions before use. |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 3 of 19

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7647-01-0 | Hydrochloric acid | | | 10 - < 15 % |
| | 231-595-7 | 017-002-01-X | 01-2119484862-27 | |
| | Skin Corr. 1B, STOT SE 3; H314 H335 | | | |
| 7697-37-2 | nitric acid | | | 1 - < 5 % |
| | 231-714-2 | 007-030-00-3 | 01-2119487297-23 | |
| | Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071 | | | |
| 13597-99-4 | beryllium nitrate | | | < 1 % |
| | 237-062-5 | 004-002-00-2 | | |
| | Carc. 1B, Acute Tox. 2, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, STOT RE 1, Aquatic Chronic 2; H350i H330 H301 H315 H319 H317 H335 H372 H411 | | | |
| 7647-01-0 | Hydrochloric acid | | | < 1 % |
| | 231-595-7 | 017-002-01-X | 01-2119484862-27 | |
| | Skin Corr. 1B, STOT SE 3; H314 H335 | | | |
| 16919-19-0 | ammonium hexafluorosilicate | | | < 1 % |
| | 240-968-3 | 009-012-00-0 | | |
| | Acute Tox. 3, Acute Tox. 3, Acute Tox. 3; H331 H311 H301 | | | |
| 7791-13-1 | Cobalt(II) chloride hexahydrate | | | < 0.1 % |
| | 231-589-4 | 027-004-00-5 | 01-2119517584-37 | |
| | Carc. 1B, Muta. 2, Repr. 1B, Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360F H302 H334 H317 H400 H410 | | | |
| 7664-93-9 | sulphuric acid | | | < 0.1 % |
| | 231-639-5 | 016-020-00-8 | 01-2119458838-20 | |
| | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 | | | |
| 10125-13-0 | Kupfer-II-chlorid-2-hydrat | | | < 0.1 % |
| | | | 01-2119970306-36 | |
| | Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H312 H302 H315 H318 H400 H411 | | | |
| 7718-54-9 | nickel dichloride | | | < 0.1 % |
| | 231-743-0 | 028-011-00-6 | | |
| | Carc. 1A, Muta. 2, Repr. 1B, Acute Tox. 3, Acute Tox. 3, Skin Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360D H331 H301 H315 H334 H317 H372 H400 H410 | | | |
| 10108-64-2 | cadmium chloride | | | < 0.1 % |
| | 233-296-7 | 048-008-00-3 | | |
| | Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 3, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350 H340 H360FD H330 H301 H372 H400 H410 | | | |
| 7440-06-4 | platinum | | | < 0.1 % |
| | 231-116-1 | | | |

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 4 of 19

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|--|-------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 7647-01-0 | 231-595-7 | Hydrochloric acid | 10 - < 15 % |
| | | Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 | |
| 7697-37-2 | 231-714-2 | nitric acid | 1 - < 5 % |
| | | inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20 | |
| 13597-99-4 | 237-062-5 | beryllium nitrate | < 1 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg | |
| 7647-01-0 | 231-595-7 | Hydrochloric acid | < 1 % |
| | | Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 | |
| 16919-19-0 | 240-968-3 | ammonium hexafluorosilicate | < 1 % |
| | | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg | |
| 7791-13-1 | 231-589-4 | Cobalt(II) chloride hexahydrate | < 0.1 % |
| | | dermal: LD50 = > 2000 mg/kg; oral: LD50 = 537 mg/kg Carc. 1B; H350i: >= 0,01 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10 | |
| 7664-93-9 | 231-639-5 | sulphuric acid | < 0.1 % |
| | | oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15 | |
| 10125-13-0 | | Kupfer-II-chlorid-2-hydrat | < 0.1 % |
| | | dermal: LD50 = > 2000 mg/kg; oral: LD50 = 584 mg/kg Aquatic Acute 1; H400: M=10 | |
| 7718-54-9 | 231-743-0 | nickel dichloride | < 0.1 % |
| | | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 500 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1 | |
| 10108-64-2 | 233-296-7 | cadmium chloride | < 0.1 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg Carc. 1B; H350: >= 0,01 - 100 STOT RE 1; H372: >= 7 - 100 STOT RE 2; H373: >= 0,1 - < 7 | |

Further Information

No data available

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 5 of 19

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
Remove contact lenses, if present and easy to do. Continue rinsing.
Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.
Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant
Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids
Hazardous combustion products
In case of fire may be liberated:
Hydrogen chloride (HCl)
Nitrogen oxides (NO_x)
Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
In case of fire and/or explosion do not breathe fumes.
Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Move undamaged containers from immediate hazard area if it can be done safely.
Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.
Use personal protection equipment.
Avoid contact with skin, eyes and clothes.
Remove persons to safety.
Emergency procedures
Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 6 of 19

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Further information on storage conditions

Keep container tightly closed.

Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 7 of 19

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|-----------|--|-----|-------------------|---------------------|---------------|--------|
| 7429-90-5 | Aluminium metal (Respirable Fraction) | - | 1 | | TWA (8 h) | |
| 7647-01-0 | Hydrogen chloride | 5 | 8 | | TWA (8 h) | |
| | | 10 | 15 | | STEL (15 min) | |
| - | Nickel, inorganic compounds (as Ni), soluble compounds | - | 0.1 | | TWA (8 h) | |
| 7697-37-2 | Nitric acid | 1 | 2.6 | | STEL (15 min) | |
| 7440-06-4 | Platinum metal | - | 1 | | TWA (8 h) | |
| 7664-93-9 | Sulphuric acid | - | 0.05 | | TWA (8 h) | |
| 7440-31-5 | Tin (Metal) | - | 2 | | TWA (8 h) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|--------|------------------|-----------|--------|---------------|--|
| - | Nickel compounds | Ni | 3 µg/L | Urine | After several consecutive working shifts |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 8 of 19

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---------------------------------|----------------|----------|------------------------|
| 7647-01-0 | Hydrochloric acid | | | |
| Worker DNEL, long-term | | inhalation | local | 8 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 15 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 8 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 15 mg/m ³ |
| 7647-01-0 | Hydrochloric acid | | | |
| Worker DNEL, long-term | | inhalation | local | 8 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 15 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 8 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 15 mg/m ³ |
| 7791-13-1 | Cobalt(II) chloride hexahydrate | | | |
| Consumer DNEL, long-term | | oral | systemic | 0,12 mg/kg bw/day |
| 7664-93-9 | sulphuric acid | | | |
| Worker DNEL, long-term | | inhalation | local | 0,05 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 0,1 mg/m ³ |
| 7718-54-9 | nickel dichloride | | | |
| Worker DNEL, acute | | inhalation | local | 1,6 mg/m ³ |
| Consumer DNEL, acute | | inhalation | systemic | 8,8 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 0,1 mg/m ³ |
| Worker DNEL, acute | | inhalation | systemic | 104 mg/m ³ |
| Consumer DNEL, long-term | | oral | systemic | 0,02 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 0,012 mg/kg bw/day |
| 7440-31-5 | tin | | | |
| Worker DNEL, long-term | | inhalation | systemic | 71 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 10 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 17 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 80 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 5 mg/kg bw/day |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 9 of 19

PNEC values

| CAS No | Substance | Value |
|--|---------------------------------|--------------|
| Environmental compartment | | |
| 7791-13-1 | Cobalt(II) chloride hexahydrate | |
| Freshwater | | 0,0006 mg/l |
| Marine water | | 0,00236 mg/l |
| Freshwater sediment | | 9,5 mg/kg |
| Marine sediment | | 9,5 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,37 mg/l |
| Soil | | 10,9 mg/kg |
| 7664-93-9 | sulphuric acid | |
| Freshwater | | 0,003 mg/l |
| Marine water | | 0 mg/l |
| Freshwater sediment | | 0,002 mg/kg |
| Marine sediment | | 0,002 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 8,8 mg/l |
| 10125-13-0 | Kupfer-II-chlorid-2-hydrat | |
| Freshwater | | 0,0078 mg/l |
| Marine water | | 0,0052 mg/l |
| Freshwater sediment | | 87 mg/kg |
| Marine sediment | | 676 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,23 mg/l |
| Soil | | 65 mg/kg |
| 7718-54-9 | nickel dichloride | |
| Freshwater | | 0,0071 mg/l |
| Freshwater (intermittent releases) | | 0 mg/l |
| Marine water | | 0,0086 mg/l |
| Freshwater sediment | | 109 mg/kg |
| Marine sediment | | 109 mg/kg |
| Secondary poisoning | | 0,12 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,33 mg/l |
| Soil | | 29,9 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 10 of 19

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|---|-------------------|-------------------|
| Physical state: | Liquid | |
| Colour: | clear | |
| Odour: | stinging | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | acidic |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapour pressure: | | No data available |
| Vapour pressure: | | No data available |
| Density: | | No data available |
| Relative density: | | No data available |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 11 of 19

| | |
|---------------------------|-------------------|
| Bulk density: | No data available |
| Relative vapour density: | No data available |
| Particle characteristics: | No data available |

9.2. Other information

Information with regard to physical hazard classes

| | |
|---------------------------|-------------------|
| Explosive properties | No data available |
| No data available | |
| Sustaining combustion: | No data available |
| Self-ignition temperature | |
| Solid: | No data available |
| Gas: | No data available |
| Oxidizing properties | |
| No data available | |

Other safety characteristics

| | |
|--------------------------|-------------------|
| Evaporation rate: | No data available |
| Solvent separation test: | No data available |
| Solvent content: | 0 |
| Solid content: | 0 |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| No data available: | |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Cellulose

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 12 of 19

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATE_{mix} calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|------------|---------------------------------|-------------------|---------|--|--|
| | Exposure route | Dose | Species | Source | Method |
| 7697-37-2 | nitric acid | | | | |
| | inhalation vapour | ATE 2,65 mg/l | | | |
| 13597-99-4 | beryllium nitrate | | | | |
| | oral | ATE 100 mg/kg | | | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation dust/mist | ATE 0,05 mg/l | | | |
| 16919-19-0 | ammonium hexafluorosilicate | | | | |
| | oral | ATE 100 mg/kg | | | |
| | dermal | ATE 300 mg/kg | | | |
| | inhalation vapour | ATE 3 mg/l | | | |
| | inhalation dust/mist | ATE 0,5 mg/l | | | |
| 7791-13-1 | Cobalt(II) chloride hexahydrate | | | | |
| | oral | LD50 537 mg/kg | Rat | Revista Española de Fisiología, 39: 291 | OECD Guideline 401 |
| | dermal | LD50 > 2000 mg/kg | Rat | Study report (2007) | OECD Guideline 402 |
| 7664-93-9 | sulphuric acid | | | | |
| | oral | LD50 2140 mg/kg | Rat | Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5): | The study was performed as part of a ser |
| 10125-13-0 | Kupfer-II-chlorid-2-hydrat | | | | |
| | oral | LD50 584 mg/kg | Rat | Publication (1991) | The test material was administered to gr |
| | dermal | LD50 > 2000 mg/kg | Rat | Study report (2003) | OECD Guideline 402 |
| 7718-54-9 | nickel dichloride | | | | |
| | oral | LD50 500 mg/kg | Rat | Regul Toxicol and Pharmacol (doi.org/10. | OECD Guideline 425 |
| | inhalation vapour | ATE 3 mg/l | | | |
| | inhalation dust/mist | ATE 0,5 mg/l | | | |
| 10108-64-2 | cadmium chloride | | | | |
| | oral | ATE 100 mg/kg | | | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation dust/mist | ATE 0,05 mg/l | | | |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 13 of 19

Irritation and corrosivity

Causes skin irritation.
Causes serious eye irritation.
Following ingestion Gastric perforation

Sensitising effects

May cause an allergic skin reaction. (beryllium nitrate; Cobalt(II) chloride hexahydrate; nickel dichloride)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (beryllium nitrate; Cobalt(II) chloride hexahydrate; nickel dichloride; cadmium chloride)
Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Hydrochloric acid)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the preparation/mixture itself.

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 14 of 19

| CAS No | Chemical name | | | | | |
|------------|---------------------------------|-------|-----------------|---------|--|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 7647-01-0 | Hydrochloric acid | | | | | |
| | Acute fish toxicity | LC50 | 862 mg/l | 96 h | Leuciscus idus | |
| 7697-37-2 | nitric acid | | | | | |
| | Acute fish toxicity | LC50 | 1559 mg/l | 96 h | Topeka shiner | Environmental Toxicology and Chemistry, other: ASTM E729-26 |
| | Fish toxicity | NOEC | 268 mg/l | 30 d | juvenile Topeka shiner and with juvenile Fathead m | Study report (2009) Growth tests estimated the test chemical |
| | Algae toxicity | NOEC | > 419 mg/l | 10 d | several benthic diatoms; see results | Marine Biology 43:307-315 (1977) Ten cultures of benthic diatoms were iso |
| | Acute bacteria toxicity | EC50 | > 1000 mg/l () | 3 h | Activated sludge | Study report (2008) OECD Guideline 209 |
| 7647-01-0 | Hydrochloric acid | | | | | |
| | Acute fish toxicity | LC50 | 862 mg/l | 96 h | Leuciscus idus | |
| 7791-13-1 | Cobalt(II) chloride hexahydrate | | | | | |
| | Acute fish toxicity | LC50 | 54,1 mg/l | 96 h | Pimephales promelas | Study report (2009) other: ASTM guideline |
| | Acute algae toxicity | ErC50 | 71,314 mg/l | 96 h | Dunaliella tertiolecta | Study report (2010) other: American Society for Testing and |
| | Acute crustacea toxicity | EC50 | 42,7 mg/l | 48 h | Aeolosoma sp. | Study report (2008) Newman, J.P., Jr. 1975. The effects of h |
| | Fish toxicity | NOEC | 0,21 mg/l | 34 d | Pimephales promelas | Study report (2009) other: This study was conducted accordin |
| | Algae toxicity | NOEC | 0,0018 mg/l | 7 d | Champia parvula | Study report - model refit from original other: EPA 821-R- 02-014, Method 1009.0 |
| | Crustacea toxicity | NOEC | 0,1697 mg/l | 14 d | Aeolosoma sp. | Study report (2008) other: Newman, J.P., Jr. 1975. The effec |
| | Acute bacteria toxicity | EC50 | 120 mg/l () | 0,5 h | Activated sludge | Study report (2010) OECD Guideline 209 |
| 7664-93-9 | sulphuric acid | | | | | |
| | Acute algae toxicity | ErC50 | > 100 mg/l | 72 h | Desmodesmus subspicatus | Study report (2009) OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 | > 100 mg/l | 48 h | Daphnia magna | Study report (2009) OECD Guideline 202 |
| | Fish toxicity | NOEC | 0,025 mg/l | 65 d | Jordanella floridae | Water Research Vol. 11, 612 - 626, 1977 Groups of sexually mature flagfish |
| 10125-13-0 | Kupfer-II-chlorid-2-hydrat | | | | | |
| | Acute fish toxicity | LC50 | 0,193 mg/l | 96 h | Pimephales promelas | Study report (1996) measurements were conducted by standard |
| | Acute algae toxicity | ErC50 | 0,152 mg/l | 72 h | Pseudokirchneriella subcapitata | Publication (2005) OECD Guideline 201 |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 15 of 19

| | | | | | | | |
|-----------|--------------------------|---------------|-----------|-------|--|---|--|
| | Acute crustacea toxicity | EC50 mg/l | 0,007 | 48 h | Daphnia magna | Study report (1978) | - Test were conducted on Daphnia magna t |
| | Fish toxicity | NOEC mg/l | 0,123 | 12 d | Atherinops affinis | Mar. Environ. Res. 31: 17-35 (1991) | Three tests are reported, designed to de |
| | Algae toxicity | NOEC mg/l | 0,0102 | 19 d | other aquatic plant: giant kelp <i>Macrocystis pyrife</i> | Mar. Ecol. Prog. Ser. 68: 147 - 156 (199 | Tests were conducted to determine the ef |
| | Crustacea toxicity | NOEC mg/l | 0,033 | 14 d | <i>Penaeus mergulensis</i> and <i>Penaeus monodon</i> | Bull. Environ. Contain. Toxicol. (1995) | The effects of dissolved copper on the g |
| 7718-54-9 | nickel dichloride | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 15,3 | 96 h | <i>Oncorhynchus mykiss</i> | Aquatic Toxicology 63 (2003) 65-82 (2003 | other: not reported |
| | Acute algae toxicity | ErC50 mg/l | 0,263 | 72 h | <i>Spermatozopsis exsultans</i> | Publication (2009) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | > 0,2 | 48 h | <i>Ceriodaphnia dubia</i> | Environmental Toxicology and Chemistry. | other: comparable to USEPA, Methods for |
| | Fish toxicity | NOEC mg/l | 0,04 | 8 d | <i>Danio rerio</i> | Arch. Environ. Contam. Toxicol. 21:126-1 | other: Swedish Standard SS 02 81 93 |
| | Algae toxicity | NOEC | 0,6 mg/l | 14 d | <i>Anabaena cylindrica</i> | Environ. Pollut. (Series A). 25(4):241-2 | other: not reported |
| | Crustacea toxicity | NOEC mg/l | 0,09 | 21 d | <i>Daphnia magna</i> | Water Res. 23(4):501-510 (1989) | other: DIN 38412, Part II |
| | Acute bacteria toxicity | EC50) | 33 mg/l (| 0,5 h | Activated sludge | Journal of Hazardous Materials. B139:332 | ISO 8192 |

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---------------------------------|-----------|-------------------------|----------------------|
| 7791-13-1 | Cobalt(II) chloride hexahydrate | 23 | <i>Asterias rubens</i> | Marine Pollution Bul |
| 10125-13-0 | Kupfer-II-chlorid-2-hydrat | 0,02 - 20 | <i>Crangon crangon</i> | Symp. Biologica. Hun |
| 7718-54-9 | nickel dichloride | 39 | <i>Chlorella salina</i> | J. Mar. Biol. Ass. U |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 16 of 19

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|-------------------|
| 14.1. UN number or ID number: | UN 1789 |
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 520 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 80 |
| Tunnel restriction code: | E |

Inland waterways transport (ADN)

| | |
|--|-------------------|
| 14.1. UN number or ID number: | UN 1789 |
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Classification code: | C1 |
| Special Provisions: | 520 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |

Marine transport (IMDG)

| | |
|--|-------------------|
| 14.1. UN number or ID number: | UN 1789 |
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | II |
| Hazard label: | 8 |
| Special Provisions: | - |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| EmS: | F-A, S-B |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--------------------------------------|---------|
| 14.1. UN number or ID number: | UN 1789 |
|--------------------------------------|---------|

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 17 of 19

| | | |
|--|-------------------|--|
| 14.2. UN proper shipping name: | HYDROCHLORIC ACID | |
| 14.3. Transport hazard class(es): | 8 | |
| 14.4. Packing group: | II | |
| Hazard label: | 8 | |
| Special Provisions: | A3 A803 | |
| Limited quantity Passenger: | 0.5 L | |
| Passenger LQ: | Y840 | |
| Excepted quantity: | E2 | |
| IATA-packing instructions - Passenger: | 851 | |
| IATA-max. quantity - Passenger: | 1 L | |
| IATA-packing instructions - Cargo: | 855 | |
| IATA-max. quantity - Cargo: | 30 L | |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):
Cobalt(II) chloride hexahydrate; cadmium chloride

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 23, Entry 27, Entry 65, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 12.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 18 of 19

Abbreviations and acronyms

- Pyr. Sol: Pyrophoric solid
- Water-react: Substance and mixture which, in contact with water, emits flammable gas
- Ox. Liq: Oxidising liquid
- Met. Corr: Substance or mixture corrosive to metals
- Flam. Sol: Flammable solid
- Acute Tox: Acute toxicity
- Skin Corr: Skin corrosion
- Skin Irrit: Skin irritation
- Eye Dam: Eye damage
- Eye Irrit: Eye irritation
- Resp. Sens: Respiratory sensitisation
- Skin Sens: Skin sensitisation
- Muta: Germ cell mutagenicity
- Carc: Carcinogenicity
- Repr: Reproductive toxicity
- STOT SE: Specific target organ toxicity - single exposure
- STOT RE: Specific target organ toxicity - repeated exposure
- Aquatic Acute: Acute aquatic hazard
- Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Carc. 1B; H350 | Calculation method |
| STOT SE 3; H335 | Calculation method |
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

- H272 May intensify fire; oxidiser.
- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H340 May cause genetic defects.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H350i May cause cancer by inhalation.
- H360D May damage the unborn child.
- H360F May damage fertility.
- H360FD May damage fertility. May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multielement-Standardlösung 30 Elemente in Salzsäure etwa 3 mol/l

Revision date: 28.02.2024

Product code: 33196

Page 19 of 19

| | |
|--------|---|
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)