

EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

Revision date: 26.08.2024

Product code: 33255

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

UFI:

P33Y-R26G-W00C-MP2P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household). No data available

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH		
	ACD		
Street:	Stempelstraße 6		
Place:	D-47167 Duisburg		
Telephone:	0203/5194-0	Telefax: 0203/5194-290	
E-mail:	info@analytichem.de		
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117	
E-mail:	produktsicherheit@analytichem.de		
Internet:	www.analytichem.de		
Responsible Department:	Abteilung Produktsicherheit		
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls		
	accepted)	Ϋ́,	

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Pictograms:

Regulation (EC) No 1272/2008

Signal word:





Hazard statements

H290

May be corrosive to metals.

Precautionary statements

	-
P234	Keep only in original packaging.
P390	Absorb spillage to prevent material damage.



EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

Revision date: 26.08.2024

Product code: 33255

Page 2 of 10

P406

Store in a corrosion-resistant container with a resistant inner liner.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation	n (EC) No 1272/2008)		
1310-73-2	sodium hydroxide	sodium hydroxide		
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
1310-73-2	215-185-5	sodium hydroxide	< 1 %	
Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2				

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. Wash immediately with: Water

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed Irritant

4.3. Indication of any immediate medical attention and special treatment needed No data available



EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

according to Regulation (EC) No 1907/2006

Revision date: 26.08.2024

Product code: 33255

Page 3 of 10

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Avoid contact with skin, eyes and clothes.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

No special environmental measures are necessary.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage



EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

Revision date: 26.08.2024

Product code: 33255

Page 4 of 10

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. If handled uncovered, arrangements with local exhaust ventilation have to be used. Draw up and observe skin protection programme. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Unsuitable container/equipment material: Metal Aluminium Tin Zinc

Further information on storage conditions Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
1310-73-2	sodium hydroxide		-			
Worker DNEL,	long-term	inhalation	local	1 mg/m³		
Consumer DNE	EL, long-term	inhalation	local	1 mg/m³		

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment



EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

Revision date: 26.08.2024

Product code: 33255

Page 5 of 10

Eye/face protection

Wear eye protection/face protection. Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state:	Liquid	
	Colour:	colourless	
	Odour:	odourless	
	Odour threshold:	not determined	
	Melting point/freezing point:		not determined
Boiling point or initial boiling point and			not determined
	boiling range:		
	Flammability:		not applicable
	Lower explosion limits:		not determined
	Upper explosion limits:		not determined



Revision date: 26.08.2024	01 M Lösung Ethylenglykol-bis-(2-amino-ethylethe Product code: 33255	Page 6 of 10
Flash point:	Х	
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	9,9	
Viscosity / kinematic:	not determined	
Water solubility:	very soluble	
Solubility in other solvents	,	
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,0006 g/cm³	
Bulk density:	not determined	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazar	d classes	
Explosive properties		
not determined		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	not determined	
Solvent content:	0	
Solid content:	0	
Sublimation point:	not determined	
Softening point:	not determined	
Pour point:	not determined	
not determined:		
Viscosity / dynamic:	not determined	
Flow time:	not determined	
Further Information		
Corrosive to metals.		

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal Aluminium



EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

Revision date: 26.08.2024

Product code: 33255

Page 7 of 10

Tin Zinc

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

Revision date: 26.08.2024

Product code: 33255

Page 8 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
1310-73-2	sodium hydroxide						
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h		Environmental	other: acute 48-h immobilization test ac

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not empty into drains.

Further information

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	111
Hazard label:	8
Classification code:	C5
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1824
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es):	8
14.4. Packing group:	III



EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

EGTA-Lösung 0,01 mol/I - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N				
Revision date: 26.08.2024	Product code: 33255	Page 9 of 10		
Hazard label:	8			
Classification code:	C5			
Limited quantity:	5 L			
Excepted quantity:	E1			
Marine transport (IMDG)				
<u>14.1. UN number or ID number:</u>	UN 1824			
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION			
14.3. Transport hazard class(es):	8			
14.4. Packing group:				
Hazard label:	8			
Special Provisions:	223			
Limited quantity:	5 L			
Excepted quantity:	E1			
EmS:	F-A, S-B			
Segregation group:	alkalis			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	UN 1824			
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION			
14.3. Transport hazard class(es):	8			
14.4. Packing group:				
Hazard label:	8			
Special Provisions:	A3 A803			
Limited quantity Passenger:	1L			
Passenger LQ:	Y841			
Excepted quantity:	E1			
IATA-packing instructions - Passenger:	852			
IATA-max. quantity - Passenger:	5 L			
IATA-packing instructions - Cargo:	856			
IATA-max. quantity - Cargo:	60 L			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
Warning: strongly corrosive.				
14.7. Maritime transport in bulk according to	o IMO instruments			
not applicable				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture			
EU regulatory information				
Restrictions on use (REACH, annex XVII):				
Entry 75				
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)			
2012/18/EU (SEVESO III):	NOL SUDJECT TO 2012/18/EU (SEVESU III)			
National regulatory information				
Water hazard class (D):	1 - slightly hazardous to water			

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.



EGTA-Lösung 0,01 mol/l - 0,01 M Lösung Ethylenglykol-bis-(2-amino-ethylether)-N,N......

Revision date: 26.08.2024

Product code: 33255

Page 10 of 10

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Skin Corr: Skin corrosion

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)