

according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 1 of 17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/ll: VEFY-J29W-A00P-XR06

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Carc. 1B; H350i STOT SE 3; H335 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Hydrochloric acid nickel dichloride cobalt dinitrate

Signal word: Danger



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 2 of 17

Pictograms:







Hazard statements

H290	May be corrosive to metals.
H315	Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H350i May cause cancer by inhalation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Special labelling of certain mixtures

Restricted to professional users.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 3 of 17

Relevant ingredients

CAS No	Chemical name			Quantity				
	EC No	Index No	REACH No					
	Classification (Regulatio	n (EC) No 1272/2008)	•					
7647-01-0	Hydrochloric acid			10 - < 15 %				
	231-595-7	017-002-01-X	01-2119484862-27					
	Met. Corr. 1, Skin Corr.	IB, Eye Dam. 1, STOT SE 3; H290	H314 H318 H335					
10025-77-1	Iron(III) chloride hexahyo	Irate		< 1 %				
	231-729-4		01-2119497998-05					
	Acute Tox. 4, Skin Irrit. 2	ute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1; H302 H315 H318 H317						
7718-54-9	nickel dichloride			< 0.1 %				
	231-743-0	028-011-00-6						
		1B, Acute Tox. 3, Acute Tox. 3, Sk tte 1, Aquatic Chronic 1; H350i H34	n Irrit. 2, Resp. Sens. 1, Skin Sens. 1, 1 H360D H331 H301 H315 H334					
	H317 H372 H400 H410							
10125-13-0	Kupfer-II-chlorid-2-hydra	t		< 0.1 %				
10125-13-0		t	01-2119970306-36	< 0.1 %				
10125-13-0	Kupfer-II-chlorid-2-hydra	4, Skin Irrit. 2, Eye Dam. 1, Aquation		< 0.1 %				
10125-13-0	Kupfer-II-chlorid-2-hydra Acute Tox. 4, Acute Tox	4, Skin Irrit. 2, Eye Dam. 1, Aquation						
	Acute Tox. 4, Acute Tox H302 H315 H318 H400	4, Skin Irrit. 2, Eye Dam. 1, Aquation						
	Acute Tox. 4, Acute Tox H302 H315 H318 H400 cobalt dinitrate	. 4, Skin Irrit. 2, Eye Dam. 1, Aquation H411 027-009-00-2 1B, Resp. Sens. 1, Skin Sens. 1, A	Acute 1, Aquatic Chronic 2; H312					
	Acute Tox. 4, Acute Tox H302 H315 H318 H400 cobalt dinitrate 233-402-1 Carc. 1B, Muta. 2, Repr.	. 4, Skin Irrit. 2, Eye Dam. 1, Aquation H411 027-009-00-2 1B, Resp. Sens. 1, Skin Sens. 1, A	Acute 1, Aquatic Chronic 2; H312	< 0.1 % < 0.1 %				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

EC No	Chemical name	Quantity
Specific Conc.	Limits, M-factors and ATE	
231-595-7	Hydrochloric acid	10 - < 15 %
	·	
231-729-4	Iron(III) chloride hexahydrate	< 1 %
dermal: LD50	= > 2000 mg/kg; oral: LD50 = 500 mg/kg	
231-743-0	nickel dichloride	< 0.1 %
mg/kg Skin Ir >= 1 - 100 S Aquatic Acute	rit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: TOT RE 2; H373: >= 0,1 - < 1 1; H400: M=1 ic 1; H410: M=1	
	Kupfer-II-chlorid-2-hydrat	< 0.1 %
dermal: LD50	= > 2000 mg/kg; oral: LD50 = 584 mg/kg Aquatic Acute 1; H400: M=10	
233-402-1	cobalt dinitrate	< 0.1 %
Aquatic Acute	1; H400: M=10	
231-598-3	sodium chloride	< 0.1 %
dermal: LD50	= > 10000 mg/kg; oral: LD50 = 3550 mg/kg	
	Specific Conc. 231-595-7 Skin Corr. 1B; 25 STOT SE 231-729-4 dermal: LD50 231-743-0 inhalation: AT mg/kg Skin Ir >= 1 - 100 S Aquatic Acute Aquatic Chron dermal: LD50 233-402-1 Carc. 1B; H35 Aquatic Acute Aquatic Chron 231-598-3	Specific Conc. Limits, M-factors and ATE 231-595-7 Hydrochloric acid Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100 231-729-4 Iron(III) chloride hexahydrate dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500 mg/kg 231-743-0 nickel dichloride inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 500 mg/kg Skin Irrit. 2; H315: >= 20 - 100 Skin Sens. 1; H317: >= 0,01 - 100 STOT RE 1; H372: >= 1 - 100 STOT RE 2; H373: >= 0,1 - < 1 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1 Kupfer-II-chlorid-2-hydrat dermal: LD50 = > 2000 mg/kg; oral: LD50 = 584 mg/kg Aquatic Acute 1; H400: M=10 233-402-1 cobalt dinitrate Carc. 1B; H350i: >= 0,01 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 4 of 17

Further Information

There are no data available on the mixture itself.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-flammable.

Hazardous combustion products

In case of fire may be liberated:

Hydrogen chloride (HCI)

Metal oxide smoke, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 5 of 17

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Use extractor hood (laboratory).

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 6 of 17

Hints on joint storage

national regulations

Further information on storage conditions

Unsuitable container/equipment material: Metal

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	
	Nickel, inorganic compounds (as Ni), soluble compounds	-	0.1		TWA (8 h)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
-	Nickel compounds	Ni	3 μg/L		After several consecutive working shifts



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 7 of 17

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7647-01-0	Hydrochloric acid			
Worker DNEL	, long-term	inhalation	local	8 mg/m³
Worker DNEL	, acute	inhalation	local	15 mg/m³
Consumer DN	IEL, long-term	inhalation	local	8 mg/m³
Consumer DN	EL, acute	inhalation	local	15 mg/m³
10025-77-1	Iron(III) chloride hexahydrate			
Worker DNEL	, long-term	dermal	systemic	2,8 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	1,4 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,28 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	20 mg/kg bw/day
7718-54-9	nickel dichloride			
Worker DNEL	, acute	inhalation	local	1,6 mg/m³
Consumer DN	EL, acute	inhalation	systemic	8,8 mg/m³
Consumer DN	EL, acute	inhalation	local	0,1 mg/m³
Worker DNEL	, acute	inhalation	systemic	104 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,02 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,012 mg/kg bw/day
7647-14-5	sodium chloride			
Consumer DN	IEL, long-term	dermal	systemic	126,65 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	126,65 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	126,65 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	126,65 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	2068,62 mg/m³
Worker DNEL, acute		inhalation	systemic	2068,62 mg/m³
Worker DNEL, acute		dermal	systemic	295,52 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	443,28 mg/m³
Consumer DN	EL, acute	inhalation	systemic	443,28 mg/m³
Worker DNEL	, long-term	dermal	systemic	295,52 mg/kg bw/day



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 8 of 17

PNEC values

CAS No	Substance	
Environment	al compartment	Value
7718-54-9	nickel dichloride	
Freshwater		0,0071 mg/l
Freshwater (intermittent releases)	0 mg/l
Marine water	r	0,0086 mg/l
Freshwater s	sediment	109 mg/kg
Marine sedin	nent	109 mg/kg
Secondary p	oisoning	0,12 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	0,33 mg/l
Soil		29,9 mg/kg
10125-13-0	Kupfer-II-chlorid-2-hydrat	
Freshwater		0,0078 mg/l
Marine water	r	0,0052 mg/l
Freshwater s	sediment	87 mg/kg
Marine sedin	nent	676 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	0,23 mg/l
Soil		65 mg/kg
7647-14-5	sodium chloride	
Freshwater		5 mg/l
Micro-organi	sms in sewage treatment plants (STP)	500 mg/l
Soil		4,86 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 730 Camatril® Velours Recommended material: NBR (Nitrile rubber) 0,4 mm Wearing time with permanent contact: > 480 min



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 9 of 17

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 120 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet; www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: like: Nitric acid
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: not applicable
Lower explosion limits: No data available
Upper explosion limits: No data available
Flash point: X
Auto-ignition temperature: No data available
Decomposition temperature: No data available
pH-Value: <1

Viscosity / kinematic:

Water solubility:

No data available

No data available

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

1,0555 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 10 of 17

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

No data available

Further Information
Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Keep away from: Metal.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 11 of 17

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
10025-77-1	Iron(III) chloride hexahyo	drate						
	oral	LD50 mg/kg	500	Rat	Study report (2004)	OECD Guideline 423		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2004)	OECD Guideline 402		
7718-54-9	nickel dichloride							
	oral	LD50 mg/kg	500	Rat	Regul Toxicol and Pharmacol (doi.org/10.	OECD Guideline 425		
	inhalation vapour	ATE	3 mg/l					
	inhalation dust/mist	ATE	0,5 mg/l					
10125-13-0	Kupfer-II-chlorid-2-hydra	t						
	oral	LD50 mg/kg	584	Rat	Publication (1991)	The test material was administered to gr		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2003)	OECD Guideline 402		
7647-14-5	sodium chloride							
	oral	LD50 mg/kg	3550	Rat	Study report	The study methodology followed appeared		
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report	The study methology followed appeared to		

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Following ingestion Gastric perforation

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Irritating to respiratory system.

Pulmonary oedema see also Section 4

Sensitising effects

May cause an allergic skin reaction. (Iron(III) chloride hexahydrate; nickel dichloride; cobalt dinitrate)

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer by inhalation. (nickel dichloride; cobalt dinitrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Hydrochloric acid)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Print date: 04.03.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 12 of 17

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 13 of 17

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
718-54-9	nickel dichloride						
	Acute fish toxicity	LC50 mg/l	15,3	96 h	Oncorhynchus mykiss	Aquatic Toxicology 63 (2003) 65-82 (2003	other: not reported
	Acute algae toxicity	ErC50 mg/l	0,263	72 h	Spermatozopsis exsultans	Publication (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 0,2	48 h	Ceriodaphnia dubia	Environmental Toxicology and Chemistry.	other: comparable to USEPA, Methods for
	Fish toxicity	NOEC mg/l	0,04	8 d	Danio rerio	Arch. Environ. Contam. Toxicol. 21:126-1	other: Swedish Standard SS 02 81 93
	Algae toxicity	NOEC	0,6 mg/l	14 d	Anabaena cylindrica	Environ. Pollut. (Series A). 25(4):241-2	other: not reported
	Crustacea toxicity	NOEC mg/l	0,09	21 d	Daphnia magna	Water Res. 23(4):501-510 (1989)	other: DIN 38412 Part II
	Acute bacteria toxicity	EC50)	33 mg/l (0,5 h	Activated sludge	Journal of Hazardous Materials. B139:332	ISO 8192
0125-13-0	Kupfer-II-chlorid-2-hydrat						
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g
647-14-5	sodium chloride						
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	Study report (1985)	other: ASTM E729
	Acute crustacea toxicity	EC50 mg/l	4136	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700.	OECD Guideline 202
		NOEC	252 mg/l		Pimephales promelas	Study report	OECD Guideline



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l						
Revision date: 04.03.2025		Pro	duct code: 33387		Page 14 d	of 17
Crustacea toxicity	NOEC	314 mg/l	21 d Daphnia pulex	Memorandum of agreement No. 5429, Kentuc	OECD Guideline 211	

12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
10025-77-1	Iron(III) chloride hexahydrate		Fish, Oreochromis mossambicus	Indian Journal of En
7718-54-9	nickel dichloride	39	Chlorella salina	J. Mar. Biol. Ass. U
10125-13-0	Kupfer-II-chlorid-2-hydrat	0,02 - 20	Crangon crangon	Symp. Biologica. Hun

12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es): 8 Ш 14.4. Packing group: 8 Hazard label: Classification code: C1 **Special Provisions:** 520 Limited quantity: 1 L Excepted quantity: E2 Transport category: 2



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 15 of 17

Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C1Special Provisions:520Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

cobalt dinitrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 27, Entry 28, Entry 75



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 16 of 17

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,8,9,12.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage Eye Irrit: Eye irritation

Resp. Sens: Respiratory sensitisation

Skin Sens: Skin sensitisation Muta: Germ cell mutagenicity

Carc: Carcinogenicity
Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure			
Met. Corr. 1; H290	On basis of test data			
Skin Irrit. 2; H315	Calculation method			
Eye Irrit. 2; H319	Calculation method			
Skin Sens. 1; H317	Calculation method			
Carc. 1B; H350i	Calculation method			
STOT SE 3; H335	Calculation method			
Aquatic Chronic 3; H412	Calculation method			



according to Regulation (EC) No 1907/2006

Multi-Element Standard (11E) in hydrochloric acid 3.1 mol/l

Revision date: 04.03.2025 Product code: 33387 Page 17 of 17

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.
H350i May cause cancer by inhalation.
H360D May damage the unborn child.

H360F May damage fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)