

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225
Acute Tox. 4; H302
Acute Tox. 4; H332
Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

acetonitrile

Signal word: Danger

Pictograms:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 2 of 14

Hazard statements

H225 Highly flammable liquid and vapour.
H302+H332 Harmful if swallowed or if inhaled.
H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
75-05-8	acetonitrile			50 - < 55 %
	200-835-2	608-001-00-3	01-2119471307-38	
	Flam. Liq. 2, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H225 H332 H312 H302 H319			
64-19-7	acetic acid			5 - < 10 %
	200-580-7	607-002-00-6	01-2119475328-30	
	Flam. Liq. 3, Skin Corr. 1A; H226 H314			
631-61-8	ammonium acetate			< 1 %
	211-162-9			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
75-05-8	200-835-2	acetonitrile	50 - < 55 %
		inhalation: LC50 = 3587 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 469 mg/kg	
64-19-7	200-580-7	acetic acid	5 - < 10 %
		inhalation: LC50 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	
631-61-8	211-162-9	ammonium acetate	< 1 %
		dermal: LD50 = > 26556,42 mg/kg; oral: LD50 = >= 2333,28 mg/kg	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 3 of 14

(REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Headache

Dyspnoea

Irritant

Vomiting

Spasms

Unconsciousness

Respiratory complaints

Cardiac arrhythmias

Dizziness

Release of: Hydrogen cyanide (hydrocyanic acid)

4.3. Indication of any immediate medical attention and special treatment needed

Release of: Hydrogen cyanide (hydrocyanic acid)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO₂), Carbon monoxide

Hydrogen cyanide (hydrocyanic acid)

Nitrogen oxides (NO_x)

Beware of reignition.

5.3. Advice for firefighters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 4 of 14

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Danger of bursting container.

Use water spray jet to protect personnel and to cool endangered containers.

Suppress gases/vapours/mists with water spray jet.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 5 of 14

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.
When using do not eat, drink, smoke, sniff. Keep container tightly closed.
Use personal protection equipment.
Do not breathe vapour/aerosol.
Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.
Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.
If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	
75-05-8	Acetonitrile	40	70		TWA (8 h)	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 6 of 14

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
75-05-8	acetonitrile			
Worker DNEL, long-term		inhalation	systemic	68 mg/m ³
Worker DNEL, acute		inhalation	systemic	68 mg/m ³
Worker DNEL, long-term		inhalation	local	68 mg/m ³
Worker DNEL, acute		inhalation	local	68 mg/m ³
Worker DNEL, long-term		dermal	systemic	32,2 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	4,8 mg/m ³
Consumer DNEL, acute		inhalation	systemic	220 mg/m ³
Consumer DNEL, long-term		inhalation	local	4,8 mg/m ³
Consumer DNEL, acute		inhalation	local	22 mg/m ³
Consumer DNEL, acute		oral	systemic	0,6 mg/kg bw/day
64-19-7	acetic acid			
Worker DNEL, long-term		inhalation	local	25 mg/m ³
Worker DNEL, acute		inhalation	local	25 mg/m ³
Consumer DNEL, long-term		inhalation	local	25 mg/m ³
Consumer DNEL, acute		inhalation	local	25 mg/m ³
631-61-8	ammonium acetate			
Worker DNEL, long-term		inhalation	systemic	911,56 mg/m ³
Worker DNEL, acute		inhalation	systemic	5469,35 mg/m ³
Worker DNEL, long-term		dermal	systemic	10,34 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	62,04 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	449,56 mg/m ³
Consumer DNEL, acute		inhalation	systemic	2674,16 mg/m ³
Consumer DNEL, long-term		dermal	systemic	5,17 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	31,02 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	5,17 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	31,02 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 7 of 14

PNEC values

CAS No	Substance	Value
Environmental compartment		Value
75-05-8	acetonitrile	
Freshwater		10 mg/l
Freshwater (intermittent releases)		10 mg/l
Marine water		1 mg/l
Freshwater sediment		7,53 mg/kg
Micro-organisms in sewage treatment plants (STP)		32 mg/l
Soil		2,41 mg/kg
64-19-7	acetic acid	
Freshwater		3,058 mg/l
Freshwater (intermittent releases)		30,58 mg/l
Marine water		0,306 mg/l
Freshwater sediment		11,36 mg/kg
Marine sediment		1,136 mg/kg
Micro-organisms in sewage treatment plants (STP)		85 mg/l
Soil		0,47 mg/kg
631-61-8	ammonium acetate	
Freshwater		3,08 mg/l
Marine water		0,308 mg/l
Freshwater sediment		2,51 mg/kg
Marine sediment		0,251 mg/kg
Micro-organisms in sewage treatment plants (STP)		677 mg/l
Soil		0,72 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

Trade name/designation: KCL 897 Butoject®
Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm
Wearing time with permanent contact: > 480 min

Trade name/designation: KCL 897 Butoject®
Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 8 of 14

of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		<21 °C
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		No data available
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 9 of 14

Oxidizing properties
Not oxidising.

Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic: (at 25 °C)	No data available
Flow time:	No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability

Keep away from heat.

10.3. Possibility of hazardous reactions

Violent reaction with: Base, Reducing agent, strong
 Danger of explosion: sulphuric acid, NO₃, Perchlorate, Perchloracid
 Ignition hazard: Oxidising agent, Nitric acid, Nitrogen dioxide
 Possibility of hazardous reactions: Acid

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.
 Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Rubber articles
 Plastic articles

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Harmful if swallowed.
 Harmful if inhaled.

ATEmix calculated

ATE (oral) 871,70 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 2,7880 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 10 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
75-05-8	acetonitrile				
	oral	LD50 469 mg/kg	Mouse	Study report (1998)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1997)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 3587 mg/l	Mouse	Study report (1998)	OECD Guideline 403
	inhalation dust/mist	ATE 1,5 mg/l			
64-19-7	acetic acid				
	oral	LD50 3310 mg/kg	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194)	The sodium salt of acetic acid was admin
	inhalation (4 h) vapour	LC50 11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403
631-61-8	ammonium acetate				
	oral	LD50 >= 2333,28 mg/kg		Read-across (2010)	Read-across approach from published expe
	dermal	LD50 > 26556,42 mg/kg		Read-across (2010)	Read-across approach from published expe

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

Headache
Dyspnoea
Irritant
Vomiting
Spasms

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 11 of 14

Unconsciousness
Respiratory complaints
Cardiac arrhythmias
Dizziness
Release of: Hydrogen cyanide (hydrocyanic acid)

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
75-05-8	acetonitrile					
	Acute fish toxicity	LC50 1640 mg/l	96 h	Pimephales promelas	Review article or handbook (1984)	Guideline not specified
	Acute algae toxicity	ErC50 3560 mg/l	72 h	Phaeodactylum tricorutum	Study report (2010)	ISO 10253
	Acute crustacea toxicity	EC50 3600 mg/l	48 h	Daphnia magna	Bull. Environ. Contam. Toxicol. 57:655-6	other: OECD Guidelines for Testing Chemi
	Fish toxicity	NOEC 102 mg/l	7 d	Oryzias latipes	Study report (1996)	OECD Guideline 204
	Crustacea toxicity	NOEC 960 mg/l	21 d	Daphnia magna	Study report (1996)	other: OECD Guideline 202
64-19-7	acetic acid					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202
631-61-8	ammonium acetate					
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 > 360,89 mg/l	48 h		Read-across (2010)	Read-across approach from Letter of Acce
	Fish toxicity	NOEC 154 mg/l	60 d	Cyprinus carpio	Publication (1999)	OECD Guideline 204

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-05-8	acetonitrile	0,29
64-19-7	acetic acid	-0,17
631-61-8	ammonium acetate	-2,79

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 12 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
75-05-8	acetonitrile	3		HSDB (2009)
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch
631-61-8	ammonium acetate	3,162		Calculation (2010)

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not empty into drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
Send to a physico-chemical treatment facility under observation of official regulations.
Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (acetonitrile, acetic acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601 640D
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (acetonitrile, acetic acid)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 13 of 14

Special Provisions: 274 601 640D
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (acetonitrile, acetic acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3
 Special Provisions: 274
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-E, S-E

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1993
14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (acetonitrile, acetic acid)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3
 Special Provisions: A3
 Limited quantity Passenger: 1 L
 Passenger LQ: Y341
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 353
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 364
 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

SECTION 16: Other information

Changes

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Elutionspuffer Acetonitril : Wasser : Essigsäure 60 : 30 : 7 V/V/V mit 20 mM Ammoniumacetat

Revision date: 19.06.2024

Product code: 33390

Page 14 of 14

This data sheet contains changes from the previous version in section(s): 9,12.

Abbreviations and acronyms

Flam. Liq: Flammable liquid

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Eye Irrit: Eye irritation

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)