

## AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I

Revision date: 06.02.2025

Product code: 33596

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

AAS-Konzentrat Natrium 10,00 g Na/l NaCl in Salzsäure 1 mol/l

UFI:

HD10-A3JV-C004-62SP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

## Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dangerous	s Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTREC 1-800-424-9300 Outside USA and Can accepted)	C Day or Night Within USA and Canada: ada: +1 703-741-5970 (collect calls

**Further Information** 

This product is a mixture. REACH Registration Number see section 3.

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

Pictograms:

## Regulation (EC) No 1272/2008

Signal word:





## Hazard statements

H290

May be corrosive to metals.

#### **Precautionary statements**

P234	Keep only in original packaging.
P390	Absorb spillage to prevent material damage.



## AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I

Revision date: 06.02.2025

Product code: 33596

Page 2 of 11

P406

Store in a corrosion-resistant container with a resistant inner liner.

2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

#### **Relevant ingredients**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
7647-01-0	Hydrochloric acid		1 - < 5 %			
	231-595-7	017-002-01-X	01-2119484862-27			
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335					
7647-14-5	sodium chloride		1 - < 5 %			
	231-598-3		01-2119485491-33			
		•				

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
7647-01-0	231-595-7	Hydrochloric acid			
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100				
7647-14-5	231-598-3	31-598-3 sodium chloride			
	dermal: LD50 = > 10000 mg/kg; oral: LD50 = 3550 mg/kg				

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General information

## No data available

## After inhalation

Provide fresh air. Call a doctor if you feel unwell.

#### After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.



## AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I

Revision date: 06.02.2025

Product code: 33596

Page 3 of 11

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Hydrochloric gas

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

## For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

For containment

#### Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.





## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I

Revision date: 06.02.2025

Product code: 33596

Page 4 of 11

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff.

Keep container tightly closed.

Use personal protection equipment.

Provide adequate ventilation.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

national regulations

## Further information on storage conditions

Unsuitable container/equipment material: Metal

storage temperature: +15°C - +25°C

## 7.3. Specific end use(s)

Laboratory chemicals

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	



Safety Data Sheet

## AAS-Konzentrat Natrium 10,00 g Na/l NaCl in Salzsäure 1 mol/l

Revision date: 06.02.2025

Product code: 33596

Page 5 of 11

AnalytiChem GmbH

## **DNEL/DMEL** values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7647-01-0	Hydrochloric acid		•	•		
Worker DNEL	, long-term	inhalation	local	8 mg/m³		
Worker DNEL	, acute	inhalation	local	15 mg/m³		
Consumer DN	IEL, long-term	inhalation	local	8 mg/m³		
Consumer DN	IEL, acute	inhalation	local	15 mg/m³		
7647-14-5	sodium chloride					
Consumer DN	IEL, long-term	dermal	systemic	126,65 mg/kg bw/day		
Consumer DNEL, acute		dermal	systemic	126,65 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	126,65 mg/kg bw/day		
Consumer DNEL, acute		oral	systemic	126,65 mg/kg bw/day		
Worker DNEL	, long-term	inhalation	systemic	2068,62 mg/m <sup>3</sup>		
Worker DNEL	, acute	inhalation	systemic	2068,62 mg/m <sup>3</sup>		
Worker DNEL, acute		dermal	systemic	295,52 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	443,28 mg/m <sup>3</sup>		
Consumer DNEL, acute		inhalation	systemic	443,28 mg/m <sup>3</sup>		
Worker DNEL	, long-term	dermal	systemic	295,52 mg/kg bw/day		

## **PNEC** values

CAS No	Substance	
Environmental	compartment	Value
7647-14-5 sodium chloride		
Freshwater		5 mg/l
Micro-organisms in sewage treatment plants (STP)		500 mg/l
Soil		4,86 mg/kg

## 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: Face protection shield goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the



## AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I

Revision date: 06.02.2025

Product code: 33596

Page 6 of 11

supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Protective clothing acid-resistant

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation Filtering device with filter or ventilator filtering device of type: E-(P2) The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

-			
	Physical state:	Liquid	
	Colour:	colourless	
	Odour:	odourless	
	Odour threshold:	No data available	
	Melting point/freezing point:		No data available
	Boiling point or initial boiling point and		No data available
	boiling range:		
	Flammability:		not applicable
	Lower explosion limits:		No data available
	Upper explosion limits:		No data available
	Flash point:		Х
	Auto-ignition temperature:		No data available
	Decomposition temperature:		No data available
	pH-Value:		0
	Viscosity / kinematic:		No data available
	Water solubility:		easily soluble
	Solubility in other solvents		-
	not determined		
	Partition coefficient n-octanol/water:		No data available



AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I					
Product code: 33596	Page 7 of 11				
No data available No data available 1,0334 g/cm³ No data available No data available					
not applicable not applicable					
No data available No data available 0 0 No data available No data available No data available No data available					
	Product code: 33596 No data available No data available No data available No data available No data available No data available O No data available No data available				

Corrosive to metals

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

Keep away from: Metal. The product develops hydrogen in an aqueous solution in contact with metals.

## 10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

## Further information

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



## AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I

Revision date: 06.02.2025

Product code: 33596

Page 8 of 11

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7647-14-5	sodium chloride						
	oral	LD50 mg/kg	3550	Rat	Study report	The study methodology followed appeared	
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report	The study methology followed appeared to	

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. slightly irritant but not relevant for classification.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

## 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

## Further information

Irritant

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.



## AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I

Revision date: 06.02.2025

Product code: 33596

Page 9 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7647-01-0	Hydrochloric acid						
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus		
7647-14-5	sodium chloride						
	Acute fish toxicity	LC50 mg/l	5840	96 h	Lepomis macrochirus	Study report (1985)	other: ASTM E729
	Acute crustacea toxicity	EC50 mg/l	4136	48 h	Daphnia magna	J. fish. Res. Bd. Canada, 29: 1691-1700.	OECD Guideline 202
	Fish toxicity	NOEC	252 mg/l	33 d	Pimephales promelas	Study report (1985)	OECD Guideline 210
	Crustacea toxicity	NOEC	314 mg/l	21 d	Daphnia pulex	Memorandum of agreement No. 5429, Kentuc	OECD Guideline 211

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

#### **Further information**

Do not empty into drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1789
14.2. UN proper shipping name:	HYDROCHLORIC ACID
14.3. Transport hazard class(es):	8



## AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I

AAS-Konzentrat Natrium 10,00 g Na/I NaCI in Salzsäure 1 mol/I			
Revision date: 06.02.2025	Product code: 33596	Page 10 of 11	
14.4. Packing group:			
Hazard label:	8		
Classification code:	C1		
Special Provisions:	520		
Limited quantity:	5 L		
Excepted quantity:	E1		
Transport category:	3		
Hazard No:	80		
Tunnel restriction code:	E		
Inland waterways transport (ADN)			
14.1. UN number or ID number:	UN 1789		
14.2. UN proper shipping name:	HYDROCHLORIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	III		
Hazard label:	8		
Classification code:	C1		
Special Provisions:	520		
Limited quantity:	5 L		
Excepted quantity:	E1		
Marine transport (IMDG)			
14.1. UN number or ID number:	UN 1789		
14.2. UN proper shipping name:	HYDROCHLORIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:			
Hazard label:	8		
Special Provisions:	223		
Limited quantity:	5 L		
Excepted quantity:	E1		
EmS:	F-A, S-B		
Air transport (ICAO-TI/IATA-DGR)	,		
14.1. UN number or ID number:	UN 1789		
14.2. UN proper shipping name:	HYDROCHLORIC ACID		
14.3. Transport hazard class(es):	8		
14.4. Packing group:	u		
Hazard label:	8		
Special Provisions:	A3 A803		
Limited quantity Passenger:	1 L		
Passenger LQ:	Y841		
Excepted quantity:	E1		
IATA-packing instructions - Passenger:	852		
IATA-max. quantity - Passenger:	5 L		
IATA-packing instructions - Cargo:	856		
IATA-max. quantity - Cargo:	60 L		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
SECTION 45: Pagulatory information			
SECTION 15: Regulatory information			

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)



Revision date: 06.02.2025	Product code: 33596	Page 11 of 11
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles accord work protection guideline' (94/33/EC).	ding to the 'juvenile
Water hazard class (D):	1 - slightly hazardous to water	

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,9,12.

#### Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals Skin Corr: Skin corrosion Eye Dam: Eye damage STOT SE: Specific target organ toxicity - single exposure ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data

## Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)