

Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
<u>1.4. Emergency telephone</u> number:	Exposure, or Accident Call CHEMTR	ous Goods] Incidents Spill, Leak, Fire, EC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 2 of 11

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation	n (EC) No 1272/2008)			
631-61-8	ammonium acetate			10 - < 15 %	
	211-162-9				
64-19-7	acetic acid				
	200-580-7	607-002-00-6	01-2119475328-30		
	Flam. Liq. 3, Skin Corr. 1	Flam. Liq. 3, Skin Corr. 1A, Eye Dam. 1; H226 H314 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. Limits, M-factors and ATE				
631-61-8	211-162-9	ammonium acetate	10 - < 15 %		
	dermal: LD50 =				
64-19-7	200-580-7	acetic acid	1 - < 5 %		
		0 = 11,4 mg/l (vapours); oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - : 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >=			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media



Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration

Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 3 of 11

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care. Keep container tightly closed. Do not breathe vapour/aerosol.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 04.03.2025	slösung für METROHM Product code: 33694	Page 4 of 11
	11000010000.00004	
Avoid contact with skin, eyes and clothes.		
Advice on protection against fire and explosion Usual measures for fire prevention.		
Advice on general occupational hygiene Wash contaminated clothing prior to re-use. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.		
Further information on handling Wash contaminated clothing before reuse. Wash hands before breaks and after work.		
7.2. Conditions for safe storage, including any incom	npatibilities	
Requirements for storage rooms and vessels Keep container tightly closed.		
Hints on joint storage No data available		
Further information on storage conditions Store in a dry place.		
7.3. Specific end use(s)		
Laboratory chemicals		

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	



Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 5 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
631-61-8	ammonium acetate			
Worker DNEL	, long-term	inhalation	systemic	911,56 mg/m³
Worker DNEL	., acute	inhalation	systemic	5469,35 mg/m ³
Worker DNEL	., long-term	dermal	systemic	10,34 mg/kg bw/day
Worker DNEL	., acute	dermal	systemic	62,04 mg/kg bw/day
Consumer DN	NEL, long-term	inhalation	systemic	449,56 mg/m³
Consumer DN	NEL, acute	inhalation	systemic	2674,16 mg/m ³
Consumer DN	NEL, long-term	dermal	systemic	5,17 mg/kg bw/day
Consumer DN	NEL, acute	dermal	systemic	31,02 mg/kg bw/day
Consumer DN	NEL, long-term	oral	systemic	5,17 mg/kg bw/day
Consumer DN	NEL, acute	oral	systemic	31,02 mg/kg bw/day
64-19-7	acetic acid			
Worker DNEL	., long-term	inhalation	local	25 mg/m ³
Worker DNEL	_, acute	inhalation	local	25 mg/m³
Consumer DN	NEL, long-term	inhalation	local	25 mg/m³
Consumer DN	NEL, acute	inhalation	local	25 mg/m ³

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
631-61-8	ammonium acetate	
Freshwater		3,08 mg/l
Marine wate	r	0,308 mg/l
Freshwater	sediment	2,51 mg/kg
Marine sedi	nent	0,251 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	677 mg/l
Soil		0,72 mg/kg
64-19-7	acetic acid	
Freshwater		3,058 mg/l
Freshwater	(intermittent releases)	30,58 mg/l
Marine wate	r	0,306 mg/l
Freshwater	sediment	11,36 mg/kg
Marine sedi	nent	1,136 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	85 mg/l
Soil		0,47 mg/kg

8.2. Exposure controls



Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 6 of 11

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available



Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM					
-	st code: 33694	Page 7 of 11			
Water solubility:	No data available				
Solubility in other solvents					
No data available					
Partition coefficient n-octanol/water:	No data available				
Vapour pressure:	No data available				
Vapour pressure:	No data available				
Density:	No data available				
Bulk density:	No data available				
Relative vapour density:	No data available				
9.2. Other information					
Information with regard to physical hazard classes					
Explosive properties					
No data available					
Sustaining combustion:	No data available				
Self-ignition temperature					
Solid:	No data available				
Gas:	No data available				
Oxidizing properties					
No data available					
Other safety characteristics					
Evaporation rate:	No data available				
Solvent separation test:	No data available				
Solvent content:	0				
Solid content:	0				
Sublimation point:	No data available				
Softening point:	No data available				
Pour point:	No data available				
No data available:					
Viscosity / dynamic:	No data available				
Flow time:	No data available				
Further Information					
No data available					
SECTION 10: Stability and reactivity					

10.1. Reactivity

There are no data available on the mixture itself.

10.2. Chemical stability

There are no data available on the mixture itself.

10.3. Possibility of hazardous reactions

There are no data available on the mixture itself.

10.4. Conditions to avoid

There are no data available on the mixture itself.

10.5. Incompatible materials

There are no data available on the mixture itself.

10.6. Hazardous decomposition products

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.



Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 8 of 11

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name								
	Exposure route	Dose	Species	Source	Method				
631-61-8	ammonium acetate	ammonium acetate							
	oral	LD50 >= 2333,28 mg/kg		Read-across (2010)	Read-across approach from published expe				
	dermal	LD50 > 26556,42 mg/kg		Read-across (2010)	Read-across approach from published expe				
64-19-7	acetic acid								
	oral	LD50 3310 mg/kg	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin				
	inhalation (4 h) vapour	LC50 11,4 mg/l	Rat	Study report (1980)	OECD Guideline 403				

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 9 of 11

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
631-61-8	ammonium acetate	_		_			
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 360,89	48 h		Read-across (2010)	Read-across approach from Letter of Acce
	Fish toxicity	NOEC	154 mg/l	60 d	Cyprinus carpio	Publication (1999)	OECD Guideline 204
64-19-7	acetic acid						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
631-61-8	ammonium acetate	-2,79
64-19-7	acetic acid	-0,17

BCF

CAS No	Chemical name	BCF	Species	Source
631-61-8	ammonium acetate	3,162		Calculation (2010)
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains.



AnalytiChem GmbH

Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 10 of 11

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not allow to enter into surface water or drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Marine transport (IMDG) No dangerous good in sense of this transport regulation. 14.1. UN number or ID number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): 14.4. Packing group: No dangerous good in sense of this transport regulation. Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: 14.5. Environmental hazards **ENVIRONMENTALLY HAZARDOUS:** No 14.6. Special precautions for user No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental	I regulations/legislation specific for the substance or mixture

EU regulatory information Restrictions on use (REACH, annex XVII): Entry 40		
National regulatory information Water hazard class (D): Additional information No data available	1 - slightly hazardous to water	



Ammoniumacetat-/Eisessig-Pufferlösung zur Zinkbestimmung mit Thermotitration Hilfslösung für METROHM

Revision date: 04.03.2025

Product code: 33694

Page 11 of 11

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9,12,15.

Abbreviations and acronyms

Flam. Liq: Flammable liquid Skin Corr: Skin corrosion Eye Dam: Eye damage

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
EUH210	Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)