

# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

UFI:

# E4E0-P348-900W-TUMH

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

# Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dangerous	s Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTREC 1-800-424-9300 Outside USA and Can accepted)	C Day or Night Within USA and Canada: ada: +1 703-741-5970 (collect calls

**Further Information** 

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

Regulation (EC) No 1272/2008 Signal word: Danger

Pictograms:



Hazard statements H225 H319

Highly flammable liquid and vapour. Causes serious eye irritation.



2

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Methynot-Mischindikator-Eosung K Keag. Fil. Eur., Kapiter 4.1.1 (1030101)								
Revision date: 27.11.2024	Product code: 33733	Page 2 of 12						
Precautionary statement	ts							
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.							
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.							
P337+P313	If eye irritation persists: Get medical advice/attention.							
P403+P235	Store in a well-ventilated place. Keep cool.							

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Relevant ingredients**

CAS No	Chemical name	Chemical name					
	EC No	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)						
64-17-5	ethanol	ethanol					
	200-578-6	200-578-6 603-002-00-5 01-2119457610-43					
	Flam. Liq. 2, Eye Irrit. 2	Flam. Liq. 2, Eye Irrit. 2; H225 H319					

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
64-17-5	200-578-6	ethanol	95 - < 100 %
	inhalation: LC5 100	0 = 124,7 mg/l (vapours); oral: LD50 = 10470 mg/kg Eye Irrit. 2; H319: >= 50 -	

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

No data available

# After inhalation

Provide fresh air.

# After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse.

# After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant



# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 3 of 12

Dizziness The product causes narcotic-like effects.

Inebriation Vomiting

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

# Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Hazardous combustion products In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide Beware of reignition.

### 5.3. Advice for firefighters

Remove persons to safety. Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Use water spray jet to protect personnel and to cool endangered containers.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Suppress gases/vapours/mists with water spray jet. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. Danger of explosion



# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 4 of 12

### 6.3. Methods and material for containment and cleaning up

# For containment

### Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

# Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Vor Gebrauch Kennzeichnungsetikett lesen. Behälter mit Vorsicht öffnen und handhaben.

Am Arbeitsplatz nicht essen, trinken, rauchen, schnupfen. Behälter dicht geschlossen halten.

Persönliche Schutzausrüstung verwenden.

Dampf nicht einatmen. Für ausreichende Lüftung sorgen.

# Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

# Further information on storage conditions

Vapours may form explosive mixtures with air.

# 7.3. Specific end use(s)

Laboratory use Laboratory chemical

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters



# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 5 of 12

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-17-5	Ethyl alcohol	1000	-		STEL (15 min)	

# DNEL/DMEL values

CAS No	Substance							
DNEL type		Exposure route	Effect	Value				
64-17-5	ethanol							
Worker DNEL	., long-term	inhalation	systemic	950 mg/m³				
Worker DNEL, long-term		dermal	systemic	343 mg/kg bw/day				
Consumer DN	NEL, long-term	inhalation	systemic	114 mg/m <sup>3</sup>				
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day				
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day				

### **PNEC** values

CAS No	Substance				
Environmental compartment Value					
64-17-5	ethanol				
Freshwater		0,96 mg/l			
Freshwater (intermittent releases) 2,75 mg/l					
Marine wate	r	0,79 mg/l			
Freshwater	sediment	3,6 mg/kg			
Marine sedi	2,9 mg/kg				
Secondary	Secondary poisoning 380 m				
Micro-organ	Micro-organisms in sewage treatment plants (STP) 580 mg/l				
Soil		0,63 mg/kg			

# 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Suitable eye protection: goggles.

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 720 Camapren® Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm Wearing time with occasional contact (splashes): > 60 min



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 6 of 12

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Environmental exposure controls**

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	black	
Odour:	like: Alcohol	
Odour threshold:	No data available	
Melting point/freezing point:		~114 °C
Boiling point or initial boiling point and		~78 °C
boiling range:		
Flammability:		not applicable
Lower explosion limits:		~3,1 vol. %
Upper explosion limits:		~27,7 vol. %
Flash point:		~12 °C
Auto-ignition temperature:		~425 °C
Decomposition temperature:		not determined
pH-Value:		4,9
Viscosity / kinematic:		No data available
Water solubility:		Soluble in: Water
Solubility in other solvents		
not determined		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		~59 hPa
(at 50 °C)		
Vapour pressure:		No data available
Density (at 20 °C):		0,8093 g/cm <sup>3</sup>
Bulk density:		No data available
Relative vapour density:		not determined
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical ha	azard classes	
Explosive properties		
Vapours can form explosive mixture	es with air.	
Sustaining combustion:		Sustaining combustion



# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024	Product code: 33733	Page 7 of 12
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	No data available	
Solvent content:	No data available	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		

No data available

#### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Highly flammable.

Vapours can form explosive mixtures with air.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

# 10.5. Incompatible materials

Plastic articles Rubber articles

# 10.6. Hazardous decomposition products

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

### **Further information**

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Toxicocinetics, metabolism and distribution

No data available

### Acute toxicity

Based on available data, the classification criteria are not met.

# ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 8 of 12

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
64-17-5	ethanol									
	oral	LD50 mg/kg	10470	Rat	Study report (1976)	OECD Guideline 401				
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	Study report (1980)	OECD Guideline 403				

### Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation. Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# Specific effects in experiment on an animal

### No data available

# Additional information on tests

No data available

# Practical experience

No data available

# 11.2. Information on other hazards

# Other information

Irritant Dizziness The product causes narcotic-like effects. Inebriation Vomiting

# Further information

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 9 of 12

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
64-17-5	ethanol	ethanol							
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus	Bulletin of Environmental Contamination	other: EPA-660/3-75-00 9, 1975		
	Acute algae toxicity	ErC50 22000 mg/l	ca.		Pseudokirchneriella subcapitata	Ecotoxicology and Environmental Safety 7	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 10000	48 h	Daphnia magna	Water Research 23(4): 495-499 (1989)	other: DIN 38412 Teil 11		
	Algae toxicity	NOEC mg/l	5400	-	Skeletonema costatum	Environ Toxicol Chem 8(5):451-455. (1989	Study to determine the sensitivity of a		
	Crustacea toxicity	NOEC	2 mg/l	10 d	Ceriodaphnia dubia	Arch Environ Contam Toxicol 20(2):211-21	Follows the basic methodology for the th		

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol	-0,77
BCF		

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol	1	Cyprinus carpio	Comparative Biochemi

### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Do not empty into drains.

### **Further information**

Avoid release to the environment.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Do not allow to enter into surface water or drains.

### Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



# AnalytiChem GmbH

# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 10 of 12

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

Land transport (ADR/RID)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	ETHANOL (ETHYL ALCOHOL)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Classification code:	5 F1	
-	• •	
Special Provisions:	144 601	
Limited quantity:	1 L	
Excepted quantity:	E2	
Transport category:	2	
Hazard No:	33	
Tunnel restriction code:	D/E	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	ETHANOL (ETHYL ALCOHOL)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Classification code:	F1	
Special Provisions:	144 601	
Limited quantity:	1 L	
Excepted quantity:	E2	
Marine transport (IMDG)		
14.1. UN number or ID number:		
14.2. UN proper shipping name:	ETHANOL (ETHYL ALCOHOL)	
<u>14.3. Transport hazard class(es):</u>	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	144	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	ETHANOL (ETHYL ALCOHOL)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II II	
Hazard label:	3	
Special Provisions:	A3 A58 A180	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	353	
	5 L	
IATA-packing instructions - Cargo:	364	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	



# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

#### Product code: 33733

Page 11 of 12

# 14.6. Special precautions for user

# Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40

Information according to Directive P5c FLAMMABLE LIQUIDS 2012/18/EU (SEVESO III):

# National regulatory information

Employment restrictions:

Water hazard class (D):

work protection guideline' (94/33/EC). 1 - slightly hazardous to water

Observe restrictions to employment for juveniles according to the 'juvenile

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,9,12,15.

#### Abbreviations and acronyms

Flam. Liq: Flammable liquid Eye Irrit: Eye irritation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and	vapour.
H319	Causes serious eye irritation	า.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# Methylrot-Mischindikator-Lösung R Reag. Ph. Eur., Kapitel 4.1.1 (1055101)

Revision date: 27.11.2024

Product code: 33733

Page 12 of 12

product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)