Print date: 24.07.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade
I: 2FK0-13WV-900M-U0RH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Ox. Liq. 1; H271 Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

perchloric acid

Signal word: Danger

Pictograms:





Hazard statements

H271 May cause fire or explosion; strong oxidiser.



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 2 of 12

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P220 Keep/Store away from combustible materials.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P310 **2.3. Other hazards**

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7601-90-3	perchloric acid		70 - < 75 %	
	231-512-4	017-006-00-4		
	Flam. Liq. 3, Ox. Liq. 1, Skin Corr. 1A; H226 H271 H314			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7601-90-3	231-512-4	perchloric acid	70 - < 75 %
	Skin Corr. 1A; H	00 - 2000 mg/kg Ox. Liq. 1; H271: >= 50 - 100 Ox. Liq. 2; H272: >= 0 - < 50 H314: >= 50 - 100 Skin Corr. 1B; H314: >= 10 - < 50 Skin Irrit. 2; H315: >= 1 - 2; H319: >= 1 - < 10	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 3 of 12

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Cough

Dyspnoea

Cardiac arrhythmias

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Oxidizing

In case of warming: Decomposition with: Danger of explosion

Hazardous combustion products

In case of fire may be liberated:

Hydrogen chloride (HCI)

5.3. Advice for firefighters

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 4 of 12

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.

Handle and open container with care.

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

Use extractor hood (laboratory).

Advice on protection against fire and explosion

Keep away from combustible material.

Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

Further information on handling

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and dry.

Keep away from combustible material.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Keep away from combustible material.

Further information on storage conditions

Unsuitable container/equipment material: Light metal, Metal



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 5 of 12

Keep cool. Protect from sunlight. storage temperature: +5°C bis +30°C

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
7601-90-3	1-90-3 perchloric acid				
Consumer DNEL, long-term		oral		0,0167 mg/kg bw/day	

PNEC values

CAS No	Substance			
Environmental compartment		Value		
7601-90-3 perchloric acid				
Freshwater	Freshwater			
Freshwater (intermittent releases)		147 mg/l		
Marine water		0,002 mg/l		
Freshwater sediment		4,67 mg/kg		
Marine sediment		0,467 mg/kg		
Micro-organisms in sewage treatment plants (STP)		8,2 mg/l		
Soil		0,021 mg/kg		

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 898 Butoject®

Recommended material: Butyl caoutchouc (butyl rubber) 0,7 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Recommended material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 450 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 6 of 12

and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation Filtering device with filter or ventilator filtering device of type: B

Environmental exposure controls

Do not allow to enter into surface water or drains.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

Melting point/freezing point:

-18 °C

Boiling point or initial boiling point and

198,7 °C

boiling range:

Flammability: No data available No data available Lower explosion limits: No data available Upper explosion limits: Flash point: No data available Auto-ignition temperature: Decomposition temperature: No data available pH-Value: No data available Viscosity / kinematic: Water solubility: Soluble in: Water

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Partition coefficient n-octanol/water:

No data available

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: not determined
Gas: not applicable

Oxidizing properties

The product is: oxidising, Oxidising. Oxidizing liquids, Category 1

Other safety characteristics

Evaporation rate: No data available

Print date: 24.07.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 7 of 12

No data available

Solvent separation test:

Solvent content:

Solid content:

Solid content:

Solid content:

Solid content:

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

Further Information
Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flow time:

Explosive Oxidizing

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Explosive reaction with:

Hydrogen, Combustible substance

Hydrocarbons, halogenated; Hydrogen halide

Fluorine, Ether

Dimethylsulfoxide (DMSO), Alcohols

Nitriles, Hydrogen chloride (HCI)

Acetic anhydride, Metal

Ethanol, Methanol

Dichloromethane, Phenol

Phosphine, Phosphorus oxides (e.g. P2O5)

Reducing agent, sulphuric acid

iron and steel, coal

Nitric acid, Acetic acid

Exothermic reaction with:

Ketone, Alkali (lye)

Ignition hazard: Hydrogen iodide (HI), Aniline (Formaldehyde)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Rubber articles

Metal

Light metal

Fat

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 8 of 12

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
7601-90-3	perchloric acid						
	oral	LD50 200 - 2000 mg/kg	Rat	Study report (2003)	OECD Guideline 423		

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Risk of serious damage to eyes.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Irritant

corrosive

Cough

Dyspnoea

Cardiac arrhythmias

Risk of serious damage to eyes.

SECTION 12: Ecological information



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 9 of 12

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7601-90-3	perchloric acid						
	Acute fish toxicity	LC50 mg/l	1470	96 h	Lepomis macrochirus	Publication (2004)	EPA OPPTS 850.1075
	Acute algae toxicity	ErC50 mg/l	> 435,7		Pseudokirchneriella subcapitata	Study report (1998)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	0,5 h	Activated sludge	Study report (1997)	ISO 8192

12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

BCF

CAS No	Chemical name	BCF	Species	Source
7601-90-3	perchloric acid	> 0,12 - < 0,14	Danio rerio	Chemosphere 65 (2006

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Avoid release to the environment.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a hazardous waste incinerator facility under observation of official regulations.

Do not mix with other wastes.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1873



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 10 of 12

14.2. UN proper shipping name: Perchloric acid

14.3. Transport hazard class(es): 5.1 14.4. Packing group: ı Hazard label: 5.1+8 Classification code: OC1 Special Provisions: 60 Limited quantity: 0 Excepted quantity: E0 Transport category: 1 Hazard No: 558

Inland waterways transport (ADN)

Tunnel restriction code:

14.1. UN number or ID number: UN 1873 **14.2. UN proper shipping name:** Perchloric acid

B/F

14.3. Transport hazard class(es):5.114.4. Packing group:IHazard label:5.1+8Classification code:OC1Special Provisions:60Limited quantity:0Excepted quantity:E0

Marine transport (IMDG)

14.1. UN number or ID number:UN 187314.2. UN proper shipping name:Perchloric acid

14.3. Transport hazard class(es):5.114.4. Packing group:IHazard label:5.1+8Special Provisions:900Limited quantity:0Excepted quantity:E0EmS:F-A, S-Q

Segregation group: heavy metals and their salts (including their organometallic compounds)

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:UN 187314.2. UN proper shipping name:Perchloric acid

14.3. Transport hazard class(es):5.114.4. Packing group:IHazard label:5.1+8Limited quantity Passenger:ForbiddenPassenger LQ:ForbiddenExcepted quantity:E0

IATA-packing instructions - Passenger: Forbidden IATA-max. quantity - Passenger: Forbidden IATA-packing instructions - Cargo: 553
IATA-max. quantity - Cargo: 2.5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Oxidising substances.

14.7. Maritime transport in bulk according to IMO instruments

not applicable



according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 11 of 12

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Information according to 2012/18/EU

(SEVESO III):

P8 OXIDISING LIQUIDS AND SOLIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 9,11,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% Ox. Liq: Oxidising liquid

Met. Corr: Substance or mixture corrosive to metals

Flam. Liq: Flammable liquid Skin Corr: Skin corrosion Eye Dam: Eye damage

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure				
Ox. Liq. 1; H271	On basis of test data				
Met. Corr. 1; H290	On basis of test data				
Skin Corr. 1A; H314	Calculation method				
Eye Dam. 1; H318	Calculation method				

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.	

H271 May cause fire or explosion; strong oxidiser.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be



Print date: 24.07.2023



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Perchloric acid 65 - 71 % for trace analysis ultra ppt-grade

Revision date: 24.07.2023 Product code: 33795 Page 12 of 12

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)