

Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit						
	Spuren FI					
Revision date: 16.08.2023	Product code: 33835		Page 1 of 11			
SECTION 1: Identification of the	substance/mixture and of the comp	any/undertaking				
<u>1.1. Product identifier</u>						
Multielement-Standard Serie B	- Nr. 4b 3 Elemente je 2 mg/l in Salpeter	säure 0,5 mol/l mit Spuren Fl				
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised	against				
Use of the substance/mixture Laboratory chemicals	non a cuch ar in proportions at indust	rial aitas				
	nces as such or in preparations at indust ain (administration, education, entertainm					
Uses advised against						
Do not use for private purposes	(household).					
1.3. Details of the supplier of the safe	ety data sheet					
Company name:	AnalytiChem GmbH					
Street:	Stempelstraße 6					
Place:	D-47167 Duisburg					
Telephone:	0203/5194-0	Telefax: 0203/5194-290				
E-mail:	info@analytichem.de					
Contact person:	Abteilung Produktsicherheit	Telephone:0203/5194-107/117				
E-mail:	produktsicherheit@analytichem.de					
Internet:	www.analytichem.de					
Responsible Department:	Abteilung Produktsicherheit					
<u>1.4. Emergency telephone</u> number:	For Hazardous Materials [or Dangerou Exposure, or Accident Call CHEMTRE 1-800-424-9300 Outside USA and Ca accepted)	C Day or Night Within USA and Canada	1:			
Further Information						
This product is a mixture. REA	CH Registration Number see section 3.					

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008 Met. Corr. 1; H290 Skin Irrit. 2; H315

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

## Regulation (EC) No 1272/2008

Hazard components for labelling					
nitric acid					
Signal word:	Danger				

Signal word: Pictograms:



## Hazard statements H290

May be corrosive to metals.



# Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit

# Spuren FI

Revision date: 16.08.2023

Product code: 33835

Page 2 of 11

H315	Causes skin irritation.
H318	Causes serious eye damage.
Precautionary stateme	nts
P280	Wear protective gloves and eye/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### Hazardous components

CAS No	Chemical name					
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
7697-37-2	nitric acid	nitric acid				
	231-714-2 007-030-00-3 01-2119487297-23					
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A; H272 H290 H331 H314 EUH071					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7697-37-2	231-714-2	nitric acid	1 - < 5 %
		2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 rr. 1B; H314: >= 5 - < 20	

**Further Information** 

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information No data available

#### After inhalation

Provide fresh air. Call a doctor if you feel unwell.

## After contact with skin

Wash immediately with: Water Take off immediately all contaminated clothing and wash it before reuse. Call a physician immediately.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids



Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit Spuren Fl						
Revision date: 16.08.2023	Product code: 33835	Page 3 of 11				
apart and consult an ophthalmolog Remove contact lenses, if present Protect uninjured eye.	-					
After ingestion Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk. Call a physician immediately.						
I.2. Most important symptoms and effe Irritant Methaemoglobinaemia	cts, both acute and delayed					
<b><u>4.3. Indication of any immediate medical attention and special treatment needed</u> No data available</b>						
SECTION 5: Firefighting measures						

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Nitrogen oxides (NOx)

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6:** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.



Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit Spuren Fl					
Revision date: 16.08.2023	Product code: 33835	Page 4 of 11			
Collect in closed and suitable cont Absorb with liquid-binding materia <b>For cleaning up</b>	e.g. by containment or oil barriers). ainers for disposal. I (sand, diatomaceous earth, acid- or universal binding agents). oor according to the environmental legislation.				
Other information					
Provide adequate ventilation. Do not breathe dust/fume/gas/mis Wear breathing apparatus if expos					
<u>6.4. Reference to other sections</u> Safe handling: see section 7 Personal protection equipment: se Disposal: see section 13	e section 8				
SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
	d open container with care. ke, sniff. Use personal protection equipment. d contact with skin, eyes and clothes.				
Advice on protection against fire and Usual measures for fire preventior	•				

# Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

## Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal, Glass

The product develops hydrogen in an aqueous solution in contact with metals.

# Further information on storage conditions

Keep container tightly closed.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

Revision No: 1,01 - Replaces version: 1,00



# Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit

Spuren FI

Revision date: 16.08.2023

Product code: 33835

Page 5 of 11

#### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Individual protection measures, such as personal protective equipment

#### Eve/face protection

goggles Wear eye/face protection.

## Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

## Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

#### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

## **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available



Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit Spuren Fl						
Revision date: 16.08.2023	Product code: 33835	Page 6 of 11				
Flash point:	No data available					
Auto-ignition temperature:	No data available					
Decomposition temperature:	No data available					
Viscosity / kinematic:	No data available					
Water solubility:	completely miscible					
Solubility in other solvents						
No data available						
Dissolution rate:	No data available					
Partition coefficient n-octanol/water:	No data available					
Dispersion stability:	No data available					
Vapour pressure:	No data available					
Vapour pressure:	No data available					
Relative density:	No data available No data available					
Bulk density:	No data available					
Relative vapour density: Particle characteristics:						
	No data available					
9.2. Other information						
Information with regard to physical hazard classes	S					
Explosive properties						
No data available						
Sustaining combustion:	No data available					
Self-ignition temperature						
Solid:	No data available					
Gas:	No data available					
Oxidizing properties						
Oxidizing						
Other safety characteristics						
Evaporation rate:	No data available					
Solvent separation test:	No data available					
Solvent content:	0					
Solid content:	0					
Sublimation point:	No data available					
Softening point:	No data available					
Pour point: No data available:	No data available					
	No data available					
Viscosity / dynamic:	No data available					
Flow time:	No data available					
Further Information						
Corrosive to metals.						

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Alkali (lye)

The product develops hydrogen in an aqueous solution in contact with metals.



# Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit

## Spuren Fl

Revision date: 16.08.2023

Product code: 33835

Page 7 of 11

## 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Cellulose Metal Glass

The product develops hydrogen in an aqueous solution in contact with metals.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### Further information

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

#### dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
7697-37-2	nitric acid	-	-				
	inhalation vapour	ATE 2,65 mg/l					

#### Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

#### No data available

#### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.



# Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit

# Spuren Fl

Revision date: 16.08.2023

Product code: 33835

Page 8 of 11

## **Practical experience**

There are no data available on the preparation/mixture itself.

## 11.2. Information on other hazards

## Endocrine disrupting properties

No data available

## Other information

There are no data available on the preparation/mixture itself.

#### Further information

There are no data available on the preparation/mixture itself.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7697-37-2	nitric acid						
	Acute fish toxicity	LC50 mg/l	1559	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC	268 mg/l		juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC mg/l	> 419	-	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

#### 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Discharge into the environment must be avoided.

## Further information

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.



Revision date: 16.08.2023

according to Regulation (EC) No 1907/2006

# Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit

Spuren FI Product code: 33835

Page 9 of 11

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

# Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C1
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1L
Passenger LQ:	Y841
Excepted quantity:	E1



Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit Spuren Fl			
Revision date: 16.08.2023	Product code: 33835	Page 10 of 11	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	852 5 L 856 60 L		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture		
National regulatory information			
Employment restrictions:	Observe restrictions to employment for juveniles according to work protection guideline' (94/33/EC).	o the 'juvenile	
Water hazard class (D):	1 - slightly hazardous to water		
SECTION 16: Other information			

#### Changes

This data sheet contains changes from the previous version in section(s): 12.

#### Abbreviations and acronyms

Ox. Liq: Oxidising liquid Met. Corr: Substance or mixture corrosive to metals Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Dam: Eye damage

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

## Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
EUH071	Corrosive to the respiratory tract.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of



# Multielement-Standard Serie B - Nr. 4b 3 Elemente je 2 mg/l in Salpetersäure 0,5 mol/l mit Spuren Fl

Revision date: 16.08.2023

Product code: 33835

Page 11 of 11

processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)