

according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 1 of 15

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

UFI: 2RQ0-C3EQ-M00C-W2VR

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Flam. Liq. 2; H225

Acute Tox. 3; H301

Acute Tox. 3; H311

Acute Tox. 3; H331

Skin Corr. 1B; H314

Eye Dam. 1; H318

Muta. 2; H341

STOT SE 1; H370

STOT RE 2; H373

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

### Regulation (EC) No 1272/2008

# Hazard components for labelling

phenol

methanol



according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 2 of 15

Signal word: Danger

Pictograms:











#### Hazard statements

H225 Highly flammable liquid and vapour.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects.

H370 Causes damage to organs (central nervous system, eyes).

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

## 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## Relevant ingredients

| CAS No   | Chemical name  | Chemical name |                               |             |  |
|----------|--|---------------|-------------------------------|-------------|--|
|          | EC No  | Index No      | ndex No REACH No              |             |  |
|          | Classification (Regulation (EC) No 1272/2008)  |               |                               |             |  |
| 108-95-2 | phenol   |               |                               | 70 - < 75 % |  |
|          | 203-632-7  | 604-001-00-2  | 604-001-00-2 01-2119471329-32 |             |  |
|          | Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, STOT RE 2, Aquatic Chronic 2; H341 H331 H311 H301 H314 H373 H411 |               |                               |             |  |
| 67-56-1  | methanol   |               |                               | 25 - < 30 % |  |
|          | 200-659-6 603-001-00-X 01-2119433307-44  |               |                               |             |  |
|          | Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370  |               |                               |             |  |

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 3 of 15

Specific Conc. Limits, M-factors and ATE

| CAS No   | EC No  | Chemical name | Quantity    |  |
|----------|--|---------------|-------------|--|
|          | Specific Conc. Limits, M-factors and ATE   |               |             |  |
| 108-95-2 | 203-632-7  | phenol        | 70 - < 75 % |  |
|          | inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = 850 mg/kg; oral: LD50 = 530 mg/kg Skin Corr. 1B; H314: >= 3 - 100 Skin Irrit. 2; H315: >= 1 - < 3 Eye Irrit. 2; H319: >= 1 - < 3 |               |             |  |
| 67-56-1  | 200-659-6  | methanol      | 25 - < 30 % |  |
|          | inhalation: LC50 = 128,2 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: ATE = 300 mg/kg; oral: LD50 = 6000 mg/kg STOT SE 1; H370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10                                 |               |             |  |

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

fast help required Call a physician immediately.

First aider: Pay attention to self-protection!

Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water, Polyethylene glycol 400 / Polyethylene glycol 300/ethanol (2:1)

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

(for phenol): rinse the affected skin areas with plenty of water as quickly as possible using the nearest emergency shower. Rinse with a mixture of polyethylene glycol 300 (PEG 300)/ethanol 2:1; Rinse with polyethylene glycol 400 (PEG 400); Rinse with polyethylene glycol 300 (PEG 300). Practical experience and experimental studies have shown that the best results are achieved with the first method (PEG 300/ethanol) for practically all phenols. As far as non-chlorinated cresols and phenols are concerned, PEG 400 can also be used successfully. After rinsing with PEG 400 or PEG 300/ethanol 2:1, you should alternately rinse with plenty of water (e.g. emergency shower).

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Provide fresh air.

Rinse mouth immediately and drink plenty of water.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

corrosive, Irritant, Cough

Dyspnoea, Cardiac arrhythmias, Circulatory collapse

Dizziness, Risk of serious damage to eyes.

Dizziness, Anaesthetic state

Agitation, Spasms Inebriation, Vomiting



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 4 of 15

Headache, Impairment of vision

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

### Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Highly flammable.

Hazardous combustion products

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Wear full chemical protective clothing.

In case of fire and/or explosion do not breathe fumes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

# For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 5 of 15

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

### Advice on safe handling

Avoid exposure - obtain special instructions before use.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

Keep locked up.

Store in a place accessible by authorized persons only.

Provide adequate ventilation as well as local exhaustion at critical locations.

### Further information on storage conditions

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Protect against: Light

### 7.3. Specific end use(s)

Laboratory chemicals

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 6 of 15

# **Occupational exposure limits**

| CAS No   | Substance      | ppm | mg/m³ | fib/cm³ | Category      | Origin |
|----------|----------------|-----|-------|---------|---------------|--------|
| 67-56-1  | Methyl alcohol | 200 | 260   |         | TWA (8 h)     |        |
| 108-95-2 | Phenol         | 2   | 8     |         | TWA (8 h)     |        |
|          |                | 4   | 16    |         | STEL (15 min) |        |

# **Biological limit values**

| CAS No   | Substance | Parameter | Value    | Test material | Sampling time |
|----------|-----------|-----------|----------|---------------|---------------|
| 108-95-2 | Phenol    | Phenol    | 120 mg/g | Creatinine    | End of shift  |
| 67-56-1  | Methanol  | Methanol  | 15 mg/L  | Urine         | End of shift  |

# **DNEL/DMEL values**

| CAS No      | Substance     |                |          |                      |
|-------------|---------------|----------------|----------|----------------------|
| DNEL type   |               | Exposure route | Effect   | Value                |
| 108-95-2    | phenol        |                |          |                      |
| Worker DNEL | , long-term   | inhalation     | systemic | 8 mg/m³              |
| Worker DNEL | , acute       | inhalation     | local    | 16 mg/m³             |
| Worker DNEL | , long-term   | dermal         | systemic | 1,23 mg/kg<br>bw/day |
| Consumer DN | EL, long-term | inhalation     | systemic | 0,452 mg/m³          |
| Consumer DN | EL, long-term | dermal         | systemic | 0,5 mg/kg bw/day     |
| Consumer DN | EL, long-term | oral           | systemic | 0,5 mg/kg bw/day     |
| 67-56-1     | methanol      |                |          |                      |
| Consumer DN | EL, acute     | inhalation     | systemic | 50 mg/m³             |
| Worker DNEL | , long-term   | inhalation     | systemic | 260 mg/m³            |
| Worker DNEL | , acute       | inhalation     | systemic | 260 mg/m³            |
| Worker DNEL | , long-term   | inhalation     | local    | 260 mg/m³            |
| Worker DNEL | , acute       | inhalation     | local    | 260 mg/m³            |
| Worker DNEL | , long-term   | dermal         | systemic | 40 mg/kg bw/day      |
| Worker DNEL | , acute       | dermal         | systemic | 40 mg/kg bw/day      |
| Consumer DN | EL, long-term | inhalation     | systemic | 50 mg/m³             |
| Consumer DN | EL, long-term | inhalation     | local    | 50 mg/m³             |
| Consumer DN | EL, acute     | inhalation     | local    | 50 mg/m³             |
| Consumer DN | EL, long-term | dermal         | systemic | 8 mg/kg bw/day       |
| Consumer DN | EL, acute     | dermal         | systemic | 8 mg/kg bw/day       |
| Consumer DN | EL, long-term | oral           | systemic | 8 mg/kg bw/day       |
| Consumer DN | EL, acute     | oral           | systemic | 8 mg/kg bw/day       |



according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73 : 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 7 of 15

#### **PNEC values**

| CAS No   | Substance               |             |
|--|-------------------------|-------------|
| Environmen                                       | tal compartment         | Value       |
| 108-95-2   | phenol                  |             |
| Freshwater                                       | •                       | 0,008 mg/l  |
| Freshwater                                       | (intermittent releases) | 0,031 mg/l  |
| Marine wate                                      | r                       | 0,001 mg/l  |
| Freshwater                                       | sediment                | 0,091 mg/kg |
| Marine sedir                                     | nent                    | 0,009 mg/kg |
| Micro-organisms in sewage treatment plants (STP) |                         | 2,1 mg/l    |
| Soil   |                         | 0,136 mg/kg |
| 67-56-1  | methanol                |             |
| Freshwater                                       |                         | 20,8 mg/l   |
| Freshwater                                       | (intermittent releases) | 1540 mg/l   |
| Marine water                                     |                         | 2,08 mg/l   |
| Freshwater sediment                              |                         | 77 mg/kg    |
| Marine sediment                                  |                         | 7,7 mg/kg   |
| Micro-organisms in sewage treatment plants (STP) |                         | 100 mg/l    |
| Soil 100 mg/kg                                   |                         |             |

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

# Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Face protection shield

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Recommended material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 890 Vitoject®

Recommended material: FKM (fluoro rubber) 0,7 mm Wearing time with occasional contact (splashes): > 145 min



according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 8 of 15

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing, gloves and eye/face protection.

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

No data available
Boiling point or initial boiling point and

>35 °C

boiling range:

No data available Flammability: Lower explosion limits: No data available Upper explosion limits: No data available <21 °C Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: pH-Value: not determined Viscosity / kinematic: No data available Water solubility: No data available

Solubility in other solvents

not determined

No data available Dissolution rate: Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: No data available Relative density: No data available Bulk density: No data available Relative vapour density: No data available Particle characteristics: No data available

#### 9.2. Other information

## Information with regard to physical hazard classes



according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 9 of 15

Explosive properties

Vapours can form explosive mixtures with air.

Sustaining combustion: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Vapours can form explosive mixtures with air.

## 10.2. Chemical stability

Protect against: Light

### 10.3. Possibility of hazardous reactions

Oxidising agent

### 10.4. Conditions to avoid

Vapours can form explosive mixtures with air.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# 10.5. Incompatible materials

Metal

Plastic articles

## 10.6. Hazardous decomposition products

No data available

# **Further information**

No data available

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

### **Acute toxicity**

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).



according to Regulation (EC) No 1907/2006

## Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 10 of 15

#### **ATEmix** calculated

ATE (oral) 100,0 mg/kg; ATE (dermal) 568,6 mg/kg; ATE (inhalation vapour) 3,000 mg/l; ATE (inhalation dust/mist) 0,5000 mg/l

| CAS No   | Chemical name           |               |          |         |   |  |  |  |  |
|----------|-------------------------|---------------|----------|---------|---|--|--|--|--|
|          | Exposure route          | Dose          |          | Species | Source                                      | Method                                   |  |  |  |
| 108-95-2 | phenol                  | phenol        |          |         |   |  |  |  |  |
|          | oral                    | LD50<br>mg/kg | 530      | Rat     | J Pharmacol Exp Ther<br>80: 233-240 (1944)  | OECD Guideline 401                       |  |  |  |
|          | dermal                  | LD50<br>mg/kg | 850      | Rabbit  | Am Ind Hyg Assoc J<br>37: 596-606 (1976)    | OECD Guideline 402                       |  |  |  |
|          | inhalation vapour       | ATE           | 3 mg/l   |         |   |  |  |  |  |
|          | inhalation dust/mist    | ATE           | 0,5 mg/l |         |   |  |  |  |  |
| 67-56-1  | methanol                |               |          |         |   |  |  |  |  |
|          | oral                    | LD50<br>mg/kg | 6000     | Monkey  | Amer J Ophthalmol<br>40: 76-83 (cited in DG | Determination of the acute toxicity of t |  |  |  |
|          | dermal                  | ATE<br>mg/kg  | 300      |         |   |  |  |  |  |
|          | inhalation (4 h) vapour | LC50<br>mg/l  | 128,2    | Rat     | Study report (1980)                         | Study performed according to internal co |  |  |  |
|          | inhalation dust/mist    | ATE           | 0,5 mg/l |         |   |  |  |  |  |

# Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Risk of serious damage to eyes.

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (phenol)

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Causes damage to organs. (methanol)

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (phenol)

(liver, kidneys, heart)

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

There are no data available on the mixture itself.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

### **Practical experience**

There are no data available on the mixture itself.

## 11.2. Information on other hazards

### **Endocrine disrupting properties**

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 11 of 15

#### Other information

There are no data available on the mixture itself.

### **Further information**

corrosive, Irritant, Cough

Dyspnoea, Cardiac arrhythmias, Circulatory collapse

Dizziness, Risk of serious damage to eyes.

Dizziness, Anaesthetic state

Agitation, Spasms Inebriation, Vomiting

Headache, Impairment of vision

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

| CAS No   | Chemical name            |                     |          |           |                                    |  |   |  |  |  |
|----------|--------------------------|---------------------|----------|-----------|------------------------------------|--|---|--|--|--|
|          | Aquatic toxicity         | Dose                |          | [h]   [d] | Species                            | Source   | Method  |  |  |  |
| 108-95-2 | phenol                   |                     |          |           |                                    |  |   |  |  |  |
|          | Acute fish toxicity      | LC50                | 8,9 mg/l | 96 h      | Oncorhynchus mykiss                | Publication (1980)                             | other:  |  |  |  |
|          | Acute algae toxicity     | ErC50<br>mg/l       | 61,1     | 96 h      | Raphidocelis<br>subcapitata        | Environ. Toxicol.<br>Water Qual. 7:<br>35-48 ( | other: US EPA                                 |  |  |  |
|          | Acute crustacea toxicity | EC50                | 3,1 mg/l | 48 h      | Ceriodaphnia dubia                 | Publication (1991)                             | Test performance<br>in compliance<br>with EPA |  |  |  |
|          | Fish toxicity            | NOEC<br>mg/l        | 0,077    | 60 d      | Cirrhina mrigala                   | Publication (1984)                             | Method: other                                 |  |  |  |
|          | Crustacea toxicity       | NOEC<br>mg/l        | 0,16     | 16 d      | Daphnia magna                      | Ecotoxicol. Envir.<br>Saf. 15: 72-77<br>(1988) | other: NEN 6502                               |  |  |  |
| 67-56-1  | methanol                 |                     |          |           |                                    |  |   |  |  |  |
|          | Acute fish toxicity      | LC50<br>mg/l        | 15400    | 96 h      | Lepomis macrochirus                | Bulletin of<br>Environmental<br>Contamination  | other:<br>EPA-660/3-75-00<br>9, 1975          |  |  |  |
|          | Acute algae toxicity     | ErC50<br>22000 mg/l | ca.      | 96 h      | Pseudokirchneriella<br>subcapitata | Ecotoxicology and<br>Environmental<br>Safety 7 | OECD Guideline<br>201                         |  |  |  |
|          | Acute crustacea toxicity | EC50<br>mg/l        | > 10000  | 48 h      | Daphnia magna                      | Water Research<br>23(4): 495-499<br>(1989)     | other: DIN 38412<br>Teil 11                   |  |  |  |
|          | Fish toxicity            | NOEC<br>mg/l        | 446,7    | 28 d      | Pimephales promelas                | SAR and QSAR in<br>Environmental<br>Research,  | Calculation<br>performed with<br>ECOSAR       |  |  |  |
|          | Crustacea toxicity       | NOEC                | 208 mg/l | 21 d      | Daphnia magna                      | OECD QSAR<br>Toolbox Report<br>(2013)          | Toxicity of the target chemical is predi      |  |  |  |

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

## Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 12 of 15

#### Partition coefficient n-octanol/water

| CAS No   | Chemical name | Log Pow |
|----------|---------------|---------|
| 108-95-2 | phenol        | 1,47    |
| 67-56-1  | methanol      | -0,77   |

#### **BCF**

| CAS No   | Chemical name | BCF  | Species         | Source               |
|----------|---------------|------|-----------------|----------------------|
| 108-95-2 | phenol        | 17,5 | Danio rerio     | Publication (1985)   |
| 67-56-1  | methanol      | 1    | Cyprinus carpio | Comparative Biochemi |

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

There are no data available on the mixture itself.

## 12.7. Other adverse effects

There are no data available on the mixture itself.

#### **Further information**

Do not allow to enter into surface water or drains.

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

### Contaminated packaging

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol, phenol)

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3+6.1Classification code: FT1 **Special Provisions:** 274 Limited quantity: 1 L Excepted quantity: E2 Transport category: 2 Hazard No: 336 Tunnel restriction code: D/E

## Inland waterways transport (ADN)



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 13 of 15

**14.1. UN number or ID number:** UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol, phenol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1Classification code:FT1Special Provisions:274 802Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol, phenol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1992

**14.2. UN** proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (methanol, phenol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+6.1Special Provisions:A3Limited quantity Passenger:1 LPassenger LQ:Y341Excepted quantity:E2

IATA-packing instructions - Passenger:352IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: phenol; carbolic acid; monohydroxybenzene; phenylalcohol

14.6. Special precautions for user

Warning: Combustible liquid. Toxic.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40, Entry 69, Entry 75

Information according to Directive H2 ACUTE TOXIC

2012/18/EU (SEVESO III):

Additional information: P5c, E2

**National regulatory information** 



according to Regulation (EC) No 1907/2006

## Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 14 of 15

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 4,8,12.

#### Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Corr: Skin corrosion Eye Dam: Eye damage Muta: Germ cell mutagenicity

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification          | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 2; H225      | On basis of test data    |
| Acute Tox. 3; H301      | Calculation method       |
| Acute Tox. 3; H311      | Calculation method       |
| Acute Tox. 3; H331      |                          |
| Skin Corr. 1B; H314     | Calculation method       |
| Eye Dam. 1; H318        | Calculation method       |
| Muta. 2; H341           | Calculation method       |
| STOT SE 1; H370         | Calculation method       |
| STOT RE 2; H373         | Calculation method       |
| Aquatic Chronic 2; H411 | Calculation method       |

## Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Phenol / Methanol-Gemisch zur Analyse gravimetrisch 73: 27 gemischt optisch farblos

Revision date: 25.04.2024 Product code: 33845 Page 15 of 15

H370 Causes damage to organs (central nervous system, eyes).

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)