

according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

UFI: 5721-33N4-Y00Q-MQYM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone
 number:
 For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,
 Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

tetrahydro-2-methylfuran

Signal word: Danger

Pictograms:









according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 2 of 12

Hazard statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P403+P235 Store in a well-ventilated place. Keep cool.

Special labelling of certain mixtures

EUH019 May form explosive peroxides.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
96-47-9	tetrahydro-2-methylfuran			75 - < 80 %
	202-507-4			
	Flam. Liq. 2, Acute Tox. 4, Skin Irrit	Flam. Liq. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H225 H302 H315 H318 EUH019		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
96-47-9	202-507-4	tetrahydro-2-methylfuran	75 - < 80 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 300 mg/kg		

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing and wash it before reuse.

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 3 of 12

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

After indestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Headache

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Beware of reignition.

Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Wear full chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe vapour/aerosol.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Print date: 23.01.2024



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 4 of 12

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep cool. Protect from sunlight.



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 5 of 12

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance			
DNEL type	DNEL type		Effect	Value
96-47-9	tetrahydro-2-methylfuran	·		
Worker DNE	L, long-term	inhalation	systemic	200,196 mg/m³
Worker DNE	L, acute	inhalation	systemic	200,196 mg/m³
Worker DNE	L, long-term	dermal	systemic	30,523 mg/kg bw/day
Worker DNE	Worker DNEL, acute		systemic	30,523 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	10,996 mg/kg bw/day
Consumer D	Consumer DNEL, acute		systemic	10,996 mg/kg bw/day
57-55-6	propane-1,2-diol			
Worker DNEL, long-term		inhalation	systemic	168 mg/m³
Worker DNEL, long-term		inhalation	local	10 mg/m³
Consumer DNEL, long-term		inhalation	systemic	50 mg/m³
Consumer DNEL, long-term		inhalation	local	10 mg/m³



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 6 of 12

PNEC values

CAS No	Substance		
Environment	Environmental compartment		
96-47-9	tetrahydro-2-methylfuran		
Freshwater	•	2 mg/l	
Freshwater (intermittent releases)	1 mg/l	
Marine water	r	0,2 mg/l	
Freshwater s	sediment	15 mg/kg	
Marine sedin	nent	1,5 mg/kg	
Secondary poisoning		6 mg/kg	
Micro-organisms in sewage treatment plants (STP)		10 mg/l	
Soil		1,83 mg/kg	
57-55-6 propane-1,2-diol			
Freshwater		260 mg/l	
Freshwater (intermittent releases)		183 mg/l	
Marine water		26 mg/l	
Freshwater sediment		572 mg/kg	
Marine sediment 57			
Micro-organisms in sewage treatment plants (STP)			
Soil 50 mg/kg			
		<u> </u>	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Face protection umbrella

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact

Trade name/designation: KCL 898 Butoject®

Recommended material: Butyl caoutchouc (butyl rubber) 0,7 mm Wearing time with occasional contact (splashes): > 10 min



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 7 of 12

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

~80 °C

boiling range: Flammability:

Lower explosion limits:

Upper explosion limits:

No data available

Flash point:

-12 °C

Auto-ignition temperature:

No data available

Decomposition temperature:

No data available

Viscosity / kinematic:

No data available

Water solubility:

No data available

Solubility in other solvents

No data available

No data available Dissolution rate: Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: No data available Relative density: No data available Bulk density: No data available No data available Relative vapour density: Particle characteristics: No data available

9.2. Other information

No data available



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 8 of 12

Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustaining combustion:

Sustaining combustion

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available Solvent separation test: No data available Solvent content: 100% No data available Solid content: No data available Sublimation point: Softening point: No data available Pour point: No data available No data available Viscosity / dynamic: No data available Flow time: No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability

May form explosive peroxides.

10.3. Possibility of hazardous reactions

Oxidising agent

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.6. Hazardous decomposition products

May form explosive peroxides. SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 651,9 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 9 of 12

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
96-47-9	tetrahydro-2-methylfuran					
	oral	LD50 mg/kg	> 300	Rat	Study report (2013)	OECD Guideline 420
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2013)	OECD Guideline 402

Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 10 of 12

CAS No	Chemical name	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
96-47-9	tetrahydro-2-methylfuran								
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	Study report (2012)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 104	72 h	Desmodesmus subspicatus	Study report (2007)	OECD Guideline 201		
	Crustacea toxicity	NOEC mg/l	>= 120	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211		
	Acute bacteria toxicity	EC50 mg/l ()	> 1000		activated sludge of a predominantly domestic sewag	Study report (2007)	OECD Guideline 209		

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
96-47-9	tetrahydro-2-methylfuran	1,1

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Avoid release to the environment.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2536

14.2. UN proper shipping name: METHYLTETRAHYDROFURAN



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 11 of 12

14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2536

14.2. UN proper shipping name: METHYLTETRAHYDROFURAN

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Classification code:F1Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2536

14.2. UN proper shipping name: METHYLTETRAHYDROFURAN

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Special Provisions:-Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2536

14.2. UN proper shipping name: METHYLTETRAHYDROFURAN

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Limited quantity Passenger:1 LPassenger LQ:Y341Excepted quantity:E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40



according to Regulation (EC) No 1907/2006

Lösemittelgemisch zur Säurezahlbestimmung 2-Methyltetrahydrofuran + 1,2-Propandiol volumetrisch....

Revision date: 23.01.2024 Product code: 33967 Page 12 of 12

Information according to Directive

P5c FLAMMABLE LIQUIDS

2012/18/EU (SEVESO III):

Employment restrictions:

National regulatory information

Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,12.

Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

	<u> </u>
Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.
H315 Causes skin irritation.

H318 Causes serious eye damage. EUH019 May form explosive peroxides.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)