

according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 1 of 14

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

UFI: R331-53J4-100P-74T8

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

#### Uses advised against

Do not use for private purposes (household).

# 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone
 number:
 For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,
 Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

# **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Acute Tox. 2; H300 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT RE 2; H373 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# **Regulation (EC) No 1272/2008**

#### Hazard components for labelling

potassium cyanide

Signal word: Danger



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 2 of 14

Pictograms:









#### **Hazard statements**

H290 May be corrosive to metals.
H300+H330 Fatal if swallowed or if inhaled.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H373 May cause damage to organs (thyroid gland) through prolonged or repeated exposure if

swallowed.

H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Special labelling of certain mixtures

EUH032 Contact with acids liberates very toxic gas.

# 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

# **Chemical characterization**

Mixtures in aqueous solution

# Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
151-50-8	potassium cyanide				
	205-792-3	006-007-00-5	01-2119486407-29		
	Acute Tox. 1, Acute Tox. 1, Acute Tox. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H300 H372 H400 H410 EUH032				
1310-73-2	sodium hydroxide				
	215-185-5	011-002-00-6	01-2119457892-27		
	Met. Corr. 1, Skin Corr. 1A; H290 H314				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity					
	Specific Conc.	Specific Conc. Limits, M-factors and ATE						
151-50-8	205-792-3	potassium cyanide	1 - < 5 %					
		E = 0,05 mg/l (vapours); inhalation: ATE = 0,005 mg/l (dusts or mists); inhalation: n (gases); dermal: LD50 = ca. 11,28 mg/kg; oral: LD50 = >= 7,49 mg/kg  Aquatic l0: M=10						
1310-73-2	215-185-5	sodium hydroxide	< 1 %					
	Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2							

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Indication of any immediate medical attention and special treatment needed: Hydrogen cyanide (hydrocyanic acid)

Self-protection of the first aider

#### After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Water, to which activated charcoal may be added

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Respiratory complaints

Cardiac arrhythmias

Circulatory collapse

Dyspnoea

Unconsciousness

Irritant

Dizziness

Gastrointestinal complaints

Vomiting

Agitation

Spasms

# 4.3. Indication of any immediate medical attention and special treatment needed

Antidote:

Dimethylaminophenol



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 4 of 14

Cobalt-EDTA
Sodium thiosulfate

Sodium thiosulfate

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

No data available

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrogen cyanide (hydrocyanic acid)

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Do not breathe vapour/aerosol. Corrosive to metals.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

# For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

# For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 5 of 14

## Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe vapour/aerosol.

Provide adequate ventilation.

# Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or

drink. The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

# Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Unsuitable container/equipment material:

Aluminium

tin

Zinc

# Further information on storage conditions

Store in a well-ventilated place.

Keep container tightly closed and dry.

Store in a place accessible by authorized persons only.

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 6 of 14

# Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
151-50-8	Potassium cyanide (as cyanide)	-	1		TWA (8 h)	
		-	5		STEL (15 min)	
1310-73-2	Sodium hydroxide	_	2		STEL (15 min)	

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
151-50-8	potassium cyanide	potassium cyanide				
Worker DNE	L, long-term	inhalation	systemic	0,94 mg/m³		
Worker DNE	L, acute	inhalation	systemic	12,5 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,14 mg/kg bw/day		
Worker DNEL, acute		dermal	systemic	4,03 mg/kg bw/day		
1310-73-2	sodium hydroxide					
Worker DNEL, long-term		inhalation	local	1 mg/m³		
Consumer DNEL, long-term		inhalation	local	1 mg/m³		

# **PNEC values**

CAS No	Substance			
Environment	Environmental compartment			
151-50-8	potassium cyanide			
Freshwater		0,001 mg/l		
Freshwater (	intermittent releases)	0,0032 mg/l		
Marine water	r	0,0002 mg/l		
Freshwater s	0,004 mg/kg			
Marine sedin	0,0008 mg/kg			
Micro-organi	0,05 mg/l			
Soil	0,007 mg/kg			

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

goggles

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 7 of 14

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 mir

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Protective clothing

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

# Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Thermal hazards

There are no data available on the mixture itself.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: odourless

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: not applicable Lower explosion limits: No data available Upper explosion limits: No data available Flash point: not applicable Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: No data available Viscosity / kinematic: No data available No data available Water solubility:



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres

Revision date: 08.05.2024 Product code: 33977 Page 8 of 14

Solubility in other solvents

not determined

No data available Dissolution rate: No data available Partition coefficient n-octanol/water: Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: No data available Relative density: No data available No data available No data available Bulk density: not determined Relative vapour density: No data available Particle characteristics:

9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

Solvent content:

Solid content:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available
not determined

Further Information
No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available

# 10.2. Chemical stability

No data available

# 10.3. Possibility of hazardous reactions

Acid

Oxidising agent

## 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Aluminium

tin



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 9 of 14

Zinc

## 10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

#### **Further information**

No data available

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

#### **Acute toxicity**

Fatal if swallowed.

Fatal if inhaled.

Toxic in contact with skin.

Contact with acids liberates very toxic gas.

#### **ATEmix** calculated

ATE (oral) 20,00 mg/kg; ATE (dermal) 451,2 mg/kg; ATE (inhalation vapour) 2,000 mg/l; ATE (inhalation dust/mist) 0.2000 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
151-50-8	potassium cyanide						
	oral	LD50 mg/kg	>= 7,49	Rat	Clinical and Experimental Toxicology of	A reputable corporate laboratory	
	dermal	LD50 mg/kg	ca. 11,28	Rabbit	J Toxicol – Cut and Ocular Toxicol 13:24	Animals were exposed to a solution of cy	
	inhalation vapour	ATE	0,05 mg/l				
	inhalation dust/mist	ATE mg/l	0,005				
	inhalation (1 h) gas	LC50	63 ppm	Rat	Study report (1981)	OECD Guideline 403	

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

# Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (potassium cyanide)

Causes damage to organs through prolonged or repeated exposure.

Organs affected: thyroid gland

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 10 of 14

# Information on likely routes of exposure

There are no data available on the mixture itself.

## Specific effects in experiment on an animal

There are no data available on the mixture itself.

## Additional information on tests

There are no data available on the mixture itself.

## Practical experience

There are no data available on the mixture itself.

# 11.2. Information on other hazards

# **Endocrine disrupting properties**

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### **Further information**

Respiratory complaints

Cardiac arrhythmias

Circulatory collapse

Dyspnoea

Unconsciousness

Irritant

Dizziness

Gastrointestinal complaints

Vomiting

Agitation

Spasms

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 11 of 14

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
151-50-8	potassium cyanide							
	Acute fish toxicity	LC50 mg/l	0,1038	96 h	Gasterosteus aculeatus	Study report (2005)	other: ASTM E729-96. Standard Guide for	
	Acute algae toxicity	ErC50 mg/l	0,116	72 h	Pseudokirchneriella subcapitata	Journal of Hazardous Materials 197 (2011	ISO 8692	
	Acute crustacea toxicity	EC50 mg/l	0,21638	48 h	other aquatic crustacea: Acartia tonsa	Study report (2006)	other: ASTM E 729-96: Standard Guide for	
	Algae toxicity	NOEC	0,1 mg/l	10 d	Chlamydomonas sp.	Bulletin 106. Virginia Water resources R	Bartsch, A.F. 1971. Algal Assay Procedur	
	Acute bacteria toxicity	EC50	2,3 mg/l	0,5 h	activated sludge, domestic	Acta hydrochim. hydrobiol. 20, 3 (1992)	EU Method C.11	
1310-73-2	sodium hydroxide							
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4	other: acute 48-h immobilization test ac	

# 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

### **BCF**

CAS No	Chemical name	BCF	Species	Source
151-50-8	potassium cyanide	3,162		United States Enviro

# 12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

There are no data available on the preparation/mixture itself.

#### **Further information**

Do not allow to enter into surface water or drains.

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres...

Revision date: 08.05.2024 Product code: 33977 Page 12 of 14

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

#### Contaminated packaging

This material and its container must be disposed of as hazardous waste.

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3289

14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide,

sodium hydroxide)

14.4. Packing group: 6.1

Hazard label: 6.1+8
Classification code: TC3
Special Provisions: 274 315
Limited quantity: 0
Excepted quantity: E5
Transport category: 1
Hazard No: 668
Tunnel restriction code: C/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3289

14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide,

sodium hydroxide)

14.3. Transport hazard class(es): 6.1
14.4. Packing group:

Hazard label: 6.1+8
Classification code: TC3

Special Provisions: 274 315 802

Limited quantity: 0
Excepted quantity: E5

Marine transport (IMDG)

14.1. UN number or ID number: UN 3289

14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide,

sodium hydroxide)

14.3. Transport hazard class(es): 6.1 14.4. Packing group:

Hazard label: 6.1+8
Special Provisions: 274, 315
Limited quantity: 0
Excepted quantity: E5
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3289

14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (potassium cyanide,

sodium hydroxide)

14.3. Transport hazard class(es):6.114.4. Packing group:IHazard label:6.1+8



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres

Revision date: 08.05.2024 Product code: 33977 Page 13 of 14

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A4 A137

Forbidden

Forbidden

E5

IATA-packing instructions - Passenger: 651
IATA-max. quantity - Passenger: 0.5 L
IATA-packing instructions - Cargo: 657
IATA-max. quantity - Cargo: 2.5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: potassium cyanide

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

**H2 ACUTE TOXIC** 

2012/18/EU (SEVESO III):

Additional information: E1

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9,12.

# Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Acute Tox: Acute toxicity Skin Corr: Skin corrosion Skin Irrit: Skin irritation Eye Irrit: Eye irritation

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

# Potassium cyanide solution 25 g/l for the colorimetric determination of manganese with the Seres

Revision date: 08.05.2024 Product code: 33977 Page 14 of 14

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 2; H300	Calculation method
Acute Tox. 2; H330	Calculation method
Acute Tox. 3; H311	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 1; H410	Calculation method

#### Relevant H and EUH statements (number and full text)

H290 N	May be corrosive to metals.
--------	-----------------------------

H300 Fatal if swallowed.

H300+H330 Fatal if swallowed or if inhaled.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs (thyroid gland) through prolonged or repeated exposure if

swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. EUH032 Contact with acids liberates very toxic gas.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)