

HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat

Revision date: 09.07.2024

Product code: 34016

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit Natriumperchlorat

UFI:

QF61-W3FK-Y00Y-0FHS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Danger	ous Goods] Incidents Spill, Leak, Fire,
number:	•	REC Day or Night Within USA and Canada: anada: +1 703-741-5970 (collect calls

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

- Hazard components for labelling acetonitrile
- Signal word: Pictograms:





HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat

Revision date: 09.07.2024 Product code: 34016 Page 2 of 12 Hazard statements H225 Highly flammable liquid and vapour. H302+H332 Harmful if swallowed or if inhaled. H319 Causes serious eve irritation. **Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed.

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P235	Store in a well-ventilated place. Keep cool.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Chemical name					
	EC No	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)						
75-05-8	acetonitrile	acetonitrile					
	200-835-2	200-835-2 608-001-00-3 01-2119471307-38					
	Flam. Liq. 2, Acute Tox.	4, Acute Tox. 4, Acute Tox. 4, Eye I	rrit. 2; H225 H332 H312 H302 H319				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
75-05-8	200-835-2	acetonitrile	45 - < 50 %
		0 = 3587 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 469 mg/kg	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air. Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat

Revision date: 09.07.2024

Product code: 34016

Page 3 of 12

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Headache Dyspnoea Irritant Vomiting Spasms Unconsciousness Respiratory complaints Cardiac arrhythmias Dizziness Release of: Hydrogen cyanide (hydrocyanic acid)

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquid.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide, Hydrogen cyanide (hydrocyanic acid)

Beware of reignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Avoid contact with skin, eyes and clothes.

Additional information

Danger of bursting container. Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Move undamaged containers from immediate hazard area if it can be done safely.


SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators,





according to Regulation (EC) No 1907/2006

HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat

Revision date: 09.07.2024

Product code: 34016

Page 4 of 12

and pagers which have not been certified as intrinsically safe). Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Consult an expert Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Keep container tightly closed. Use personal protection equipment. Use extractor hood (laboratory). Do not breathe vapour/aerosol. Provide adequate ventilation.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat

Revision date: 09.07.2024

Product code: 34016

Page 5 of 12

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
75-05-8	Acetonitrile	40	70		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
75-05-8	acetonitrile			
Worker DNEL,	long-term	inhalation	systemic	68 mg/m³
Worker DNEL,	acute	inhalation	systemic	68 mg/m³
Worker DNEL, long-term		inhalation	local	68 mg/m³
Worker DNEL,	acute	inhalation	local	68 mg/m³
Worker DNEL,	long-term	dermal	systemic	32,2 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	4,8 mg/m ³
Consumer DN	EL, acute	inhalation	systemic	220 mg/m³
Consumer DN	EL, long-term	inhalation	local	4,8 mg/m³
Consumer DN	EL, acute	inhalation	local	22 mg/m³
Consumer DN	EL, acute	oral	systemic	0,6 mg/kg bw/day

PNEC values

CAS No	Substance				
Environmental compartment Value					
75-05-8	acetonitrile				
Freshwater 10 mg/l					
Freshwater (intermittent releases) 10 mg/l					
Marine water 1 mg/l					
Freshwater sediment 7,53 mg/kg					
Micro-organisms in sewage treatment plants (STP) 32 mg/l					
Soil 2,41 mg/kg					



HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat

Revision date: 09.07.2024

Product code: 34016

Page 6 of 12

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Trade name/designation KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Trade name/designation KCL 897 Butoject® Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	like: Ether
Odour threshold:	No data available
Melting point/freezing point:	

No data available



HPLC-Laufmittel für die BTMAC-Analys Natriumpe		
evision date: 09.07.2024 Product co	ode: 34016	Page 7 of
Boiling point or initial boiling point and	>35 °C	
boiling range:		
Flammability:	not applicable	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Flash point:	<23 °C	
Auto-ignition temperature:	No data available	
Decomposition temperature:	not determined	
pH-Value:	6,2	
Viscosity / kinematic:	No data available	
Solubility in other solvents		
not determined		
Dissolution rate:	No data available	
Partition coefficient n-octanol/water:	not determined	
Dispersion stability:	No data available	
Vapour pressure:	No data available	
Vapour pressure:	No data available	
Density:	0,9019 g/cm³	
Relative density:	No data available	
Bulk density:	No data available	
Relative vapour density:	not determined	
Particle characteristics:	No data available	
2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
Vapours may form explosive mixtures with air.		
Sustaining combustion:	No data available	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent separation test:	No data available	
Solvent content:	48%	
Solid content:	No data available	
Sublimation point:	No data available	
Softening point:	No data available	
Pour point:	No data available	
No data available:		
Viscosity / dynamic:	No data available	
Flow time:	No data available	
Further Information		
No data available		
NU UALA AVAIIADIE		

10.1. Reactivity

Vapours may form explosive mixtures with air.

10.2. Chemical stability



HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat

Revision date: 09.07.2024

Product code: 34016

Page 8 of 12

Keep away from heat.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Rubber articles

Plastic articles

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

ATEmix calculated

ATE (oral) 974,20 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 3,1160 mg/l

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
75-05-8	acetonitrile									
	oral	LD50 mg/kg	469	Mouse	Study report (1998)	OECD Guideline 401				
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1997)	OECD Guideline 402				
	inhalation (4 h) vapour	LC50	3587 mg/l	Mouse	Study report (1998)	OECD Guideline 403				
	inhalation dust/mist	ATE	1,5 mg/l							

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

	Natriumperchlorat								
Revision dat	te: 09.07.2024			-	ode: 34016		Page 9 of 12		
There	ion on likely routes of ex e are no data available on	the mixtur							
-	effects in experiment on e are no data available on								
	al information on tests e are no data available on	the mixtur	re itself.						
	l experience e are no data available on	the mixtur	re itself.						
11.2. Inform	ation on other hazards								
	ne disrupting properties e are no data available on	the mixtur	re itself.						
	formation e are no data available on	the mixtur	re itself.						
Resp Card Dizzi	nt iting ims onsciousness piratory complaints iac arrhythmias	(hydrocya	nic acid)						
SECTION '	12: Ecological informat	tion							
<u>12.1. Toxici</u>	-								
	یں d on available data, the cl	assificatio	n criteria are	not me	.t.				
CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
75-05-8	acetonitrile						•		
	Acute fish toxicity	LC50 mg/l	1640	96 h	Pimephales promelas	Review article or handbook (1984)	Guideline not specified		
	Acute algae toxicity	ErC50 mg/l	3560	72 h	Phaeodactylum tricornutum	Study report (2010)	ISO 10253		
	Acute crustacea toxicity	EC50 mg/l	3600	48 h	Daphnia magna	Bull. Environ. Contam. Toxicol. 57:655-6	other: OECD Guidelines for Testing Chemi		
	Fish toxicity	NOEC	102 mg/l	7 c	Oryzias latipes	Study report (1996)	OECD Guideline 204		
	Crustacea toxicity	NOEC	960 mg/l	21 c	Daphnia magna	Study report (1996)	other: OECD Guideline 202		

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.



HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat

Revision date: 09.07.2024

Product code: 34016

Page 10 of 12

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-05-8	acetonitrile	0,29
BCE		

В	С	F

CAS No	Chemical name	BCF	Species	Source
75-05-8	acetonitrile	3		HSDB (2009)

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1648
14.2. UN proper shipping name:	ACETONITRILE
14.3. Transport hazard class(es):	3
14.4. Packing group:	11
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1648
14.2. UN proper shipping name:	ACETONITRILE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1



according to Regulation (EC) No 1907/2006

HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit Natriumperchlorat		
Revision date: 09.07.2024	Product code: 34016	Page 11 of 12
Limited quantity: Excepted quantity:	1 L E2	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1648	
14.2. UN proper shipping name:	ACETONITRILE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	I	
Hazard label:	3	
Special Provisions:	-	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1648	
14.2. UN proper shipping name:	ACETONITRILE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	I	
Hazard label:	3	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	364	
IATA-max. quantity - Cargo:	60 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user Warning: Combustible liquid.		
14.7. Maritime transport in bulk according to	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 40, Entry 75		
Information according to Directive 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve	enile
Water bazard class (D):	work protection guideline' (94/33/EC).	
Water hazard class (D): Skin resorption/Sensitization:	2 - obviously hazardous to water	
	Permeates easily through outer skin and causes poisoning.	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,9,12.



HPLC-Laufmittel für die BTMAC-Analyse Acetonitril / Wasser - Gemisch mit

Natriumperchlorat Product code: 34016

Revision date: 09.07.2024

Page 12 of 12

Abbreviations and acronyms

Flam. Liq: Flammable liquid Acute Tox: Acute toxicity Eye Irrit: Eye irritation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour
H302	Harmful if swallowed.
H302+H332	Harmful if swallowed or if inhaled.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)