

AnalytiChem GmbH

# Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Revision date: 22.03.2024

Product code: 34030

Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

UFI:

### 1N71-0345-800W-97PP

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

# Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	
1.4. Emergency telephone	For Hazardous Materials [or Dangerous	Goods] Incidents Spill, Leak, Fire,
number:	Exposure, or Accident Call CHEMTREC 1-800-424-9300 Outside USA and Canad accepted)	, ,

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

# 2.2. Label elements

# Regulation (EC) No 1272/2008

# Hazard components for labelling

Zinc sulphate heptahydrate

Signal word: **Pictograms:** 





according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Revision date: 22.03.2024	Product code: 34030	Page 2 of 11
Hazard statements		
H302	Harmful if swallowed.	
H318	Causes serious eye damage.	
H410	Very toxic to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye/face protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P391	Collect spillage.	
P501	Dispose of contents/container to Dispose of contents/container in accordance with local/regional/national/international regulations	

### 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Chemical characterization Mixtures in aqueous solution

# Relevant ingredients

CAS No	Chemical name	Chemical name				
	EC No Index No REACH No					
	Classification (Regulation (EC) No 1272/2008)					
7446-20-0	Zinc sulphate heptahydrate	Zinc sulphate heptahydrate				
	231-793-3	030-006-00-9	01-2119474684-27			
	Acute Tox. 4, Eye Dam. 1,	Aquatic Acute 1, Aquatic Chronic	1; H302 H318 H400 H410			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
7446-20-0	231-793-3	Zinc sulphate heptahydrate	45 - < 50 %
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = ca. 926 mg/kg	

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information

No data available

### After inhalation

Provide fresh air.

# After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids





according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Revision date: 22.03.2024

Product code: 34030

Page 3 of 11

apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Irritant

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids Hazardous combustion products In case of fire may be liberated: Sulphur oxides

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray jet to protect personnel and to cool endangered containers.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### **General advice**

Do not breathe vapour/aerosol.

### For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes and clothes. Remove persons to safety. Emergency procedures Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

# For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Collect in closed and suitable containers for disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Revision date: 22.03.2024

Product code: 34030

Page 4 of 11

### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

# Other information

Provide adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care. When using do not eat, drink, smoke, sniff. Use personal protection equipment. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe vapour/aerosol.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

### Further information on handling

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

### Further information on storage conditions

Keep container dry.

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Revision date: 22.03.2024

Product code: 34030

Page 5 of 11

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7446-20-0	Zinc sulphate heptahydrate		-	
Worker DNEL,	long-term	inhalation	systemic	1 mg/m³
Worker DNEL,	long-term	dermal	systemic	8,3 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	1,25 mg/m³
Consumer DNEL, long-term		dermal	systemic	8,3 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,83 mg/kg bw/day

## **PNEC** values

CAS No	Substance	
Environmental compartment Value		
7446-20-0	Zinc sulphate heptahydrate	
Freshwater		0,0206 mg/l
Marine water		0,0061 mg/l
Freshwater sediment 117,8 mg/kg		
Marine sediment		56,5 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,1 mg/l
Soil		

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles Wear eye/face protection.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



# according to Regulation (EC) No 1907/2006 Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Revision date: 22.03.2024

Product code: 34030

Page 6 of 11

# Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

### **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

# Environmental exposure controls

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and		No data available
boiling range:		
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		4,2
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		, ,
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,3821 g/cm³
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available
9.2. Other information		
Information with regard to physical h	azard classes	
Explosive properties		
No data available		
Sustaining combustion:		No data available
Self-ignition temperature		
Solid:		No data available
Gas:		No data available
Oxidizing properties		

Other safety characteristics

Oxidizing



according to Regulation (EC) No 1907/2006

#### Multielement-Standardlösung 2 Elemente als Sulfate in Wasser Product code: 34030 Revision date: 22.03.2024 Page 7 of 11 No data available Evaporation rate: Solvent separation test: No data available Solvent content: 0 Solid content: 0 No data available Sublimation point: Softening point: No data available Pour point: No data available No data available: Viscosity / dynamic: No data available Flow time: No data available

# **Further Information**

No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No data available

### 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### Further information

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

### Acute toxicity

Harmful if swallowed.

### ATEmix calculated

ATE (oral) 1974 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name	Chemical name							
	Exposure route	Dose		Species	Source	Method			
7446-20-0	Zinc sulphate heptahydrate								
	oral	LD50 mg/kg	ca. 926	Mouse	Vet Hum Toxi 30(3):224-228		401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (	1999) OECD Guideline 4	402		



### Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Product code: 34030 Revision date: 22.03.2024 Page 8 of 11 Irritation and corrosivity Causes serious eye damage. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Sensitising effects Based on available data, the classification criteria are not met. Carcinogenic/mutagenic/toxic effects for reproduction Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Information on likely routes of exposure There are no data available on the preparation/mixture itself. Specific effects in experiment on an animal There are no data available on the preparation/mixture itself. Additional information on tests There are no data available on the preparation/mixture itself. **Practical experience** There are no data available on the preparation/mixture itself. 11.2. Information on other hazards Endocrine disrupting properties There are no data available on the preparation/mixture itself. Other information There are no data available on the preparation/mixture itself. **Further information** There are no data available on the preparation/mixture itself. **SECTION 12: Ecological information** 12.1. Toxicity Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

# Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Revision date: 22.03.2024

Product code: 34030

Page 9 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7446-20-0	Zinc sulphate heptahydra	te						
	Acute fish toxicity	LC50 mg/l	0,315	96 h	Thymallus arcticus	Ecotoxicology and environmental safety 2	other: American Society for testing matr	
	Acute crustacea toxicity	EC50 mg/l	1,22	48 h	Daphnia magna	Publication (1995)	other: US EPA/600/4-85/01 3: methods for	
	Fish toxicity	NOEC mg/l	0,44	72 d	Oncorhynchus mykiss	Trans. Am. Fish. Soc. 111, 70-77 (1982)	lab -designed dose response test with sm	
	Algae toxicity	NOEC mg/l	0,313	5 d	Ulva pertusa, Green macroalga, Ulvaceae	Aquatic Toxicology 75:202–212 (2005)	5-d sporulation-inhibiti on test with mar	
	Crustacea toxicity	NOEC mg/l	0,05	4 d	Ceriodaphnia dubia	Environ. Toxicol. Chem. 10, 47-55 (1991)	other: USEPA chronic survival and reprod	
	Acute bacteria toxicity	EC50 ()	5,2 mg/l	3 h	activated sludge of a predominantly domestic sewag	Water research volume 17, nr10, 1363-136	OECD Guideline 209	

### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### BCF

CAS No	Chemical name	BCF	Species	Source
7446-20-0	Zinc sulphate heptahydrate	96,05	Danio rerio	Chemosphere 128:125-

### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations. Do not empty into drains.

# Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.



# Multielement-Standardlösung 2 Elemente als Sulfate in Wasser

Revision date: 22.03.2024

Product code: 34030

Page 10 of 11

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc
	sulphate heptahydrate)
<u>14.3. Transport hazard class(es):</u>	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc
	sulphate heptahydrate)
<u>14.3. Transport hazard class(es):</u>	9
14.4. Packing group:	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Marine transport (IMDG)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc
	sulphate heptahydrate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc
	sulphate heptahydrate)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964
IATA-max. quantity - Cargo:	450 L



Multielement-Standardlösung 2 Elemente als Sulfate in Wasser					
Revision date: 22.03.2024	Product code: 34030	Page 11 of 11			
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	Yes				
Danger releasing substance:	Zinc sulphate heptahydrate				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture				
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 3, Entry 75					
Information according to Directive 2012/18/EU (SEVESO III):	E1 Hazardous to the Aquatic Environment				
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'ju work protection guideline' (94/33/EC).	venile			
Water hazard class (D):	3 - highly hazardous to water				

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,12.

# Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Dam: Eye damage Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Dam. 1; H318	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)